


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL2 Module	1	0	1	0	4 m 17.568 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL2	Create an accounting base templet for accounting book for	30	24	1	5	4 m 17.559 s
	<u>Module</u>	legal entity					

DETAILED SECTION -- 4 --

(F)- Check the Functionality of the GL2 Module

FAILED	DURATION - 4 m 17.568 s	Scenarios		Steps	
		Total - 1		Total - 30	
/ 11:50:22.979 ai	m // 11:54:40.547 am /	Pass - 0	1	Pass - 24	30
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

(S)- Create an accounting base templet for accounting book for legal entity



#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	11.900 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		
	■ © Section (1997) 1998 1999 1		
2	And Click on Accounting Setup module	PASSED	0.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.204 s
	screenshot		

#	Step / Hook Details	Status	Duration
	■		
3	Then Click sub module Accounting book definition	PASSED	0.387 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.270 s
	screenshot		
	*** OF THE PARTY STATES AND ADMINISTRATION OF THE PARTY S		
4	And Click on Add icon	PASSED	0.268 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
	screenshot		
5	Then Choose the Template Type of Base Template	PASSED	0.305 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		
	### Control Co		
6	And Enter Book Name	PASSED	0.217 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot	1	
	·	•	

# Step / Hook Details	Status	Duration
The state of the s		
7 Then Select system date as Effective date	PASSED	1.754 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
screenshot		
# \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
8 And Choose the Book Type what you Need	PASSED	0.395 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.163 s
9 Then Enter the Remark	PASSED	0.198 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
screenshot		
The Confidence of the Confiden		
10 And Save the Record	PASSED	0.110 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.421 s

#	Step / Hook Details	Status	Duration
	** OF THE PROPERTY AND		
11	Then Goto The Notification Icon	PASSED	0.273 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		
	C C C C C C C C C C		
12	And Store the Referance Id and Open the Record	PASSED	0.751 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.272 s
	1 1 1 1 1 1 1 1 1 1		
13	Then Click submit button and Enter Remark submit it	PASSED	2.845 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		
	State Stat		
14	Given Navigate as a Reviewer	PASSED	7.730 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		

#	Step / Hook Details	Status	Duration
	The Control Annual Prince Control Cont		
15	Then click on Notify icon	PASSED	0.818 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
	** O TOTAL PROSESSION CONTRACT OF THE PROPERTY		
16	And Click First record Action icon	PASSED	0.165 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.282 s
17	Then Approve the record in Reviewer	PASSED	0.088 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Ten_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)* **Ten_Step - step - ste	PASSED	0.183 s
18	And Give Remark and Submit	PASSED	1.477 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		


19 Given Navigate as a Checker AFTER_STEP - stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario) 20 Then Click module security management AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 30 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 31 And Claim the Record in Checker AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 32 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 33 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 34 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 35 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 36 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 37 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 38 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 39 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 30 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 39 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 30 AFTER_STEP -	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java.Scenario) screenshot 20 Then Click module security management AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java.Scenario) screenshot 21 And Claim the Record in Checker AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java.Scenario) screenshot 22 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java.Scenario) screenshot 4AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java.Scenario) screenshot 4AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java.Scenario) screenshot 4AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java.Scenario) PASSED 0.102 s 0.257 s 0.256 s 0.257 s 0.257 s 0.256 s 0.257 s		1		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java.Scenario) screenshot 20 Then Click module security management AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java.Scenario) screenshot 21 And Claim the Record in Checker AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java.Scenario) screenshot 22 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java.Scenario) screenshot 4AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java.Scenario) screenshot 4AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java.Scenario) screenshot 4AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java.Scenario) PASSED 0.102 s 0.257 s 0.256 s 0.257 s 0.257 s 0.256 s 0.257 s				
20 Then Click module security management PASSED 0.257 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.256 s 21 And Claim the Record in Checker PASSED 0.712 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.712 s Screenshot PASSED 0.712 s Facreenshot PASSED 0.712 s Screenshot PASSED 0.237 s Screenshot PASSED 0.297 s 22 Then Goto the Checker notification Icon PASSED 0.109 s 25 Then Goto the Checker notification Icon PASSED 0.345 s	19	Given Navigate as a Checker	PASSED	7.511 s
Then Click module security management AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Claim the Record in Checker AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.109 s PASSED 0.345 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.102 s
Then Click module security management AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Claim the Record in Checker AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) DASSED O.257 s D.256 s D.256 s D.257 s D		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 21 And Claim the Record in Checker AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 22 Then Goto the Checker notification Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.256 s 0.712 s 0.237 s		* * * * * * * * * * * * * * * * * * *		
screenshot 21 And Claim the Record in Checker AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 22 Then Goto the Checker notification Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.109 s PASSED 0.345 s	20	Then Click module security management	PASSED	0.257 s
21 And Claim the Record in Checker AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 22 Then Goto the Checker notification Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.109 s 0.345 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
21 And Claim the Record in Checker AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Goto the Checker notification Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.109 s PASSED 0.345 s		screenshot	1	
And Claim the Record in Checker AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Goto the Checker notification Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.712 s 0.712 s 0.712 s 0.237 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 22 Then Goto the Checker notification Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.237 s 0.237 s 0.237 s	21		DACCED	0.710 -
Screenshot Then Goto the Checker notification Icon AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.109 s 0.345 s	<u> </u>			
22 Then Goto the Checker notification Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.345 s			PASSED	0.237 5
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.345 s		** ** ** ** ** ** ** ** ** ** ** ** **	_	
	22	Then Goto the Checker notification Icon	PASSED	0.109 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.345 s
		screenshot		

#	Step / Hook Details	Status	Duration
	Part Part		
23	And Click the First Action Icon	PASSED	0.093 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
	screenshot]	
	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$		
24	Then Approve the Record in checker stage	PASSED	0.723 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.226 s
	screenshot		
25	And Give the Remark and Submit it	FAILED	3 m 17.619 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8ca20e33c9b84c91712cbb4377de146b, findElement {using=xpath, value=//div[@id='toast-container']/div/div[@role='alertdialog']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:60487}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60487/devtoo, se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8ca20e33c9b84c91712cbb4377de146b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.Service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.RemoteWebDriver.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:373) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementHfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:6		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8ca20e33c9b84c91712cbb4377de146b, screenshot {}] Capabilities {acceptlnsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:60487}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60487/devtoo, se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8ca20e33c9b84c91712cbb4377de146b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133)	FAILED	12.097 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		
26	Given Navigate to Azentio Kubs	SKIPPED	0.001 s
27	And Click on Accounting Setup module	SKIPPED	0.001 s
28	Then Click sub module Accounting book definition	SKIPPED	0.000 s
29	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s
30	And System should Generate unique code	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.274 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8ca20e33c9b84c91712cbb4377de146b, close {}] Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: (chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C'Ulsers\(\text{ININDC-11AppData\}\), goog:chromeOptions: (debuggerAddress: localhost:60487), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60487/devtoo, se:cdp/version: 99.0.4844.51, set\(\text{VindowRect:} true, strictFileInteractability: false, timeouts: (implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:vitualAuthenticators: true} Session ID: 8ca20e33c9b84c91712cbb4377de146b at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:144) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.execut		


EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --




EXPANDED SECTION -- 17 --







EXPANDED SECTION -- 19 --




EXPANDED SECTION -- 20 --



EXPANDED SECTION -- 21 --





EXPANDED SECTION -- 23 --

