

Cucumber Report

Feb 22, 2022, 11:02:08 AM

Start : Feb 22, 11:00:42.136 AM

End : Feb 22, 11:02:07.239 AM

Duration : 1 m 25.103 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 15
FAILED - 1
SKIPPED - 10







#	Feature Name	T	P	F	S	Duration
1	Checking the Acount Payable GRN functionality	1	0	1	0	1 m 25.103 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Acount Payable GRN functionality	GRN should be created successfully and displayed in approved queue with Active Status.	26	15	1	10	1 m 25.100 s





(F)- Checking the Account Payable GRN functionality





FAILED	DURATION - 1 m 25.103 s	Scenarios		Steps	
/ 11:00:42.136 AM // 11:02:07.239 AM /		Total - 1		Total - 26	
		Pass - 0		Pass - 15	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 10	

(S)- GRN should be created successfully and displayed in approved queue with Active Status.



FAILED		DURATION - 1 m 25.100 s			Steps Total - 26 Pass - 15 Fail - 1 Skip - 10	
/ 11:00:42.139 AM // 11:02:07.239 AM /						
Checking the Account Payable GRN functionality						
@MultiAuth @TC_003						

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.625 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.283 s
	screenshot		
			
2	Then Click on Direction icon	PASSED	2.339 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click on Account Payable	PASSED	0.104 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot 		
4	Then Click on GRN Eye button	PASSED	0.380 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot 		
5	Then Click on purchase order Add button	PASSED	0.282 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot 		
6	Then Fill the form for GRN	PASSED	1.770 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then Click on Account Payable Save button	PASSED	0.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	screenshot		
			
8	Then Click on Account Payable Notification	PASSED	0.289 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.235 s
	screenshot		
			
9	Then Select the record from Notification	PASSED	0.337 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		
			
10	Then Click on item Details tab	PASSED	2.093 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then Select PO Number	PASSED	2.403 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.093 s
	screenshot		
			
12	Then Add qty received qty approved	PASSED	2.363 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.090 s
	screenshot		
			
13	Then Click on item Details Save button	PASSED	0.085 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		
			
14	Then Click on Account Payable Notification	PASSED	0.202 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	Then Select the record from Notification	PASSED	0.744 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		
			
16	And Submit the Selected record	FAILED	52.569 s
	<p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4f03fa516d1591307f5e73217f112f98, findElement {using=xpath, value=([//ion-textarea[@name='remarks']])[2]]/[//ion-col[1]/ion-item[1]/ion-textarea[1]/div[1]/text-area[1]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:63135}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63135/devtools..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4f03fa516d1591307f5e73217f112f98</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.AccountPayable_VendorPurchaseOrder.submit_the_selected_record(AccountPayable_VendorPurchaseOrder.java:283) at ?.Submit the Selected record(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/AccountPayable_Grn.feature:22) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4f03fa516d1591307f5e73217f112f98, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\chrome\chromeOptions: {debuggerAddress: localhost:63135}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63135/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4f03fa516d1591307f5e73217f112f98 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42) </pre>	FAILED	4.019 s
17	Then log in to the reviewer account	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
18	Then click on the Notification select the record and Approve	SKIPPED	0.000 s
19	Then log in to the Checker Account	SKIPPED	0.000 s
20	And then checker claim the record	SKIPPED	0.000 s
21	Then click on the checker Notification	SKIPPED	0.000 s
22	And select the record and Approve by checker	SKIPPED	0.000 s
23	Given Maker Navigate to UAT URL login	SKIPPED	0.000 s
24	Then Click on Direction icon	SKIPPED	0.000 s
25	Then Click on Account Payable	SKIPPED	0.000 s
26	Then Click on GRN Eye button	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.246 s
	<p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4f03fa516d1591307f5e73217f112f98, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:63135}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63135/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4f03fa516d1591307f5e73217f112f98</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)</p>		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GRN should be created successfully
and displayed in approved queue with
Active Status.


(F) Checking the Account Payable GRN
functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GRN should be created successfully
and displayed in approved queue with
Active Status.

(F) Checking the Account Payable GRN
functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GRN should be created successfully
and displayed in approved queue with
Active Status.

(F) Checking the Account Payable GRN
functionality

The screenshot shows the Kastle Universal Banking (Beta) interface. The top navigation bar includes the date 19-Oct-2022, language English, and user ANANT. The left sidebar shows the Finance menu with options: General ledger transaction, Budget, and Accounts payable. The main content area displays a list of transactions with columns: Vendor contracts, Vendor purchase orders, Goods received note (GRN), Invoice booking, Payment settlement, and Payment settlement cancellation. The bottom bar shows 22 Appro... and 11 Messa... buttons, along with Home and Preference icons.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GRN should be created successfully
and displayed in approved queue with
Active Status.

(F) Checking the Account Payable GRN
functionality

The screenshot shows the Kastle Universal Banking (Beta) interface with the GRN View table. The table has columns: Actions, Branch Code - Name, GRN Number, Business Partner, Date, GRN Status, Create By, and Create Date. The table displays 95 total records, with the first 8 rows visible. The bottom bar shows 22 Appro... and 11 Messa... buttons, along with Home and Preference icons.

Actions	Branch Code - Name	GRN Number	Business Partner	Date	GRN Status	Create By	Create Date
	AZENTMAIN - Azentio N	GRN-Agency-8-95-22	Borton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-94-22	Borton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-93-22	Borton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-92-22	Borton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022
	AZENTMAIN - Azentio N	GRN-Dealer-12-91-22	PAUL MCADAMS & Co.	22-Feb-2022	ACTIVE	admin	22-Feb-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-90-22	Borton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-89-22	Borton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-88-22	Borton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GRN should be created successfully
and displayed in approved queue with
Active Status.

(F) Checking the Account Payable GRN
functionality

The screenshot shows the Kastle Universal Banking (Beta) interface. The top navigation bar includes the date 19-Oct-2022, language English, and user ANANT. The left sidebar lists various finance-related options: General ledger transaction, Budget, Accounts payable, Vendor contracts, Vendor purchase orders, Goods received note (GRN), Invoice booking, Payment settlement, and Payment settlement cancellation. The main content area displays a table titled "GRN View" with columns: Actions, Branch Code - Name, GRN Number, Business Partner, Date, GRN Status, Create By, and Create Date. The table contains 95 entries, all with a status of "ACTIVE" and created by "admin" on 22-Feb-2022. A pagination bar at the bottom shows "95 total" and a page selector with options 1 through 5.

Actions	Branch Code - Name	GRN Number	Business Partner	Date	GRN Status	Create By	Create Date
	AZENTMAIN - Azentio N	GRN-Agency-8-95-22	Bonton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-94-22	Bonton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-93-22	Bonton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-92-22	Bonton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022
	AZENTMAIN - Azentio N	GRN-Dealer-12-91-22	PAUL MCADAMS & Co.	22-Feb-2022	ACTIVE	admin	22-Feb-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-90-22	Bonton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-89-22	Bonton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022
	AZENTMAIN - Azentio N	GRN-Agency-8-88-22	Bonton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GRN should be created successfully
and displayed in approved queue with
Active Status.

(F) Checking the Account Payable GRN
functionality

The screenshot shows the Kastle Universal Banking (Beta) interface. The top navigation bar includes the date 19-Oct-2022, language English, and user ANANT. The left sidebar lists various finance-related options: General ledger transaction, Budget, Accounts payable, Vendor contracts, Vendor purchase orders, Goods received note (GRN), Invoice booking, Payment settlement, and Payment settlement cancellation. The main content area displays a form titled "GRN" with fields for BP Name, BP Branch, GRN Number, Invoice Number, GRN Date, GRN Amount, Delivery Location, and Upload Delivery challan. The form is partially filled with data: BP Name is Bonton Agency, BP Branch is Corporate Branch- Panvel, GRN Number is INV-22-02, GRN Date is 22-Feb-2022, GRN Amount is INR, and Delivery Location is Azentio Main Branch. A "DOWNLOAD" button is visible. The form also includes a "Remark" field and a "GRN Status" dropdown menu set to "Active".

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GRN should be created successfully
and displayed in approved queue with
Active Status.

(F) Checking the Account Payable GRN
functionality

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN

* BP Name Bonton Agency x * BP Branch Corporate Branch- Panvel x GRN Number

* Invoice Number INV-22-02 * GRN Date 22-Feb-2022 GRN Amount INR x

* Delivery Location Azentio Main Branch x Upload Delivery challan Choose File No file chosen

GRN Status Active TXT Status

DOWNLOAD

Remark

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GRN should be created successfully
and displayed in approved queue with
Active Status.

(F) Checking the Account Payable GRN
functionality

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN Inbox

Actions	Branch Code - Name	GRN Number	Business Partner	Date	GRN Status	Created By	Created Date
No data to display	AZENTMAIN - Azentio I		Bonton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022
	AZENTMAIN - Azentio I		Bonton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022
	AZENTMAIN - Azentio I		Bonton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022
	AZENTMAIN - Azentio I		Bonton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022
	AZENTMAIN - Azentio I		Bonton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022
	AZENTMAIN - Azentio I		Bonton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022
	AZENTMAIN - Azentio I		Bonton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022


243 total

Gm created successfully.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GRN should be created successfully
and displayed in approved queue with
Active Status.

(F) Checking the Account Payable GRN
functionality



Kastle Universal Banking (Beta)

19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction

Budget

Accounts payable

Vendor contracts

Vendor purchase orders

Goods received note (GRN)

Invoice booking

Payment settlement

Payment settlement cancellation

22 Appro... 11 Messa...

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✓	456	GRN_EVENT	MAKER	MAKER	1002435
✓	454	GRN_EVENT	MAKER	MAKER	1002435
✓	453	GRN_EVENT	MAKER	MAKER	1002435
✓	452	GRN_EVENT	MAKER	MAKER	1002435
✓	451	GRN_EVENT	MAKER	MAKER	1002435


897 total

Grn created successfully.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GRN should be created successfully
and displayed in approved queue with
Active Status.

(F) Checking the Account Payable GRN
functionality



Kastle Universal Banking (Beta)

19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction

Budget

Accounts payable

Vendor contracts

Vendor purchase orders

Goods received note (GRN)

Invoice booking

Payment settlement

Payment settlement cancellation

22 Appro... 11 Messa...

GRN Item Details

ViewSummary Submit Cancel

BP Name Bonton Agency BP Branch Corporate Branch- Panvel GRN Number

* Invoice Number INV-22-02 * GRN Date 22-Feb-2022 GRN Amount INR

* Delivery Location Azentio Main Branch

GRN Status Active TXT Status

Remark

DOWNLOAD

SUCCESS

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GRN should be created successfully
and displayed in approved queue with
Active Status.

(F) Checking the Account Payable GRN
functionality

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN Item Details

ViewSummary Submit Cancel

* Po Number
Azentio_Soft-Agency-8-PO-11

Remove Item	Sr	Expense Code	HSN Code/SAC Code	PO Qty	Pending Qty	Qty Received	Qty Approved	Unit	Rate per Unit	Approved Amount
	1	Insurance-AM-Exp		2	2	<input type="text"/>	<input type="text"/>	Boxes	1000	
1 total										

22 Appro... 11 Messa...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GRN should be created successfully
and displayed in approved queue with
Active Status.

(F) Checking the Account Payable GRN
functionality

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN Item Details

ViewSummary Submit Cancel

* Po Number
Azentio_Soft-Agency-8-PO-11

Remove Item	Sr	Expense Code	HSN Code/SAC Code	PO Qty	Pending Qty	Qty Received	Qty Approved	Unit	Rate per Unit	Approved Amount
	1	Insurance-AM-Exp		2	2	<input type="text"/>	<input type="text"/>	Boxes	1000	1000
1 total										

22 Appro... 11 Messa...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GRN should be created successfully
and displayed in approved queue with
Active Status.

(F) Checking the Account Payable GRN
functionality

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN Item Details

GRN Item Details

Po Number
Azentio_Soft-Agency-8-PO-11

Remove Item	Sr	Expense Code	HSN Code/SAC Code	PO Qty	Pending Qty	Qty Received	Qty Approved	Unit	Rate per Unit	Approved Amount
	1	Insurance-AM-Exp		2	2	1	1	Boxes	1000	1000

1 total

22 Appro... 11 Messa...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GRN should be created successfully
and displayed in approved queue with
Active Status.

(F) Checking the Account Payable GRN
functionality

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN Item Details

GRN Item Details

Actions

GRN
No data to display

Branch Code - Name	GRN Number	Business Partner	Date	GRN Status	Created By	Created Date
AZENTMAIN - Azentio h	Borton Agency	22-Feb-2022	ACTIVE	admin	22-Feb-2022	

Grntem-hdr created successfully.

243 total

22 Appro... 11 Messa...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GRN should be created successfully
and displayed in approved queue with
Active Status.

(F) Checking the Account Payable GRN
functionality

The screenshot displays the Kastle Universal Banking (Beta) application interface. The top navigation bar includes the date (19-Oct-2022), language (English), and user information (Azentio Software, (AZENTMAIN), ANANT). The left sidebar shows the Finance section with a list of items: General ledger transaction, Budget, Accounts payable, Vendor contracts, Vendor purchase orders, Goods received note (GRN), Invoice booking, Payment settlement, and Payment settlement cancellation. The main content area shows an 'Inbox' view with a table of GRN events. A notification banner at the top of the table states 'GrnItemHdr created successfully.' The table has columns for Actions, Reference Id, Event Code, Stage Code, Role Code, and Employee Name. The data rows show GRN_EVENT entries with Reference Ids 456, 454, 453, 452, and 451, all with Stage Code MAKER and Role Code MAKER, and Employee Name 1002435. The bottom of the table indicates '89/ total' and a pagination control showing page 1 of 5.

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✓	456	GRN_EVENT	MAKER	MAKER	1002435
✓	454	GRN_EVENT	MAKER	MAKER	1002435
✓	453	GRN_EVENT	MAKER	MAKER	1002435
✓	452	GRN_EVENT	MAKER	MAKER	1002435
✓	451	GRN_EVENT	MAKER	MAKER	1002435