
**Duration: 38.866 s** Start: Mar 31, 4:40:35.203 PM End: Mar 31, 4:41:14.069 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 18 SKIPPED - 0 SKIPPED - 0 SKIPPED - 15 34 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 52 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	testing the General Ledger Module	1	0	1	0	38.866 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	testing the General Ledger Module	check Accounting schemes should mapped to the same	34	18	1	15	38.863 s
		<u>Transaction event</u>					

DETAILED SECTION -- 4 --

## **(F)-** testing the General Ledger Module

FAILED	DURATION - 38.866 s	Scenarios		Steps	
		Total - 1		Total - 34	
/ 4:40:35.203	PM // 4:41:14.069 PM /	Pass - 0	1	Pass - 18	34
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - <b>15</b>	

## **(S)-** check Accounting schemes should mapped to the same Transaction event



#	Step / Hook Details	Status	Duration
1	Given Login as a Azentio Maker	PASSED	11.080 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	screenshot		
	NAME OF TAXABLE PROPERTY O		
2	When user click the Accounting setup	PASSED	0.091 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	screenshot		

AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber_java. Scenario)   AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber_java. Scenario)   AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber_java. Scenario)   Amount of the common of the commo	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 And click add icon in Gl  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And select the event  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And select the event  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And select the event  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.240 s  0.159 s		The control of the		
screenshot  4 And click add icon in GI  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario)  5 And select the event  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario)  5 Creenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario)  6 And click the Scheme  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario)	3		PASSED	
And click add icon in GI AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  And select the event AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
4 And click add icon in GI  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And select the event  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.090 s  PASSED  0.090 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  DASSED  O.210 s				
screenshot  And select the event  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And click the Scheme  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.277 s  0.145 s  0.145 s  0.145 s	4	And click add icon in Gl	PASSED	0.159 s
5 And select the event PASSED 0.277 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And click the Scheme  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.090 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.145 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
5 And select the event  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And click the Scheme  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.277 s  0.145 s  0.145 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And click the Scheme  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.145 s  PASSED  0.090 s  PASSED  0.196 s				
Screenshot  6 And click the Scheme  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.090 s  0.196 s	5	And select the event	PASSED	0.277 s
6 And click the Scheme  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED  0.090 s  0.196 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
6 And click the Scheme  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.090 s  0.196 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.196 s		1		
	6	And click the Scheme	PASSED	0.090 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
		screenshot	1	

#	Step / Hook Details	Status	Duration
	Water light to the later to the		
7	And click Add button	PASSED	0.071 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.186 s
	screenshot		
	Control   Cont		
8	And click next Scheme	PASSED	0.067 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot		
	The state of the s		
9	And click Add button	PASSED	0.041 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		
	Water fact to the control of the con		
10	And click save button in event mapping	PASSED	0.057 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot	7	
	·		

AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  22 And select the first record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  33 And click on submit button  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  2 And select the first record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  3 And click on submit button AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 0.203 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 0.203 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 0.219 s  0.219 s		Section   Sec		
screenshot    12	11	And Click on notification icon	PASSED	1.090 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 2.087 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.137 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
12 And select the first record PASSED 0.146 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  13 And click on submit button PASSED 0.203 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And enter remark in alert tab  PASSED 2.087 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.137 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And click on submit button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.087 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.087 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.087 s				
screenshot  13 And click on submit button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  14 And enter remark in alert tab  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.087 s  PASSED  0.137 s	12	And select the first record	PASSED	0.146 s
And click on submit button  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And enter remark in alert tab  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  D.203 s  D.2		screenshot	PASSED	0.199 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  14 And enter remark in alert tab  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  2.087 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.137 s		1		
Screenshot  14 And enter remark in alert tab  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.137 s	13	And click on submit button	PASSED	0.203 s
14 And enter remark in alert tab  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.137 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.232 s
And enter remark in alert tab  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.137 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.137 s				
	14	And enter remark in alert tab	PASSED	2.087 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
		screenshot	7	


■ <b>0</b> marriages	
The state of the s	
15 And click on submit PASS	SED 4.130 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASS	0.184 s
screenshot	
16 Given Navigate to Url and login as a reviewer PASS	SED 7.084 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASS	0.109 s
screenshot	
* O CANADA CONTRACT C	
17 Then Click on Notification button PASS	GED 0.784 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASS	GED 0.150 s
screenshot	
18 And Find the budget code which submitted from maker PASS	SED 1.434 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASS	SED 0.148 s

#	Step / Hook Details	Status	Duration
	** ** ** ** ** ** ** ** ** ** ** ** **		
19	Then Click on action button	FAILED	0.026 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath";"selector":"//span[contains(text(),'572])/parent::div/parent::div/parent::datatable-body-cell/preceding-sibling::datatable-body-cell/[1//div/lion-buttons/]* (Session info: chrome-99, 0.4844.82) For documentation on this error, please visit. https://selenium.dev/exceptions//#no_such_element Build info: version: '4.0.0-re-1', revision: 'bc5511cbda' System info: host: 'IMMUVADPO16585', ip: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Comman: '18.00', java.version: '19.00', java.version: '19.00		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.120 s
	screenshot		


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	** O MATCHARITHMEN STREET LIGHT		
20	And Approve the record	SKIPPED	0.001 s
21	Given Navigate to Url and login as a Checker	SKIPPED	0.000 s
22	Then Click the Notification icon	SKIPPED	0.000 s
23	And Click on security management	SKIPPED	0.000 s
24	Then Click on open pool	SKIPPED	0.000 s
25	And Click on claim button	SKIPPED	0.000 s
26	Then click on notification	SKIPPED	0.000 s
27	Then approve the records	SKIPPED	0.000 s
28	Given Login as a Azentio Maker	SKIPPED	0.000 s
29	When user click the Accounting setup	SKIPPED	0.001 s
30	And click the Accounting Scheme Event Mapping Eye icon	SKIPPED	0.000 s
31	And click the search icon	SKIPPED	0.000 s
32	And search Event name based on which we created	SKIPPED	0.000 s
33	And clck the first edit icon in list view	SKIPPED	0.000 s
34	Then verify System should allow to map to the transaction event more than one Accounting Scheme	SKIPPED	0.000 s


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION --- 15 --




EXPANDED SECTION -- 16 --




EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --

