


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check Budget Request and Allocation feature module	1	0	1	0	22.143 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check Budget Request and Allocation	To verify the impact if user enters all the valid details and	19	18	1	0	22.135 s
	feature module	clicking on save button					

DETAILED SECTION -- 4 --

(F)- Check Budget Request and Allocation feature module

FAILED	DURATION - 22.143 s	Scenarios		Steps	
		Total - 1		Total - 19	
/ 1:15:45.460 pn	n // 1:16:07.603 pm /	Pass - 0	1	Pass - 18	19
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- To verify the impact if user enters all the valid details and clicking on save button



#	Step / Hook Details	Status	Duration
1	Given Navigate The url	PASSED	10.446 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
	screenshot		
	Prince Space Contraction Contract Contr		
2	Then Transfer icon	PASSED	0.587 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		

3 And Budget module field PASSED 0.120 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.239 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.239 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.027 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then Budget module Budget Request and Allocation clk Eye Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot 5 And the Budget Code fields AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 And the Budget Code fields AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 Acreenshot ACTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 Creenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefini		Final State Control Co		
Screenshot Scr	3	And Budget module field	PASSED	0.120 s
Then Budget module Budget Request and Allocation clk Eye Icon ATER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And the Budget Code fields And the Budget Code fields ArtER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And the Budget Code fields An		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
4 Then Budget module Budget Request and Allocation clk Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And the Budget Code fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then the Budget Name Fields PASSED O.036 s PASSED O.239 s PASSED O.037 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And the Budget Code fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitio				
screenshot And the Budget Code fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then the Budget Name Fields PASSED 0.036 s 0.239 s 0.239 s	4	Then Budget module Budget Request and Allocation clk Eye Icon	PASSED	0.495 s
5 And the Budget Code fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then the Budget Name Fields PASSED 0.036 s PASSED 0.239 s PASSED 0.027 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
5 And the Budget Code fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then the Budget Name Fields PASSED 0.036 s 0.239 s PASSED 0.239 s PASSED 0.239 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then the Budget Name Fields PASSED 0.239 s PASSED 0.239 s		## OF THE PROPERTY AND ADDRESS		
Screenshot Then the Budget Name Fields PASSED 0.027 s	5	And the Budget Code fields	PASSED	0.036 s
6 Then the Budget Name Fields PASSED 0.027 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.239 s
6 Then the Budget Name Fields PASSED 0.027 s		screenshot		
·		# Continued with the continued w		
AFTER_STEP - stendefinitions HooksClass addScreenshot(in cucumber java Scenario) PASSED 0.142 s	6	Then the Budget Name Fields	PASSED	0.027 s
711 TEX_CTEX Supplies in to the characteristic flower and the content of the cont		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
screenshot		screenshot		

To And the Budget Year fields PASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED After Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED Add the Budget Status fields PASSED Add the Budget Amount fields PASSED Arter. Step - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED Arter.	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 8				
screenshot Then the Budget Type fields AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And the Budget Budget Amount fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) To Then the Budget Status fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then the Budget Status fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then the Budget Status fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.020 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.109 s	7	And the Budget Year fields	PASSED	0.029 s
Then the Budget Type fields AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And the Budget Budget Amount fields AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) To Then the Budget Status fields AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.020 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.109 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
8 Then the Budget Type fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And the Budget Budget Amount fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.023 s PASSED 0.110 s Coreenshot 10 Then the Budget Status fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.020 s PASSED 0.020 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And the Budget Budget Amount fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then the Budget Status fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.113 s 0.113 s 0.023 s PASSED 0.023 s 0.110 s		O many		
screenshot 9 And the Budget Budget Amount fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then the Budget Status fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.020 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.109 s	8	Then the Budget Type fields	PASSED	0.021 s
9 And the Budget Budget Amount fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then the Budget Status fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.020 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.109 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.113 s
9 And the Budget Budget Amount fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then the Budget Status fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.023 s 0.110 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then the Budget Status fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.110 s PASSED 0.020 s PASSED 0.109 s		O house		
Screenshot 10 Then the Budget Status fields AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.020 s 0.109 s	9	And the Budget Budget Amount fields	PASSED	0.023 s
10 Then the Budget Status fields AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.020 s 0.109 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.110 s
10 Then the Budget Status fields AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.020 s 0.109 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.109 s				
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.109 s	10	Then the Budget Status fields	PASSED	0.020 s
screenshot		•	PASSED	0.109 s
		screenshot		

#	Step / Hook Details	Status	Duration
	## Of the Control of		
11	And Add icon Request and Allocation	PASSED	0.279 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.355 s
	screenshot		
	The property The		
12	Then choose current Budget Code	PASSED	0.321 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	Screenshot Output O		
13	And Clk current Budget Year	PASSED	0.334 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Tex_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)* Stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)*	PASSED	0.225 s
14	Then Clk on Branch fields	PASSED	0.144 s
14	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 S
	screenshot	I ASSED	0.1000


15 And Clk one Branch in branch field AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.129 s PASSED 0.132 s PASSED 0.132 s PASSED 0.173 s AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.173 s AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 16 Then Clk on Branch ok button in pop up AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 17 Then Clk Need currency AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 18 And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.132 s 0.132 s		100		
screenshot 16 Then Clk on Branch ok button in pop up AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 17 Then Clk Need currency AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.387 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.122 s	15	And Clk one Branch in branch field	PASSED	0.129 s
16 Then Clk on Branch ok button in pop up AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 17 Then Clk Need currency AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.387 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.122 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
Then Clk Need currency AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Then Clk Need currency AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.387 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.122 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 17 Then Clk Need currency AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.194 s 0.212 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 0.194 s 18 And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.122 s 0.194 s		### 0		
screenshot Then Clk Need currency AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.212 s O.211 s PASSED O.211 s And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.122 s O.122 s	16	Then Clk on Branch ok button in pop up	PASSED	0.173 s
Then Clk Need currency AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.387 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.212 s 1.387 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
Then Clk Need currency AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 1.387 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.212 s 1.387 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.212 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 18 And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.387 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) DASSED 0.211 s		© MICHAEL 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Screenshot 18 And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.122 s	17	Then Clk Need currency	PASSED	0.212 s
18 And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.122 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
18 And Select Amount for which Budget Type Show in Budget type AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.122 s		screenshot]	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.122 s		Comparation Comparation		
	18	And Select Amount for which Budget Type Show in Budget type	PASSED	1.387 s
screenshot		· · · · · · · · · · · · · · · · · · ·	PASSED	0.122 s
		screenshot]	

#	Step / Hook Details	Status	Duration
	Particularies Particularie		
19	And Clk on save icon	FAILED	1.154 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element		


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	Clk_on_save_icon(KUBS_Requestandallocation_autoauth_Saverecord.java:341) at ?.Clk on save icon(file:///C:/Users/inindc00075/eclipse-workspace/AzentioFramework/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetRequestandAllocation.feature:326) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.122 s
	# Q		


EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --




EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --



EXPANDED SECTION -- 20 --

