

# Cucumber Report

13 Jan 2023, 9:44:05 AM

**Start : Jan 13, 9:09:06.614 AM**

**End : Jan 13, 9:44:02.758 AM**

**Duration : 34 m 56.144 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 7**


**FAILED - 1**

**SKIPPED - 3**







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	34 m 56.144 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify Credit Note is adjusted against the selected bill and Net Adjusted Value is correctly displayed	11	7	1	3	34 m 56.095 s

**(F)- AR/AP Module**


<b>FAILED</b>	<b>DURATION - 34 m 56.144 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 11 Pass - 7 Fail - 1 Skip - 3	
/ 9:09:06.614 AM // 9:44:02.758 AM /					

**(S)- Verify Credit Note is adjusted against the selected bill and Net Adjusted Value is correctly displayed**

<b>FAILED</b>	<b>DURATION - 34 m 56.095 s</b>		Steps Total - 11 Pass - 7 Fail - 1 Skip - 3	
/ 9:09:06.663 AM // 9:44:02.758 AM /				
AR/AP Module				
@AR/AP				
@KUBS_AR_AP_UAT_004_005_TC_01_01				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	35.584 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.019 s
	screenshot		
			
2	And user should navigate to accounts payable menu	PASSED	3.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	When click on eye button of invoice booking	PASSED	1.654 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.811 s
	screenshot		
			
4	And click on add button for invoice booking	PASSED	0.970 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.583 s
	screenshot		
			
5	And user update the data set ID for Invoice against Expense	PASSED	0.641 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.310 s
	screenshot		
			
6	And fill the mandatory field for invoice booking for expenseType invoice	PASSED	7.799 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.333 s
	screenshot		
			
7	And goto invoice bill booking temp view and select the record	PASSED	2.379 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.808 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	<p><b>And fill the second tab for expencess details</b></p> <pre>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=109.0.5414.74) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.153', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [4f1870c81879da4597b5a0cbd5b4af7d, findElement {using=xpath, value=//ion-radio-group[1]/ion-item[2]/ion- radio[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.74, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:53750}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53750/devtoo..., se:cdpVersion: 109.0.5414.74, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4f1870c81879da4597b5a0cbd5b4af7d     at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)     at jdk.proxy2/jdk.proxy2.\$Proxy46.toString(Unknown Source)     at java.base/java.lang.String.valueOf(String.java:4215)     at java.base/java.lang.StringBuilder.append(StringBuilder.java:169)     at org.openqa.selenium.support.ui.ExpectedConditions\$10.toString(ExpectedConditions.java:298)     at java.base/java.lang.String.valueOf(String.java:4215)     at java.base/java.lang.StringBuilder.append(StringBuilder.java:169)     at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229)     at helper.WaitHelper.waitForElementVisible(WaitHelper.java:62)     at stepdefinitions.ARAP_CreditNote.fill_the_second_tab_for_expencess_details(ARAP_CreditNote.java:148)     at ?.fill the second tab for expencess details(file:///C:/Users/ININDC00089/git/AzentioAutomationFramework/ArAp/</pre>	FAILED	33 m 22.772 s

#	Step / Hook Details	Status	Duration
	AzentioAutomationFramework_ARAP_Excel/src/test/java/features/ArAp4.feature:147) * Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=109.0.5414.74) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.153', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4f1870c81879da4597b5a0cbd5b4af7d, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.74, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938..., userDataDir: C:\Users\NINDC~1\AppData\Local\Temp\chromeOptions: {debuggerAddress: localhost:53750}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53750/devtools, se:cdpVersion: 109.0.5414.74, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4f1870c81879da4597b5a0cbd5b4af7d atjdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)	FAILED	0.022 s
9	Then click on the Notification icon	SKIPPED	0.000 s
10	Then store the Reference ID and open the invoice booking record	SKIPPED	0.000 s
11	Then click submit and enter remark for invoice booking	SKIPPED	0.001 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	32.435 s
	org.openqa.selenium.WebDriverException: disconnected: unable to connect to renderer (failed to check if window was closed: disconnected: unable to connect to renderer) (Session info: chrome=109.0.5414.74) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.153', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4f1870c81879da4597b5a0cbd5b4af7d, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.74, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938..., userDataDir: C:\Users\NINDC~1\AppData\Local\Temp\chromeOptions: {debuggerAddress: localhost:53750}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53750/devtools, se:cdpVersion: 109.0.5414.74, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4f1870c81879da4597b5a0cbd5b4af7d		

#	Step / Hook Details	Status	Duration
	<pre>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)</pre>		



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify Credit Note is adjusted against  
the selected bill and Net Adjusted Value is  
correctly displayed


(F) AR/AP Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify Credit Note is adjusted against  
the selected bill and Net Adjusted Value is  
correctly displayed

(F) AR/AP Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify Credit Note is adjusted against  
the selected bill and Net Adjusted Value is  
correctly displayed


(F) AR/AP Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify Credit Note is adjusted against  
the selected bill and Net Adjusted Value is  
correctly displayed

(F) AR/AP Module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify Credit Note is adjusted against  
the selected bill and Net Adjusted Value is  
correctly displayed

(F) AR/AP Module

**AZENTIO**  
ONEBanking

15-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction  
Budget  
Accounts payable  
Vendor contracts  
Vendor purchase orders  
Goods received note (GRN)  
**Invoice booking**  
22 Appro... 11 Mess...

Invoice Booking

\* Entity Branch: Azentio Main Branch  
\* Invoice Type:   
Transaction Date: 15-Nov-2022  
System Invoice Number:   
Cost Center:   
\* Supplier Reference Number:   
\* Invoice Date: 15-Nov-2022  
Total Invoice Amount: 0.00 INR  
Tax/Vat/GST Amount:   
\* Flat Discount On Invoice:   
Early Payment Discount Type:   
Early Payment Discount Amount:   
Early Payment Discount Days:   
\* Mode Of Payment:   
\* Invoice Currency: INR  
\* Invoice Discount Currency:   
\* Document Date:

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify Credit Note is adjusted against  
the selected bill and Net Adjusted Value is  
correctly displayed

(F) AR/AP Module

**AZENTIO**  
ONEBanking

15-Nov-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction  
Budget  
Accounts payable  
Vendor contracts  
Vendor purchase orders  
Goods received note (GRN)  
**Invoice booking**  
22 Appro... 11 Mess...

Invoice Booking

Workflow initiated submit record from inbox.

Actions	Branch Code - Name	Invoice Number	Invoice Type	Business Partner	Auto Generate Invoice	Create B
	AZENTMAIN - Azentio		Expense	Bonton Agency		1002435
	AZENTMAIN - Azentio		Expense	Shasheekant		1002435
	AZENTMAIN - Azentio		Expense	Gangeeta		1002435
	AZENTMAIN - Azentio		Invoice Against PO	Shasheekant		1002435
	AZENTMAIN - Azentio		Expense	DELUXE 001		1002435
	AZENTMAIN - Azentio		Expense	Shasheekant		1002435
	AZENTMAIN - Azentio		Invoice Against PO	DELUXE 001		1002435
	AZENTMAIN - Azentio		Invoice Against PO	DELUXE 001		1002435
	AZENTMAIN - Azentio		Invoice Against PO	DELUXE 001		1002435

Invoice Booking created successfully.

1 2 3 4 5 > ▶

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Verify Credit Note is adjusted against  
the selected bill and Net Adjusted Value is  
correctly displayed

(F) AR/AP Module

The screenshot displays the AZENTIO ONEBanking application interface. The top navigation bar includes the date (15-Nov-2022), language (English), and user information (ANANT). The left sidebar shows a menu with options like Finance, General ledger transaction, Budget, Accounts payable, Vendor contracts, Vendor purchase orders, Goods received note (GRN), and Invoice booking. The main area is titled 'Invoice Booking' and contains a table with columns: Actions, Branch Code - Name, Invoice Number, Invoice Type, Business Partner, Auto Generate Invoice, and Create B. The table lists several entries, including 'Expense' and 'Invoice Against PO' for various business partners like 'Bonton Agency', 'Shasheekant', and 'Gangeeta'. The bottom of the screen shows a pagination bar with '114 total' and page numbers 1 through 5.

Actions	Branch Code - Name	Invoice Number	Invoice Type	Business Partner	Auto Generate Invoice	Create B
	AZENTMAIN - Azentio I		Expense	Bonton Agency		1002435
	AZENTMAIN - Azentio I		Expense	Shasheekant		1002435
	AZENTMAIN - Azentio I		Expense	Gangeeta		1002435
	AZENTMAIN - Azentio I		Invoice Against PO	Shasheekant		1002435
	AZENTMAIN - Azentio I		Expense	DELUXE 001		1002435
	AZENTMAIN - Azentio I		Expense	Shasheekant		1002435
	AZENTMAIN - Azentio I		Invoice Against PO	DELUXE 001		1002435
	AZENTMAIN - Azentio I		Invoice Against PO	DELUXE 001		1002435
	AZENTMAIN - Azentio I		Invoice Against PO	DELUXE 001		1002435