

# Cucumber Report

Mar 30, 2022, 12:58:55 AM

**Start : Mar 30, 12:58:37.818 AM**

**End : Mar 30, 12:58:54.548 AM**

**Duration : 16.730 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 1**


**FAILED - 1**

**SKIPPED - 21**







#	Feature Name	T	P	F	S	Duration
1	Checking the Supplementary Budget UAT functionality	1	0	1	0	16.730 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Supplementary Budget UAT functionality	Check if supplimentary budget rejected from HO, the requested amount can not be used	23	1	1	21	16.727 s


**(F)- Checking the Supplementary Budget UAT functionality**

<b>FAILED</b>	<b>DURATION - 16.730 s</b>	Scenarios		Steps	
/ 12:58:37.818 AM // 12:58:54.548 AM /		Total - 1		Total - 23	
		Pass - 0		Pass - 1	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 21	

**(S)- Check if supplementary budget rejected from HO, the requested amount can not be used**

<div>FAILED</div> <div>DURATION - 16.727 s</div>		<div>Steps</div> <div>Total - 23</div> <div>Pass - 1</div> <div>Fail - 1</div> <div>Skip - 21</div>	
<div>/ 12:58:37.821 AM // 12:58:54.548 AM /</div>			
<div>Checking the Supplementary Budget UAT functionality</div>			
<div>@SupplementaryBudget_KUBS_BP_UAT_005_00-6</div>			

#	Step / Hook Details	Status	Duration
1	Given maker should navigate to the url and login with valid credentials UAT	PASSED	9.139 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		
			
2	And maker should navigate to the budget module UAT	FAILED	3.083 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;ion-segment-button value="txn_bnk" layout="icon-top" ng-reflect-value="txn_bnk" ng-reflect-layout="icon-top" class="md in-segment in-segment-color segment-button-has-icon segment-button-has-icon-only segment-button-layout-icon-top ion-activatable ion-activatable-instant ion-focusable hydrated"&gt;...&lt;/ion-segment-button&gt; is not clickable at point (134, 127). Other element would receive the click: &lt;ion-radio class="sc-ion-select-popover md in-item interactive radio-checked hydrated" role="radio" aria-checked="true" aria-labelledby="ion-rb-0-lbl"&gt;&lt;/ion-radio&gt; (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [78ee339666d15447a7aac7a884840fae, clickElement {id=bf5af2ab-4f94-47f8-b4f9-baf9229750d6}] Capabilities</p>		


#	Step / Hook Details	Status	Duration
	<pre>{acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\chrome-extension://efpccfjgk...}, goog:chromeOptions: {debuggerAddress: localhost:58561}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58561/devtools, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (78ee339666d15447a7aac7a884840fae)] -&gt; xpath: //ion-segment/ion-segment-button[2]] Session ID: 78ee339666d15447a7aac7a884840fae at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.BUDGET_SupplementaryBudgetUAT. maker_should_navigate_to_the_budget_module_UAT(BUDGET_SupplementaryBudgetUAT.java:76) at ?.maker should navigate to the budget module UAT(file:///C:/Users/inindc00089/git/AzentioAutomationFramework/AzentioAutomationFramework/src/test/java/features/BUDGET_SupplementaryBudgetUAT.feature:63) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.083 s
3	And maker click on budget field UAT	SKIPPED	0.000 s
4	When maker click on budget supplementary eye icon UAT	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	And click on add button on budget supplementary view page UAT	SKIPPED	0.000 s
6	Then fill the input fields UAT	SKIPPED	0.000 s
7	Then fill apportion amount and save the record UAT	SKIPPED	0.001 s
8	Then validate maker can submit the record UAT	SKIPPED	0.000 s
9	Then user login to checker1 UAT	SKIPPED	0.000 s
10	And click on notification icon UAT	SKIPPED	0.000 s
11	And click on action button button of the record which we want to approve UAT	SKIPPED	0.000 s
12	Then user approve the record UAT	SKIPPED	0.000 s
13	And user write the remark & submit the record UAT	SKIPPED	0.001 s
14	Then User should login to checker2 UAT	SKIPPED	0.000 s
15	Then click on open pool UAT	SKIPPED	0.000 s
16	And Verify for claming the record UAT	SKIPPED	0.000 s
17	Then User should click on notification icon on reviewer2 home page UAT	SKIPPED	0.000 s
18	Then Claim and reject the record UAT	SKIPPED	0.000 s
19	Given maker should navigate to the url and login with valid credentials UAT	SKIPPED	0.000 s
20	And maker should navigate to the budget module UAT	SKIPPED	0.001 s
21	And maker click on budget field UAT	SKIPPED	0.000 s
22	When maker click on budget supplementary eye icon UAT	SKIPPED	0.000 s
23	And navigate to search icon and fill the required field	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if supplementary budget  
rejected from HO, the requested amount  
can not be used

(F) Checking the Supplementary Budget  
UAT functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if supplementary budget  
rejected from HO, the requested amount  
can not be used

(F) Checking the Supplementary Budget  
UAT functionality

