


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	user create login in to Budget and planning UAT files	1	1	0	0	1 m 21.003 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	user create login in to Budget and	Check if supplimentary budget rejected from HO, the	16	16	0	0	1 m 20.997 s
	planning UAT files	requested amount can not be used					

(F)- user create login in to Budget and planning UAT files

PASSED	DURATION - 1 m 21.003 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 1:08:57.458 PM	/ // 1:10:18.461 PM /	Pass - 1	1	Pass - 16	16
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Check if supplimentary budget rejected from HO, the requested amount can not be used

PASSED DURATION - 1 m 20.997 s																	Steps			
/ 1:08:57.464 PM // 1:10:18.461 PM /	40 -	-					-!		-	-		-		-			Total - 16			
user create login in to Budget and planning UAT	20 -	-							-								Pass - 16		16	
files			L			1		1	_	1							Skip - 0			
@KUBS_BP_UAT_005_006_1	0 -	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	3KIP - 0	`		

#	Step / Hook Details	Status	Duration
1	Given navigate to given url and login with maker credentials	PASSED	51.497 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.829 s
	screenshot		
	Total for the first term of th		
2	And maker should navigate to the budget module UAT	PASSED	1.837 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.281 s
	screenshot		
	AND PRODUCT OF THE PR		

#	Step / Hook Details	Status	Duration
3	And maker click on budget field UAT	PASSED	0.226 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		
	AND PARTY AND		
4	When maker click on budget supplementary eye icon UAT	PASSED	0.536 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.982 s
	screenshot		
5	And click on add button on budget supplementary view page UAT	PASSED	1.295 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.331 s
	screenshot		
	AUTO Parameter and Control of the Co		
6	And user update the Excel sheet testdata for Budget and planning Allocation6	PASSED	0.009 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
	screenshot		
	Same the second of the second		
7	Then fill the input fields UAT	PASSED	1.692 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.276 s
	screenshot		
		•	


#	Step / Hook Details	Status	Duration
	Fig. 1/2 - According 1/2 - Acc		
8	Then fill apportion amount and save the record UAT	PASSED	2.662 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.335 s
	screenshot		
	A A A A A A A A A A		
9	And click notification button	PASSED	0.197 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.522 s
	screenshot		
	Fig. 19 Part light in about 19 Part light in		
10	Then click on the search button	PASSED	0.432 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot		
	Carter C		
11	And serach the budget supplimentory sub module name	PASSED	0.398 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.277 s
	screenshot]	

2 Then choose first record in the notification record PASSED 1.332 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 13 And click on Submit button AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 14 Then enter remark in confirmation alerts AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then click on submit button in alert AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.752 s 0.752 s 0.322 s		### A PAPER		
screenshot 13 And click on Submit button AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 14 Then enter remark in confirmation alerts AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) passed 0.080 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.080 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.080 s	12	Then choose first record in the notification record	PASSED	1.332 s
13 And click on Submit button PASSED 0.322 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 Then enter remark in confirmation alertss AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 15 Then click on submit button in alert AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.953 s PASSED 0.322 s 15 Then click on submit button in alert PASSED 0.080 s PASSED 0.080 s PASSED 0.080 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.752 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 14 Then enter remark in confirmation alertss AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then click on submit button in alert AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.301 s 0.301 s PASSED 0.953 s PASSED 0.322 s Then click on submit button in alert AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.435 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.301 s 14 Then enter remark in confirmation alertss AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 15 Then click on submit button in alert AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.301 s 0.301 s PASSED 0.953 s PASSED 0.322 s 0.322 s		Fig. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.		
screenshot 14 Then enter remark in confirmation alertss AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 15 Then click on submit button in alert AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.953 s 0.322 s 0.322 s	13	And click on Submit button	PASSED	0.322 s
Then enter remark in confirmation alertss AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on submit button in alert AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.953 s 0.322 s 0.322 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.301 s
Then enter remark in confirmation alertss AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot Then click on submit button in alert AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.953 s 0.322 s 0.322 s DASSED 0.080 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.080 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 15 Then click on submit button in alert AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.322 s 0.322 s 0.080 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 0.323 s		Fig. 1 Section Section		
screenshot 15 Then click on submit button in alert AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.080 s PASSED 0.435 s	14	Then enter remark in confirmation alertss	PASSED	0.953 s
15 Then click on submit button in alert AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.080 s PASSED 0.435 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.322 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.435 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.435 s				
	15	Then click on submit button in alert	PASSED	0.080 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.435 s
		screenshot		


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
16	And capture the reviewer ID in pop up which is open when we submit our record in maker stage6	PASSED	2.352 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.307 s
	screenshot		
	Part of the state		


EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --







EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --





EXPANDED SECTION -- 16 --

