


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	50.256 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	PO should be created successfully and displayed in	16	14	1	1	50.251 s
		approved queue with Active Status					

DETAILED SECTION

(F)- AR/AP Module

FAILED	DURATION - 50.256 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 1:54:38.907 PI	M // 1:55:29.163 PM /	Pass - 0	1	Pass - 14	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- PO should be created successfully and displayed in approved queue with Active Status



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	12.140 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		
2	And user should navigate to accounts payable menu	PASSED	2.473 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.203 s
	screenshot		
	For the state of t		


3 Then Click on purchase order Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 Then Click on purchase order Add button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.606 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And user update the data set ID for Purchase Order AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.433 s 0.187 s
4 Then Click on purchase order Add button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And user update the data set ID for Purchase Order AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.001 s PASSED 0.136 s
4 Then Click on purchase order Add button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And user update the data set ID for Purchase Order AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.001 s PASSED 0.136 s
4 Then Click on purchase order Add button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And user update the data set ID for Purchase Order AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.239 s PASSED 0.001 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.136 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user update the data set ID for Purchase Order AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.239 s 0.239 s 0.239 s
5 And user update the data set ID for Purchase Order AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.001 s PASSED 0.136 s
5 And user update the data set ID for Purchase Order AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.001 s 0.136 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.136 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.136 s
screenshot
6 Then Fill purchase order Mandatory fields 7.669 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.192 s
screenshot
7 Then Click on Account Payable Save button PASSED 0.073 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.174 s
screenshot

#	Step / Hook Details	Status	Duration
	For the two tables of the State		
8	Then close the confrimation msg	PASSED	1.026 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot		
	### ### ### ### #### #################		
9	Then Click on Item Details Record	PASSED	2.088 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.218 s
	screenshot		
	+		
10	And user update the data set ID for Purchase Order	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
	screenshot		
11	Then Edit the item details fields	PASSED	8.994 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	screenshot	1	
			-


#	Step / Hook Details	Status	Duration
	A		
12	Then Click on Account Payable Save button	PASSED	0.068 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot	1	
13	Then click on the Notification icon	PASSED	1.593 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	screenshot		
14	Then Search purchase order record in List	PASSED	3.622 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		
	AMPOUND 10		
15	Then Select the record from Notification	FAILED	2.080 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'null')]"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [83cd805b172fe5203a7d6b8d216ccbcb, findElement {using=xpath, value=//span[contains(text(),'null')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions:		

#	Step / Hook Details	Status	Duration
#	{debuggerAddress: localhost:58069}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58069/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 83cd805b172fe5203a7d6b8d216ccbcb at jdk.internal.reflect. GeneratedConstructorAccessor36.newInstance(Unknown Source) at java.base/jdk.internal.reflect. DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect. Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect. Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.endec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:134) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)	Status	Duration
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.AccountPayable_VendorPurchaseOrder.select_the_record_from_notification(AccountPayable_VendorPurchaseOrder.		
	java:291) at ?.Select the record from Notification(file:///C:/Users/inindc00089/eclipse-workspace/AzentioAutomationFramework_ARAP/src/test/java/features/ArAp1.feature:81) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot]	
16	And Submit the Selected record	SKIPPED	0.000 s


EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --



(S) PO should be created successfully and displayed in approved queue with Active Status

(F) AR/AP Module



EXPANDED SECTION -- 13 --

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) PO should be created successfully and displayed in approved queue with Active Status


(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass addScreenshot(io.cucumber.
java. Scenario)

(S) PO should be created successfully
and displayed in approved queue with
Active Status

(F) AR/AP Module

EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --

