

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking the Supplementary Budget UAT functionality	1	1	0	0	31.261 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Supplementary Budget	System should allocate more requested amount for the	8	8	0	0	31.259 s
	UAT functionality	inputted budget code.					

DETAILED SECTION

(F)- Checking the Supplementary Budget UAT functionality

PASSED	DURATION - 31.261 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 12:57:18.057 AI	M // 12:57:49.318 AM /	Pass - 1	1	Pass - 8	8
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- System should allocate more requested amount for the inputted budget code.


PASSED DURATION - 31.259 s	10	7		ı	-				-		-	Steps		
/ 12:57:18.059 AM // 12:57:49.318 AM /	8	#	-		-1-	 !		+	 		 	Total - 8		
Checking the Supplementary Budget UAT	4		-		-!-	 			 		 	Pass - 8	8	М
functionality	2	╬	-			 			 <u>.</u>	-	 	Fail - 0	J	
@SupplementaryBudget_KUBS_BP_UAT_005_00- a	0	1			<u> </u>	 			 	<u> </u>	 	Skip - 0		
2			1		2	3	4	5	6	7	8			


#	Step / Hook Details	Status	Duration
1	Given maker should navigate to the url and login with valid credentials UAT	PASSED	9.725 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
2	And maker should navigate to the budget module UAT	PASSED	2.311 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And maker click on budget field UAT	PASSED	0.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.124 s
	screenshot		
	PAUS 1921 VALUE VA		
4	When maker click on budget supplementary eye icon UAT	PASSED	0.163 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.286 s
5	And click on add button on budget supplementary view page UAT	PASSED	2.203 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Tex_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)* **Tex_step - step -	PASSED	0.173 s
6	Then fill the input fields UAT	PASSED	1.576 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.106 s
	I .		1


#	Step / Hook Details	Status	Duration
	# Oran International Part of the Control of the Con		
7	Then fill apportion amount and save the record UAT	PASSED	2.455 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
	screenshot		
	# O MAN AND AND AND AND AND AND AND AND AND A		
8	Then validate maker can submit the record UAT	PASSED	6.458 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
	# ** ** ** ** ** ** ** ** ** ** ** ** **		

EXPANDED SECTION --- 7 -





EXPANDED SECTION --- 9 --



EXPANDED SECTION -- 10 --

