

Cucumber Report

Jan 17, 2022, 9:41:58 PM

Start : Jan 17, 9:40:44.917 PM

End : Jan 17, 9:41:57.750 PM

Duration : 1 m 12.833 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 7
FAILED - 1
SKIPPED - 11







#	Feature Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	1	0	1	0	1 m 12.833 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	Check the functionality System should display Approved authorisation status of the record	19	7	1	11	1 m 12.829 s


(F)- Checking the Supplementary Budget functionality



FAILED	DURATION - 1 m 12.833 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 19 Pass - 7 Fail - 1 Skip - 11	
/ 9:40:44.917 PM // 9:41:57.750 PM /					

(S)- Check the functionality System should display Approved authorisation status of the record

FAILED	DURATION - 1 m 12.829 s		Steps Total - 19 Pass - 7 Fail - 1 Skip - 11	
/ 9:40:44.921 PM // 9:41:57.750 PM /				
Checking the Supplementary Budget functionality				
@SupplementaryBudget_BP_SB_03_05				

#	Step / Hook Details	Status	Duration
1	Given maker should navigate to the url and login with valid credentials	PASSED	15.808 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.321 s
	screenshot		
			
2	And maker should navigate to the budget module	PASSED	3.327 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.328 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And maker click on budget field	PASSED	1.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.328 s
	screenshot 		
4	When maker click on budget supplementary eye icon	PASSED	0.941 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot 		
5	And click on add button on budget supplementary view page	PASSED	2.176 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot 		
6	Then fill the input fields	PASSED	1.020 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then fill apportion amount and save the record	PASSED	2.409 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.104 s
	screenshot 		
8	Then validate maker can save request for the Annually budget	FAILED	37.696 s
	<pre>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f68a1aeda53963fa4133b3360775b4cd, findElement {using=xpath, value=//span[contains(text(),'Submit')]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:52694}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52694/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f68a1aeda53963fa4133b3360775b4cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</pre>		


#	Step / Hook Details	Status	Duration
	<p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.BUDGET_SupplementaryBudget. validate_maker_can_save_request_for_the_annually_budget(BUDGET_SupplementaryBudget.java:712) at ?.validate maker can save request for the Annually budget(file:///C:/Users/inindc00089/eclipse-workspace/ AzentioAutomationFramework2/src/test/java/features/BUDGET_SupplementaryBudget.feature:30) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f68a1aeda53963fa4133b3360775b4cd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:52694}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52694/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f68a1aeda53963fa4133b3360775b4cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42) </p>	FAILED	4.011 s

#	Step / Hook Details	Status	Duration
9	Given Navigate to URL and login to Checker1	SKIPPED	0.000 s
10	When Click on the Security management	SKIPPED	0.000 s
11	Then Click on open pool & click clam button	SKIPPED	0.000 s
12	Then Click on the Notification	SKIPPED	0.000 s
13	And Verify the record is Approved	SKIPPED	0.000 s
14	Given maker should navigate to the url and login with valid credentials	SKIPPED	0.000 s
15	And maker should navigate to the budget module	SKIPPED	0.000 s
16	And maker click on budget field	SKIPPED	0.001 s
17	When maker click on budget supplementary eye icon	SKIPPED	0.000 s
18	And click search icon and fill the required field	SKIPPED	0.000 s
19	Then select the record check Approved auth status of the record	SKIPPED	0.001 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.246 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f68a1aeda53963fa4133b3360775b4cd, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\1\AppData\Local\Temp\1\googchromeoptions: {debuggerAddress: localhost:52694}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52694/devtools, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f68a1aeda53963fa4133b3360775b4cd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the functionality System should
display Approved authorisation status of
the record


(F) Checking the Supplementary Budget
functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the functionality System should
display Approved authorisation status of
the record


(F) Checking the Supplementary Budget
functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the functionality System should display Approved authorisation status of the record


(F) Checking the Supplementary Budget functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the functionality System should display Approved authorisation status of the record

(F) Checking the Supplementary Budget functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the functionality System should display Approved authorisation status of the record

(F) Checking the Supplementary Budget functionality

Kastle Universal Banking 21-Oct-2021 English Azentio Software (AZENT-MAIN) ANANT

Finance

General ledger transaction

Budget

Budget request & allocation

Supplementary budget

Budget transfer

Accounts payable

Adjustments (AR and AP)

Accounts receivable

Fixed assets

Inventory management

22 Appro... 11 Messa...

Home Preference

Supplementary Budget Creation

* Budget Code

* Budget Type

* Budget Year

* Branch

* Total Budget Amount

Amount Utilized

* Supplementary Amount Req

x

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the functionality System should display Approved authorisation status of the record

(F) Checking the Supplementary Budget functionality

Kastle Universal Banking 21-Oct-2021 English Azentio Software (AZENT-MAIN) ANANT

Finance

General ledger transaction

Budget

Budget request & allocation

Supplementary budget

Budget transfer

Accounts payable

Adjustments (AR and AP)

Accounts receivable

Fixed assets

Inventory management

22 Appro... 11 Messa...

Home Preference

Supplementary Budget Creation

* Budget Code

Budget Name

* Budget Type

BDG01

Head Office And Branch Renovation/Development

YEARLY

* Budget Year

* Branch

* Total Budget Amount

2022-2023

AZENT-MAIN

3,100.00 RUP

Amount Utilized

* Supplementary Amount Req

RUP

Comments

Period	Existing	Supplementary Apportion Amount	New Amount
2022-2023	3,100.00		
1 total			

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the functionality System should
display Approved authorisation status of
the record

(F) Checking the Supplementary Budget
functionality

Finance

General ledger transaction

Budget

Budget request & allocation

Supplementary budget

Budget transfer

Accounts payable

Adjustments (AR and AP)

Accounts receivable

Fixed assets

Inventory management

22 Appro...

11 Messa...

21-Oct-2021EnglishAzentio Software(AZENT-MAIN)ANANT

Supplementary Budget Creation

Actions	Budget Code	Budget Name	Budget Year	Budget Type	Branch	Supplementary Amount	Status
<input checked="" type="checkbox"/>	BDG01	Head Office And Branch	2022-2023	YEARLY	Azentio Main Branch	500	Active
<input checked="" type="checkbox"/>	BDG01	Head Office And Branch	2022-2023	YEARLY	Azentio Main Branch	500	Active
<input checked="" type="checkbox"/>	AR12345	SAM	2022-2023	YEARLY	Mulund East	100	Active
<input checked="" type="checkbox"/>	AR12345	SAM	2022-2023	YEARLY	Mulund East	100	Active
<input checked="" type="checkbox"/>	QC2BUD3	Monthly	2022-2023	MONTHLY	Mulund west	500	Active
<input checked="" type="checkbox"/>	QC2BUD3	Monthly	2022-2023	MONTHLY	Mulund west	500	Active
<input checked="" type="checkbox"/>	BDG01	Head Office And Branch	2022-2023	YEARLY	Azentio Main Branch	500	Active

79 total

Home

Preference