

# Cucumber Report

Apr 18, 2022, 2:47:11 PM

Start : Apr 18, 2:13:31.429 PM

End : Apr 18, 2:47:09.894 PM

Duration : 33 m 38.465 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 3  
FAILED - 1  
SKIPPED - 29







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Fixed Asset module</u>	1	0	1	0	33 m 38.465 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Fixed Asset module	Check if the replaced asset can be returned to its vendor	33	3	1	29	33 m 38.462 s



**(F)- Check the Functionality of Fixed Asset module**

<b>FAILED</b>	<b>DURATION - 33 m 38.465 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 33 Pass - 3 Fail - 1 Skip - 29	
/ 2:13:31.429 PM // 2:47:09.894 PM /					


**(S)- Check if the replaced asset can be returned to its vendor**

<div>FAILED</div> <div>DURATION - 33 m 38.462 s</div>			<div>Steps</div> <div>Total - 33</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 29</div>	
/ 2:13:31.432 PM // 2:47:09.894 PM /				
Check the Functionality of Fixed Asset module				
@KUBS_FAT_UAT_007_005				

#	Step / Hook Details	Status	Duration
1	Given Navigate the Azentio url	PASSED	12.645 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		
			
2	Then Click Second Segment Icon	PASSED	0.291 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And Click main module fixed Asset Module	PASSED	0.102 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot 		
4	Then Asset Replacement Store the Reference No	FAILED	33 m 20.750 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for element to be clickable: Proxy element for: DefaultElementLocator 'By.xpath: //datatable-row-wrapper[1]/datatable-body-row[1]/datatable-body-cell[4]/span' (tried for 2000 second(s) with 500 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.WebDriverWait.timeoutException(WebDriverWait.java:138)  at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)  at helper.WaitHelper.waitForElement(WaitHelper.java:79)  at stepdefinitions.FIXEDASSET_AssetReturn.asset_replacement_store_the_referance_no(FIXEDASSET_AssetReturn.java:96)  at ?.Asset Replacement Store the Reference No(file:///C:/Users/inindc00077/git/AzentioAutomationFrameworkAllModules_TestCaseWise/AzentioAutomationFramework/src/test/java/features/FixedAsset.feature:1422)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//datatable-row-wrapper[1]/datatable-body-row[1]/datatable-body-cell[4]/span"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDAP016585', ip: '10.1.47.108', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f2ba4ee3ed865b3f999d24d9ed2298ca, findElement {using=xpath, value=//datatable-row-wrapper[1]/datatable-body-row[1]/datatable-body-cell[4]/span}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:50112}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:50112/devtoo..., se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f2ba4ee3ed865b3f999d24d9ed2298ca</p> <p>at java.lang.reflect.GeneratedConstructorAccessor21.newInstance(Unknown Source)  at java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p>		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.FIXEDASSET_AssetReturn.asset_replacement_store_the_referance_no(FIXEDASSET_AssetReturn.java:96) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<b>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</b> <b>screenshot</b>	PASSED	0.547 s
			
5	Then Asset Return Click on Eye Icon	SKIPPED	0.000 s
6	And Asset Return Add Icon button	SKIPPED	0.001 s
7	Then Give Asset Replacement Reference Number	SKIPPED	0.000 s
8	And Select Asset Return Item Number	SKIPPED	0.000 s


#	Step / Hook Details	Status	Duration
9	Then Click on save button in asset Return	SKIPPED	0.001 s
10	And Click on Maker Notification icon button	SKIPPED	0.000 s
11	Then Click on Action icon	SKIPPED	0.000 s
12	And Approve the Asset Return Record	SKIPPED	0.000 s
13	Then Enter Remark and click submit button	SKIPPED	0.000 s
14	Given Launch the Azentio URL as Reviewer	SKIPPED	0.000 s
15	And Reviewer Notification icon button	SKIPPED	0.001 s
16	Then Click Action submitted record from maker	SKIPPED	0.000 s
17	And Click Approve button from Reviewer End	SKIPPED	0.000 s
18	Then Enter remark then submit Record	SKIPPED	0.000 s
19	Given Launch the Azentio Checker URL	SKIPPED	0.001 s
20	Then Main module Security management	SKIPPED	0.000 s
21	And Sub module open pool Edit icon	SKIPPED	0.000 s
22	Then Claim the record in checker	SKIPPED	0.000 s
23	And Click Checker Notification icon button	SKIPPED	0.000 s
24	Then Action Icon from claim record	SKIPPED	0.000 s
25	And Click Approve icon button	SKIPPED	0.000 s
26	Then Submit the Record from Checker	SKIPPED	0.000 s
27	Given Navigate the Azentio url	SKIPPED	0.000 s
28	Then Click Second Segment Icon	SKIPPED	0.000 s
29	And Click main module fixed Asset Module	SKIPPED	0.000 s
30	Then Asset Return Click on Eye Icon	SKIPPED	0.001 s
31	And Mouse click on search icon	SKIPPED	0.000 s
32	Then Enter Asset Reference No in that field	SKIPPED	0.001 s
33	When capture the Asset Grid view list	SKIPPED	0.001 s



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the replaced asset can be  
returned to its vendor


(F) Check the Functionality of Fixed Asset  
module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the replaced asset can be  
returned to its vendor

(F) Check the Functionality of Fixed Asset  
module



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the replaced asset can be  
returned to its vendor

(F) Check the Functionality of Fixed Asset  
module

The screenshot shows the Kastle Universal Banking (Beta) application interface. The top navigation bar includes the date (13-Jan-2023), language (English), software version (Azentio Software - (AZENTMAIN)), and a user profile (ANANT). The left sidebar menu is expanded, showing the 'Finance' section with various options: General ledger transaction, Budget, Accounts payable, Adjustments (AR and AP), Accounts receivable, and Fixed assets. The 'Fixed assets' option is selected, and a sub-menu is displayed with options: Asset creation, Asset transfer, Asset undertaking, Asset sale, and Asset allocation. The main content area displays a welcome message 'Welcome, anant'. The bottom navigation bar includes 'Home' and 'Preference' icons.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the replaced asset can be  
returned to its vendor

(F) Check the Functionality of Fixed Asset  
module

The screenshot shows the Kastle Universal Banking (Beta) application interface. The top navigation bar includes the date (13-Jan-2023), language (English), software version (Azentio Software - (AZENTMAIN)), and a user profile (ANANT). The left sidebar menu is expanded, showing the 'Fixed assets' section with various options: undertaking, Asset sale, Asset allocation, Asset de-allocation, Asset return, Asset replacement, Asset impairment, Asset ammendment, and Asset revaluation. The 'Asset de-allocation' option is selected, and the main content area displays the 'Asset De Allocation View' screen. The screen shows a table with columns: Actions, Entity, Branch Code - Name, Asset Code, Asset Reference No, Item No, Deallocated By, and Deallocated Date. The table is empty, displaying 'No data to display' and '0 total'. The bottom navigation bar includes 'Home' and 'Preference' icons, and a blue circular button with a plus sign is visible in the bottom right corner.