


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To verify user can see the GL report for stock return to vendors	1	0	1	0	11.480 s
2	Check the Functionality of Inventory	1	0	1	0	26.855 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify user can see the GL report for stock return to vendors	Check inventory stock confirmation	28	0	1	27	11.474 s
2	Check the Functionality of Inventory	Check inventory stock confirmation	21	7	1	13	26.855 s

DETAILED SECTION -- 4 --

(F)- To verify user can see the GL report for stock return to vendors

FAILED	DURATION - 11.480 s	Scenarios		Steps	
		Total - 1		Total - 28	
/ 5:07:56.810 PN	M // 5:08:08.290 PM /	Pass - 0	1	Pass - 0	28
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 27	

(S)- Check inventory stock confirmation



#	Step / Hook Details	Status	Duration
1	Given Launch the Azentio maker url	FAILED	0.165 s
	java.lang.NullPointerException: Cannot invoke "java.util.List.stream()" because "this.StockReturnBranchList" is null		
	at dataProvider.JsonConfig.getStockReturnBranchByName(JsonConfig.java:501)		
	at stepdefinitions.INVENTORY_StockConfirm. <init>(INVENTORY_StockConfirm.java:41)</init>		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)		
	at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)		
	at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)		
	at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)		
	at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)		
	at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)		
	at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)		
	at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)		
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		


#	Step / Hook Details	Status	Duration
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		

#	Step / Hook Details	Status	Duration
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot		
	+		
2	Then Inventory Second direction icon	SKIPPED	0.001 s
3	And Inventory Management Module	SKIPPED	0.000 s
4	Then Click on Stock issue eye icon	SKIPPED	0.001 s
5	And Click on First record eye icon	SKIPPED	0.000 s
6	Then Get the New Request Referance No	SKIPPED	0.000 s
7	Then Click on Inventory stock confirmation eye icon	SKIPPED	0.000 s
8	And Sub module Inventory stock confirmation click Add icon	SKIPPED	0.000 s
9	Then Enter Request Referance Number	SKIPPED	0.000 s
10	And Enter Item code Number	SKIPPED	0.000 s
11	Then Accept the status in checkbox	SKIPPED	0.001 s
12	And click the save icon for StockConfirm	SKIPPED	0.000 s
13	And goto maker Notification Icon	SKIPPED	0.000 s
14	Then Click Submit button to Inventory Record	SKIPPED	0.000 s
15	And Give Remark and submit to Reviewer	SKIPPED	0.000 s
16	Given Login As Reviewer	SKIPPED	0.000 s
17	And Goto Reviewer Notification	SKIPPED	0.000 s
18	Then open the submitted Record from maker	SKIPPED	0.000 s
19	And Approve the Record in Reviewer	SKIPPED	0.000 s
20	Then Enter The Remark and submit in Reviewer	SKIPPED	0.000 s
21	Given Login As Checker	SKIPPED	0.002 s
22	Then Click Security management module	SKIPPED	0.000 s
23	And Click Sub module open Pool Edit icon	SKIPPED	0.001 s
24	And Claim the submitted Record	SKIPPED	0.000 s
25	Then Goto Checker Notification	SKIPPED	0.000 s
26	And Open the Record Approve from Reviewer	SKIPPED	0.000 s
27	And Approve the Record in Checker End	SKIPPED	0.000 s


DETAILED SECTION -- 7 -

#	Step / Hook Details	Status	Duration
28	Then Enter the Remark and submit the record in checker	SKIPPED	0.000 s

(F)- Check the Functionality of Inventory



(S)- Check inventory stock confirmation



#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	18.756 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.226 s
	screenshot		
	#		
2	Then Inventory Second direction icon	PASSED	0.845 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.319 s
	screenshot		

3 And Inventory Management Module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.236 s Outcombet	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.164 s	
a consensation of the cons	
screenshot	
4 Then Click on Stock issue eye icon PASSED 0.459 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.279 s	
5 And Click on First record eye icon PASSED 0.163 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot United Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 0.373 s	
6 Then Get the New Request Referance No PASSED 0.184 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.116 s	
screenshot	

#	Step / Hook Details	Status	Duration
	# \$\tilde{\text{Constraints}} \ \tilde{\text{Constraints}} \ \tilde{\text{Constraints}} \ \ \text{Con		
7	Then Click on Inventory stock confirmation eye icon	PASSED	0.307 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
	screenshot		
	## Option Processing 10 percent 10 perc		
8	And Sub module Inventory stock confirmation click Add icon	FAILED	0.029 s
	java.lang.NullPointerException: Cannot invoke "java.util.List.stream()" because "this.StockReturnBranchList" is null at dataProvider.JsonConfig.getStockReturnBranchByName(JsonConfig.java.501) at stepdefinitions.INVENTORY_StockConfirm.cinit>(INVENTORY_StockConfirm.java:41) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:490) at org.picocontainer.injectors.AbstractInjector.sh.run(ConstructorInjector.java:342) at org.picocontainer.injectors.ConstructorInjector.Sh.run(ConstructorInjector.java:342) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:320) at org.picocontainer.injectors.AbstractInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractBehavior.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678) at io.cucumber.jococontainer.PicoFactory.getInstance(DefaultPicoContainer.java:678) at io.cucumber.java.JavaStepDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:49) at io.cucumber.core.runner.PickleStepDefinition.execute(ExecutionMode.java:10) at io.cucumber.core.runner.PickleStepDefinitio		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
1	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		

DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
	## CE TAGE 10 10 10 10 10 10 10 1		
9	Then Enter the Request Referance Number	SKIPPED	0.000 s
10	And Enter Item code Number	SKIPPED	0.000 s
11	Then Accept the status in checkbox	SKIPPED	0.000 s
12	And click the save icon for StockConfirm	SKIPPED	0.000 s
13	And goto maker Notification icon	SKIPPED	0.000 s
14	Then Click Submit button to Inventory Record	SKIPPED	0.000 s
15	And Give Remark and submit to reviewer	SKIPPED	0.001 s
16	Then Open Reviewer account	SKIPPED	0.000 s
17	And Click on notification	SKIPPED	0.000 s
18	Then Approve the record which we submitted from maker stage	SKIPPED	0.001 s
19	Then Go to Checker account	SKIPPED	0.000 s
20	And Clam the record	SKIPPED	0.000 s
21	Then Click on notification and approve the record	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check inventory stock confirmation

(F) To verify user can see the GL report for stock return to vendors

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

Solve Medicume, anant

Configuration

(S) Check inventory stock confirmation

(F) Check the Functionality of Inventory

There are a state Universal Banking assay

O4-Nov-2022 English - Azentio Software - (AZDATIMAN)

(In a state Universal Banking assay

O4-Nov-2022 English - Azentio Software - (AZDATIMAN)

(In a state Universal Banking assay

O4-Nov-2022 English - Azentio Software - (AZDATIMAN)

(In a state Universal Banking assay

O4-Nov-2022 English - Azentio Software - (AZDATIMAN)

(In a state Universal Banking assay

O4-Nov-2022 English - Azentio Software - (AZDATIMAN)

(In a state Universal Banking assay

O4-Nov-2022 English - Azentio Software - (AZDATIMAN)

(In a state Universal Banking assay

O4-Nov-2022 English - Azentio Software - (AZDATIMAN)

(In a state Universal Banking assay

O4-Nov-2022 English - Azentio Software - (AZDATIMAN)

(In a state Universal Banking assay

O4-Nov-2022 English - Azentio Software - (AZDATIMAN)

(In a state Universal Banking assay

O4-Nov-2022 English - Azentio Software - (AZDATIMAN)

(In a state Universal Banking assay

O4-Nov-2022 English - Azentio Software - (AZDATIMAN)

(In a state Universal Banking assay

O4-Nov-2022 English - Azentio Software - (AZDATIMAN)

(In a state Universal Banking assay

O4-Nov-2022 English - Azentio Software - (AZDATIMAN)

(In a state Universal Banking assay

O4-Nov-2022 English - Azentio Software - (AZDATIMAN)

(In a state Universal Banking assay


O4-Nov-2022 English - Azentio Software - (AZDATIMAN)

(In a state Universal Banking assay


O4-Nov-2022 English - (AZDATIMAN)

O4-Nov


EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

