
Duration: 1 m 0.553 s Start: Mar 04, 7:52:51.621 pm End: Mar 04, 7:53:52.174 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 14 SKIPPED - 0 SKIPPED - 0 SKIPPED - 28 43 40 50 60 40 50 60 40 50 60 30 Pass % 70 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 32 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	0	1	0	1 m 0.553 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP	Verify cancelling Against PO is not allowed if the same has	43	14	1	28	1 m 0.531 s
	Module	been adjusted at payment settlement					

DETAILED SECTION -- 4 --

(F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 1 m 0.553 s	Scenarios		Steps	
		Total - 1		Total - 43	
7:52:51.621	l pm // 7:53:52.174 pm /	Pass - 0	1	Pass - 14	43
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 28	

(S)- Verify cancelling Against PO is not allowed if the same has been adjusted at payment settlement

FAILED	DURATION - 1 m 0.531 s	20 -							<u> </u>	i i .					1 -	<u> </u>	Steps			
/ 7:52:51.643	3 pm // 7:53:52.174 pm /	15 -	- <u>- </u>		-				¦				-		-	-	Total - 43			
Check the Fu	nctionality of AR/AP Module	10 -	-				-						-	-			Pass - 14		43	
	AP_UAT_003_009_TC_03	[0]													_		Skip - 28	_		
WKODS_AK_	VI _0V1_003_009_1C_03		1	2	3	4	5	6	7	8 9	10	11	12	13	14	15				

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	13.161 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		
	■ The state of th		
2	Then Choose the second Tab Segment	PASSED	0.365 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		

IN DESCRIPTION NOT THE PROPERTY OF THE PROPERT	
3 And Click On Main module Accounts Receivable PASSED	0.113 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.184 s
screenshot	
To the state of th	
4 Then Click on Accounts Receive Advances Eye Icon PASSED	0.395 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.285 s
Screenshot	
5 And Click On Search Icon PASSED	0.146 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.283 s
screenshot	
State Stat	
6 Then Enter Active Value In Advance Status PASSED	0.253 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.204 s
screenshot	

7 Then Click on Table Row First Eye Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 8 And Get The Business Partner and Advance Number AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.106 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.108 s 0.1	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ### After_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ### After_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario		0		
screenshot And Get The Business Partner and Advance Number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then Click sub module Payment settlement Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then Click sub module Payment settlement Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	7	Then Click on Table Row First Eye Icon	PASSED	
ACTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) To Passed 0.153 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ACTER_STEP - stepdefinitions. Hooks		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.365 s
8 And Get The Business Partner and Advance Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.118 s PASSED 0.118 s PASSED 0.118 s PASSED 0.178 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Click sub module Payment settlement Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.118 s 0.118 s 0.118 s		20 10 10 10 10 10 10 10		
screenshot 9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Click sub module Payment settlement Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.153 s PASSED 0.342 s	8	And Get The Business Partner and Advance Number	PASSED	0.100 s
9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Click sub module Payment settlement Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.153 s 0.342 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then Click sub module Payment settlement Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.153 s PASSED 0.342 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then Click sub module Payment settlement Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.178 s 0.178 s				
Screenshot 10 Then Click sub module Payment settlement Eye Icon AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.342 s	9	And Click On Main module Accounts payable	PASSED	0.106 s
10 Then Click sub module Payment settlement Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.153 s O.342 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
10 Then Click sub module Payment settlement Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.342 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.342 s				
	10	Then Click sub module Payment settlement Eye Icon	PASSED	0.153 s
screenshot		·	PASSED	0.342 s
		screenshot	1	

Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 2. Then Enter payment option After_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 3. And Give stored Business partner Name Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 4. Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 4. Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 4. Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5. Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 4. Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5. Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 6. Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7. Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8. Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9. Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 10. Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 11. And Give stored Business partner Name 12. Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 13. Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 14. Then Choose value date as System current date 15. Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 16. Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 17. Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 18. Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 19. Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 19. Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 19. Arter_st	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) screenshot 2 Then Enter payment option AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) PASSED O.390 s PASSED O.165 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) PASSED O.184 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) PASSED O.298 s PASSED O.184 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario) PASSED O.150 s		© Name (10 m) 2 m / 10		
screenshot Passed Passed	11	And Click Add icon button	PASSED	0.211 s
Then Enter payment option		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
12 Then Enter payment option PASSED 0.390 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Give stored Business partner Name AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.298 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.298 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.184 s Then Choose value date as System current date PASSED 2.004 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.150 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And Give stored Business partner Name AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.165 s 0.165 s 0.165 s 13 And Give stored Business partner Name AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.184 s 14 Then Choose value date as System current date AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.165 s 0.165 s				
screenshot And Give stored Business partner Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Choose value date as System current date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.004 s PASSED 0.150 s	12	Then Enter payment option	PASSED	0.390 s
And Give stored Business partner Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Choose value date as System current date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.004 s PASSED 0.150 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
And Give stored Business partner Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Choose value date as System current date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.004 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.150 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 14 Then Choose value date as System current date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.004 s PASSED 0.184 s				
Screenshot 14 Then Choose value date as System current date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.150 s	13	And Give stored Business partner Name	PASSED	0.298 s
14 Then Choose value date as System current date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 2.004 s 0.150 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
Then Choose value date as System current date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.150 s		screenshot]	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.150 s		9 1		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.150 s	14	Then Choose value date as System current date	PASSED	2.004 s
screenshot		·	PASSED	0.150 s
		screenshot]	

#	Step / Hook Details	Status	Duration
	*** O SAN CARRENTS		
15	And find the Advance reference number for Active Advances is availabe at the billing queue	FAILED	22.104 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.ach': 'amd64', os.version: '10.0', java.version: '170.1' Driver info: org openqa.selenium.chrome.ChromeDriver Command: [cc816304664a33a2cbe2668c6cbce673, isElementDisplayed (id=1dcc11a7-798a-40bc-a8bd-6e7e903a0247]] Capabilities (acceptinsecureCerts: false, browserName: chrome.chromeDriverVersion: '98.0 A788-88 (710488e8ba0d8, userDatabir: C*\USersiMINIDC-11AppDatall), goog:chromeOptions: (debuggerAddress: localhost:60825), javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proy: Proxy(), se.ctp: ws://localhost:60825/devoo, se.ccpVersion: '99.0.4844.51, setWindowRect: true, strictFlielhiteractability: false, timeoust: {implicit. op. pageLoad: 300000, script: 30000), unhandledPromptEehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true) Element: [[ChromeDriver: chrome on WINDOWS (cc8163046b4a33a2cbe268e6cbce673)] -> xpath: //div[contains(text(), ADV_71_432022]] Session ID: cc8163046b4a33a2cbe268e6cbce663] at java.base/jdx.internal.reflect.NativeConstructorAccessorImpl.newInstance(O(Native Method) at java.base/jdva.lang.reflect.ConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:139) at org.openqa.selenium.remote.exprice.DriverCommandExecutor.java:184) at org.openqa.selenium.remote.exprice.DriverCommandExecutor.expec		

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	12.183 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c8163046b4a33a2cbe268e6ccbce6f3, screenshot {}} Capabilities (acceptlinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: (chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: C:\Users\Users\User\User\User\User\User\Us	TAILLY	
16	Then Click the Checkbox As Tick	SKIPPED	0.000 s
17	When Enter the Description value	SKIPPED	0.000 s
18	And Save The Payment settlement Record	SKIPPED	0.000 s
19	Then Click the Alert message as Yes	SKIPPED	0.000 s
20	Then Goto The Notification Icon	SKIPPED	0.000 s
21	And Store the Referance Id and Open the Record	SKIPPED	0.000 s
22	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
23	Given Navigate as a Reviewer	SKIPPED	0.000 s
24	Then click on Notify icon	SKIPPED	0.000 s
25	And Click First record Action icon	SKIPPED	0.000 s
26	Then Approve the record in Reviewer	SKIPPED	0.000 s
27	And Give Remark and Submit	SKIPPED	0.000 s
28	Given Navigate as a Checker	SKIPPED	0.000 s


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
29	Then Click module security management	SKIPPED	0.000 s
30	And Claim the Record in Checker	SKIPPED	0.000 s
31	Then Goto the Checker notification Icon	SKIPPED	0.000 s
32	And Click the First Action Icon	SKIPPED	0.001 s
33	Then Approve the Record in checker stage	SKIPPED	0.000 s
34	And Give the Remark and Submit it	SKIPPED	0.001 s
35	Given Navigate The Azentio Url	SKIPPED	0.000 s
36	Then Choose the second Tab Segment	SKIPPED	0.000 s
37	Then Open the Adjustment ARAP module	SKIPPED	0.001 s
38	And Click on Adjustment ARAP Eye Icon	SKIPPED	0.000 s
39	And Click Add icon button	SKIPPED	0.000 s
40	Then Give The Business Partner	SKIPPED	0.000 s
41	And Give The Adjustment Type	SKIPPED	0.000 s
42	Then Give the Adjustment Item Type as AR Advance	SKIPPED	0.000 s
43	And Give the Advance Adjustment Ref No and Validate	SKIPPED	0.001 s
+5	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.253 s
	org.openga.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [cc8163046b4a33a2cbe268e6ccbce6f3, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (760488e8ba0d8, userDataDir: C:\Users\ININDC-1\AppDataL), goog:chromeOptions: {debuggerAddress: localhost:60825}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60825/devtoo, se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cc8163046b4a33a2cbe268e6ccbce6f3 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:33) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(PitreCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDr		


DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)		
	at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		


EXPANDED SECTION -- 12 --




EXPANDED SECTION




EXPANDED SECTION




EXPANDED SECTION --- 15 --



EXPANDED SECTION --- 16 --



EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --

