

# Cucumber Report

9 Jan 2023, 8:58:43 PM

Start : Jan 09, 8:57:38.903 PM

End : Jan 09, 8:58:37.509 PM

Duration : 58.606 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 4  
FAILED - 1  
SKIPPED - 5







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	1	0	1	0	58.606 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	<u>To verify maker user can able to issue the inventory to requested branch</u>	10	4	1	5	58.601 s



**(F)- Check the Functionality of Inventory**


<b>FAILED</b>	<b>DURATION - 58.606 s</b>	Scenarios		Steps	
/ 8:57:38.903 PM // 8:58:37.509 PM /		Total - 1		Total - 10	
		Pass - 0		Pass - 4	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	


**(S)- To verify maker user can able to issue the inventory to requested branch**


<div>FAILED</div> <div>DURATION - 58.601 s</div>			Steps		
/ 8:57:38.908 PM // 8:58:37.509 PM /			Total - 10		
Check the Functionality of Inventory			Pass - 4		
@KUBS_INV_MGMT_UAT_004_001			Fail - 1		
@InventoryRequestChecking				Skip - 5	



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	34.203 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.688 s
	screenshot		
			
2	Then Click on the Direction	PASSED	4.043 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.970 s
	screenshot		
			



#	Step / Hook Details	Status	Duration
3	And click on inventory management main menu	PASSED	2.427 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.401 s
	screenshot		
			
4	And user update the data set ID for Inventory request	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.447 s
	screenshot		
			
5	Then click on view button near by inventory request menu	FAILED	2.209 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;ion-button routerlinkactive="active" color="medium" class="menuicons ion-color ion-color-medium md button button-small button-clear ion-activatable ion-focusable hydrated" ng-reflect-color="medium" tabindex="0" ng-reflect-router-link-active="active" ng-reflect-router-direction="root" ng-reflect-router-link="/tabs/list/datagrid-view/2" ng-reflect-query-params="{object Object}"&gt;...&lt;/ion-button&gt; is not clickable at point (199, 512). Other element would receive the click: &lt;ion-item _ngcontent-wuc-c280="" lines="none" style="height: 56px;" ng-reflect-lines="none" class="item md item-lines-none hydrated item-label"&gt;...&lt;/ion-item&gt; (Session info: chrome=108.0.5359.125) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.146', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [56d7afc002b932f0ab75b54ca7b2e00f, clickElement {id=fabede67-c3c6-4d61-95a0-c04b541c2834}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938..., userDataDir: C:\Users\NINDC~1\AppData\Local\Temp\chrome-remote-debugging-port-108000}, goog:chromeOptions: {debuggerAddress: localhost:49719}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:49719/devtools, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (56d7afc002b932f0ab75b54ca7b2e00f)] -&gt; xpath: (/ion-button[@ng-reflect-router-link="/tabs/list/datagrid-view/2"])[2]] Session ID: 56d7afc002b932f0ab75b54ca7b2e00f</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.INVENTORY_InventoryStockIssue. click_on_view_button_near_by_inventory_request_menu(INVENTORY_InventoryStockIssue.java:75)   at ?.click on view button near by inventory request menu(file:///C:/Users/ININDC00089/git/AzentioAutomationFramework/ArAp/ AzentioAutomationFramework_ARAP_Excel/src/test/java/features/InventoryManagement_Testing.feature:79) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.359 s
6	Then click on first eye button to get the request reference number	SKIPPED	0.001 s
7	Then click on view button near by inventory request menu	SKIPPED	0.000 s
8	Then select the perticular inventory record by the help of request reference number	SKIPPED	0.000 s
9	And check the inventory requested sucessfully and capture the inventory data	SKIPPED	0.000 s
10	When user see the inventory request reference number , The inventory was successfully requested	SKIPPED	0.000 s

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>		
<p><u>(S) To verify maker user can able to issue the inventory to requested branch</u></p>		
<p><u>(F) Check the Functionality of Inventory</u></p>		

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>		
<p><u>(S) To verify maker user can able to issue the inventory to requested branch</u></p>		
<p><u>(F) Check the Functionality of Inventory</u></p>		

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>		
<p><u>(S) To verify maker user can able to issue the inventory to requested branch</u></p>		
<p><u>(F) Check the Functionality of Inventory</u></p>		

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>		
<p><u>(S) To verify maker user can able to issue the inventory to requested branch</u></p>		
<p><u>(F) Check the Functionality of Inventory</u></p>		



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify maker user can able to issue  
the inventory to requested branch

(F) Check the Functionality of Inventory

