

Cucumber Report

4 Mar 2023, 4:30:37 PM

Start : Mar 04, 4:29:34.464 PM

End : Mar 04, 4:30:36.372 PM

Duration : 1 m 1.908 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 6
FAILED - 1
SKIPPED - 2







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	1	0	1	0	1 m 1.908 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	<u>Bill(invoice) Booking</u>	9	6	1	2	1 m 1.901 s

(F)- Check the Functionality of Inventory


FAILED	DURATION - 1 m 1.908 s	Scenarios		Steps	
/ 4:29:34.464 PM // 4:30:36.372 PM /		Total - 1		Total - 9	
		Pass - 0		Pass - 6	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 2	

(S)- Bill(invoice) Booking

<div>FAILED</div> <div>DURATION - 1 m 1.901 s</div>		<div></div>	<div>Steps</div> <div>Total - 9</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
<div>/ 4:29:34.471 PM // 4:30:36.372 PM /</div>				
<div>Check the Functionality of Inventory</div>				
<div>@KUBS_INV_MGMT_UAT_001_007_TC_01</div>				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	48.642 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.486 s
	screenshot		
			
2	Then select data set ID for bill booking	PASSED	0.649 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.542 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And user should navigate to accounts payable menu	PASSED	2.890 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
	screenshot 		
4	Then click on po creation module	PASSED	0.400 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.328 s
	screenshot 		
5	And get the approved po number from approved po record for invoice booking	PASSED	0.780 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
	screenshot 		
6	When click on the eye button of invoice booking	PASSED	0.831 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
	screenshot 		
7	And click on add button for invoice booking	FAILED	1.670 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-fab-button _ngcontent-trf-c277="" id="addBtn" class="md ion-activatable ion-focusable hydrated">...</ion-fab-button> is not clickable at point (1242, 526). Other element would receive the click: <div _ngcontent-trf-c177="" class="ngx-overlay foreground-closing" style="background-color: rgba(40, 40, 40, 0.8); border-radius: 0px;">...</div> (Session info: chrome=110.0.5481.178) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-		


#	Step / Hook Details	Status	Duration
	<p>PSK9T3U', ip: '10.200.4.218', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [27ee74ec933ceac398570458feb9ecab, clickElement {id=4cbff387-f015-4241-ba0d-923f8af20263}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77 (65ed616c6e8e..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:65435}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65435/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (27ee74ec933ceac398570458feb9ecab)] -> xpath: //ion-fab-button[@id='addBtn']] Session ID: 27ee74ec933ceac398570458feb9ecab</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.AccountPayable_InvoiceBooking.click_on_add_button_for_invoice_booking(AccountPayable_InvoiceBooking.java:57) at ?.click on add button for invoice booking(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ARAP_AzentioAutomationFramework_Excel/src/test/java/features/InventoryManagement_UAT.feature:229) * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	<p>screenshot</p>  <p>The screenshot shows the Azentio application interface. On the left is a sidebar with navigation options. The main area displays a table titled 'Invoice Booking View'. The table has columns for 'Invoice ID', 'Invoice Number', 'Invoice Date', 'Invoice Type', 'Invoice Status', and 'Action'. There are 10 rows of data, each with a unique invoice ID and number, and an 'Action' button. The table is sorted by 'Invoice ID' in descending order.</p>		
8	And Fill the required fields for invoice booking record	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
9	Then Save and submit the invoice billing	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking


(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

AZENTIO
ONEBanking

Finance

General ledger transaction

Budget

Accounts payable

Vendor contracts


Vendor purchase orders

Goods received note (GRN)


Invoice booking

22 Appro... 11 Mess...


Product Wise Amount Finance



sub-product-wise-amount-financed



scheme-wise-amount-financed



(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

AZENTIO
ONEBanking

Finance

General ledger transaction

Budget

Accounts payable

Vendor contracts


Vendor purchase orders

Goods received note (GRN)


Invoice booking

22 Appro... 11 Mess...


Product Wise Amount Finance



sub-product-wise-amount-financed



scheme-wise-amount-financed



(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory

The screenshot shows the AZENTIO ONEBanking interface. The top navigation bar includes the date 07-Jan-2023, language English, and user ANANT. The left sidebar lists various financial modules: General ledger transaction, Budget, Accounts payable, Vendor contracts, Vendor purchase orders (highlighted), Goods received note (GRN), Invoice booking, and 22 Appro... and 11 Mess... at the bottom. The main content area is titled 'PO Creation View' and displays a table of purchase orders.

Actions	Branch Code - Name	PO Number	PO Date	PO Type	Contract No	Business
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-15	07-Jan-2023	Purchases Contract	Agency-15-32-040320	DELUXE
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-15	07-Jan-2023	Purchases Contract	Agency-15-31-030320	DELUXE
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-6	06-Jan-2023	Purchases Contract	Agency-65-1-030320	Tamil710
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-8	06-Jan-2023	Purchases Contract		Bonton A
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-15	06-Jan-2023	Purchases Contract	Agency-15-30-240120	DELUXE
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-6	04-Jan-2023	Purchases Contract	Agency-62-1-020320	Tamil222
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-6	04-Jan-2023	Purchases Contract	Agency-61-1-020320	Tamil95
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-6	04-Jan-2023	Purchases Contract	Agency-60-1-020320	Tamil762
	AZENTMAIN - Azentio M	Azentio_Soft-Agency-5	04-Jan-2023	Purchases Contract	Agency-59-1-020320	Tamil

At the bottom of the table, it says '165 total'. There are pagination controls showing page 1 of 165.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bill(invoice) Booking

(F) Check the Functionality of Inventory

This screenshot shows the same AZENTIO ONEBanking interface as the previous one, but the table in the 'PO Creation View' is empty. The table header is visible, but the body contains only the text '0 total'.

Actions	Branch Code - Name	PO Number	PO Date	PO Type	Contract No	Business
0 total						

(F) Check the Functionality of Inventory

AZENTIO™
 ONEBanking

07-Jan-2023 English ▾ Azentio Software ▾ (AZENTMAIN) ANANT

Finance ▾

- General ledger transaction
- Budget
- Accounts payable
 - Vendor contracts
 - Vendor purchase orders
 - Goods received note (GRN)
 - Invoice booking**

22 Appro...
11 Mess...

← Invoice Booking View 🔍

Actions	Branch Code - Name	Invoice Number	Invoice Type	Business Partner	Auto Generate Invoice	Create B...
	AZENTMAIN - Azentio I	INV-116-32023	Expense	Shasheekant		1002435
	AZENTMAIN - Azentio I	INV-115-32023	Expense	Shasheekant		1002435
	AZENTMAIN - Azentio I	INV-114-32023	Expense	Shasheekant		1002435
	AZENTMAIN - Azentio I	INV-113-32023	Expense	Shasheekant		1002435
	AZENTMAIN - Azentio I	INV-112-32023	Expense	Shasheekant		1002435
	AZENTMAIN - Azentio I	INV-111-32023	Expense	Shasheekant		1002435
	AZENTMAIN - Azentio I	INV-110-32023	Invoice Against PO	Tamil635		1002435
	AZENTMAIN - Azentio I	INV-109-32023	Invoice Against PO	Tamil846		1002435
	AZENTMAIN - Azentio I	INV-108-22023	Invoice Against PO	Tamil593		1002435

116 total

1 2 3 4 5