


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check The Azentio UAT Budget Request and Allocation functionally	1	0	1	0	22.070 s

SCENARIOS SUMMARY -- 3 --




;	#	Feature Name	Scenario Name	T	P	F	S	Duration
	1	Check The Azentio UAT Budget	Check the budget request in the report	11	7	1	3	22.064 s
		Request and Allocation functionaliy						

DETAILED SECTION -- 4 --

(F)- Check The Azentio UAT Budget Request and Allocation functionally

FAILED	DURATION - 22.070 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 5:03:43.355	pm // 5:04:05.425 pm /	Pass - 0	1	Pass - 7	11
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	

(S)- Check the budget request in the report




#	Step / Hook Details	Status	Duration
1	Given Navigate to the Azentio Url	PASSED	12.502 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
	TOTAL STATE OF THE PROPERTY OF		
2	Then click the Two Direction Icon	PASSED	0.436 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		


After Step - step definitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) Passed P	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Get Budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED 0.380 s PASSED 0.238 s 4 TER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED 0.238 s 0.238 s		The state of the s		
Screenshot 4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Get Budget type AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)	3	And click to the Budget	PASSED	1.160 s
4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Get Budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.380 s 0.238 s 0.238 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
4 Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Get Budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.380 s 0.238 s 0.238 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Get Budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.238 s 0.238 s 0.238 s		▶ 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Screenshot 5 And Get Budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.078 s PASSED 0.253 s	4	Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon	PASSED	0.380 s
5 And Get Budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
5 And Get Budget type AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Company of the company o		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot		0		
screenshot *** *** ****************************	5	And Get Budget type	PASSED	0.078 s
■ © manufacturque Protest todat - constance - constance ■ 0 const		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
W Section Control		screenshot		
		*** ***		
6 Then Third Segment report Icon PASSED 0.466 s	6	Then Third Segment report Icon	PASSED	0.466 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.189 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	## OF THE PROPERTY 100 THE PRO		
7	And Click main module Reports	PASSED	0.065 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot	1	
	### 100 10		
8	And Click on sub module Budget creation Reports	FAILED	1.124 s
	org.openga.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button class="menuicons ion-color ion-color-primary md button button-small button-clear ion-activatable ion-focusable hydrated" color="primary" hydrated="" ion-focusable="" iten-laber"="" ng-reflect-color="primary" ng-reflect-router-link-active="active" ng-reflect-router-link-crivatable="" routerlinkactive="active" tabindex="0">ion-primary ng-reflect-router-link-crivatable ion-focusable hydrated iten-laber">ion-primary ng-reflect-router-link-crivatable ion-focusable hydrated iten-laber">ion-primary ng-reflect-router-link-crivatable ion-focusable hydrated item-laber">ion-primary ng-reflect-router-link-crivatable info: crivatable ion-focusable hydrated item-laber">ion-folion-focusable hydrated item-laber">ion-focusable hydrated item-laber">ion-focusable hydrated item-laber">ion-focusable hydrated item-laber">ion-focusable hydrated hydr</ion-button>		


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:77) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.Budget_BudgetRequestandAllocation_UAT. click_on_sub_module_budget_creation_reports(Budget_BudgetRequestandAllocation_UAT.java:1363) at ?.Click on sub module Budget creation Reports(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/BUDGET_BudgetRequestandAllocation_UAT.feature:306) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot Output Output		
9	Then Give the Getted budget type	SKIPPED	0.001 s
10	Then Give Current business Date	SKIPPED	0.000 s
11	Then Click on View button	SKIPPED	0.001 s

EXPANDED SECTION --- 8 --





EXPANDED SECTION -- 10 --



EXPANDED SECTION

