


FEATURES SUMMARY -- 2 --



#	#	Feature Name	T	P	F	S	Duration	
-	1	AR_AP Module	1	0	1	0	33.153 s	

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR_AP Module	Verify accounting entries post payment settlement	17	16	1	0	33.147 s
		cancellation					

DETAILED SECTION -- 4 --

(F)- AR_AP Module

FAILED	DURATION - 33.153 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 3:06:07.301	pm // 3:06:40.454 pm /	Pass - 0	1	Pass - 16	17
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Verify accounting entries post payment settlement cancellation



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	16.834 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.662 s
	screenshot		
	Management of the state of the		
2	And click on accounts Payable module	PASSED	2.350 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		
	The first time transport and the first time t		


AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.172 s PASSED 0.108 s PASSED 0.323 s	#	Step / Hook Details	Status	Duration
screenshot And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.	3	Then Click sub module Payment settlement Cancellation Eye Icon	PASSED	0.228 s
4 And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And user update the Excelsheet testdata for payment settlement cancellation accounting Entries AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.172 s Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.108 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.657 s
4 And Click On Search Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 5 And user update the Excelsheet testdata for payment settlement cancellation accounting Entries AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.209 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.172 s Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.108 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user update the Excelsheet testdata for payment settlement cancellation accounting Entries AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Enter Txn No for Advance to Empolyee AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.209 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.209 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.172 s Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.208 s PASSED O.108 s PASSED O.209 s O.172 s		+		
screenshot Art Les Excelsheet testdata for payment settlement cancellation accounting Entries AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) FASSED O.109 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) FASSED O.209 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Creenshot FASSED O.172 s Creenshot Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.108 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) O.108 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.108 s O.209 s O.108 s O.108 s O.108 s O.209 s O.108 s O.108 s O.108 s O.209 s O.108 s O.209 s O.20	4	And Click On Search Icon	PASSED	1.125 s
5 And user update the Excelsheet testdata for payment settlement cancellation accounting Entries PASSED 0.009 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.182 s 6 Then Enter Txn No for Advance to Empolyee PASSED 0.209 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.172 s creenshot PASSED 0.172 s 7 Then Click on Table Row First Eye Icon in ARAP PASSED 0.108 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.323 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
5 And user update the Excelsheet testdata for payment settlement cancellation accounting Entries AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Enter Txn No for Advance to Empolyee AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.209 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.108 s PASSED 0.323 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Enter Txn No for Advance to Empolyee AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.108 s PASSED 0.323 s		### Company The state of the		
screenshot Then Enter Txn No for Advance to Empolyee AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.209 s 0.172 s 0.172 s	5	And user update the Excelsheet testdata for payment settlement cancellation accounting Entries	PASSED	0.009 s
6 Then Enter Txn No for Advance to Empolyee PASSED 0.209 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.108 s PASSED 0.209 s 0.172 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.172 s PASSED 0.108 s PASSED 0.323 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.172 s PASSED 0.108 s PASSED 0.323 s		Company		
Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.108 s 0.323 s	6	Then Enter Txn No for Advance to Empolyee	PASSED	0.209 s
7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.108 s 0.323 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
7 Then Click on Table Row First Eye Icon in ARAP AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.108 s 0.323 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.323 s				
	7	Then Click on Table Row First Eye Icon in ARAP	PASSED	0.108 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.323 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	The first transfer of		
8	Then click on report segment button	PASSED	1.843 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		
	ACCUPATION The state of the		
9	And click on equiry menu	PASSED	0.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot		
	1 1 1 1 1 1 1 1 1 1		
10	Then click on edit icon near by fiancial transaction menu	PASSED	0.161 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.256 s
	screenshot		
	ADMITTOR THE REPORT OF THE PROPERTY OF THE PR		
11	And choose branch code	PASSED	0.384 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot]	


#	Step / Hook Details	Status	Duration
	AND TO THE REPORT OF THE PROPERTY OF THE PROPE		
12	And click on transaction from date calender icon	PASSED	0.109 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		
	AND BY THE STATE OF THE STATE O		
13	Then choose the from date	PASSED	0.831 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		
14	And click on the transaction to date calender icon	PASSED	0.231 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		
	ACTION TO THE THE PROPERTY OF		
15	Then choose the to date	PASSED	0.369 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		

#	Step / Hook Details	Status	Duration
	AND Section 1 and		
16	And click on view button	PASSED	0.093 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot		
17	Then Verify Accounting entries Advance to Empolyee post payment settlement cancellation	FAILED	0.002 s
	java.lang.Error: Unresolved compilation problems: arapData cannot be resolved to a variable arapData cannot be resolved to a variable arapData cannot be resolved to a variable at stepdefinitions.AR_AP_Module. verify_accounting_entries_advance_to_empolyee_post_payment_settlement_cancellation(AR_AP_Module.java:2079) at ?.Verify Accounting entries Advance to Empolyee post payment settlement cancellation(file:///C:/Users/inindc00075/git/Updated_Kubs_Arshath/AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:498) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot		


EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

