


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	1	0	1	0	28.128 s



#	Feature Name	Scenario Name		P	F	S	Duration
1	testing the fuctionalities of bank	Check Adjusted Balance as per Bank Statement matches	13	12	1	0	28.124 s
	reconciliation module	with Adjusted Balance as per Books					

DETAILED SECTION -- 4 --

## (F)- testing the fuctionalities of bank reconciliation module

FAILED	DURATION - 28.128 s	Scenarios		Steps	
		Total - 1		Total - 13	
/ 2:41:41.415	PM // 2:42:09.543 PM /	Pass - 0	1	Pass - 12	13
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## (S)- Check Adjusted Balance as per Bank Statement matches with Adjusted Balance as per Books

FAILED DURATION - 28.124 s				-	-	-	-	-	-	-			-	-	-	Steps		
/ 2:41:41.419 PM // 2:42:09.543 PM /	10	+	-					-			-		-			Total - 13		
testing the fuctionalities of bank reconciliation	5	-	ı							-	-					Pass - 12	13	
module				-									<u>.</u>			Skip - 0		,
@KUBS_TAX_UAT_011_001TC_003	7	7 =	1	2	3	4	5	6	7	8	9	10	11	12	13			

#	Step / Hook Details	Status	Duration
1	Given user log in to Azentio for bank recon	PASSED	13.589 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	screenshot		
	The Contract of the Contract o		
2	And user click bank recon module	PASSED	0.083 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		


After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)   After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  And user click add icon in bank recon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		10		
screenshot  And user click add icon in bank recon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  D. 154 s	3	And user click eye icon in bank recon module	PASSED	0.246 s
And user click add icon in bank recon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.180 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
4 And user click add icon in bank recon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And user select bank name in bank recon Module for csv file  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AND User select bank account Number in bank recon Module  APSSED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.180 s  PASSED  O.154 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And user select bank name in bank recon Module for csv file  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.180 s  PASSED  0.154 s		*** O SANT-MONTHUMBER**  *********************************		
screenshot  And user select bank name in bank recon Module for csv file  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user select bank account Number in bank recon Module  After_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.180 s  PASSED 0.154 s	4	And user click add icon in bank recon	PASSED	0.244 s
And user select bank name in bank recon Module for csv file  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.180 s  0.154 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
5 And user select bank name in bank recon Module for csv file  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  ### AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  8 And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.180 s  0.154 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.165 s  0.165 s  0.165 s		The state of the s		
Screenshot  6 And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.180 s  0.154 s	5	And user select bank name in bank recon Module for csv file	PASSED	0.348 s
6 And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.180 s  0.154 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
6 And user select bank account Number in bank recon Module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.180 s  0.154 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.154 s		0   1   1   1   1   1   1   1   1   1		
	6	And user select bank account Number in bank recon Module	PASSED	0.180 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
		screenshot		

#	Step / Hook Details	Status	Duration
7	And user click bank recon from date and select the date for csv file	PASSED	1.482 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		
8	And user click bank recon to date and select the date for csv file	PASSED	1.494 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		
	*** ** *** *** **** **** **** ***** ****		
9	And user click choose file and upload the bank statement for csv	PASSED	0.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.226 s
	screenshot		
	*** *** **** *************************		
10	And user click save button in bank recon	PASSED	0.109 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		


#	Step / Hook Details	Status	Duration
11	And user click process button in bank recon	PASSED	0.369 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	PASSED	2.713 s
	The Control of the Co		
12	And user click the bank statement in bank recon	PASSED	0.170 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.380 s
	Screenshot   ***Principle************************************		
13	Then user verify Adjusted Balance as per Bank Statement must match with Adjusted Balance as per Books	FAILED	0.252 s
	java.lang.AssertionError: expected [4,817.00] but found [9,734.00] at org.testng.Assert.fail(Assert.java:99) at org.testng.Assert.failNotEquals(Assert.java:1037) at org.testng.Assert.assertEqualsImpl(Assert.java:140) at org.testng.Assert.assertEquals(Assert.java:122) at org.testng.Assert.assertEquals(Assert.java:629) at org.testng.Assert.assertEquals(Assert.java:639) at stepdefinitions.Bank_ReconModule. user_verify_adjusted_balance_as_per_bank_statement_must_match_with_adjusted_balance_as_per_books(Bank_ReconModule.java:339) at ?.user verify Adjusted Balance as per Bank Statement must match with Adjusted Balance as per Books(file:///C:/Users/inindc00077/git/repository2/Ajith_AzentioAutomationFramework/src/test/java/features/Bank_ReconciliationModule.feature:105) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.239 s
		_	1

#	Step / Hook Details	Status	Duration
	*** ** *** *** *** *** *** *** *** ***		


EXPANDED SECTION --- 9 --




EXPANDED SECTION --- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --

