Cucumber Report

| Start : Jan 13, 3:01:24.525 PM	End : Jan 13, 3:06:43.209 PM	Duration : 5 m 18.684 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 16
1	1	17

#	Feature Name	T	P	F	S	Duration
1	user create login in to Budget and planning UAT files	1	0	1	0	5 m 18.684 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	user create login in to Budget and planning UAT files	System should able to approve the supplimentary requested budget	17	0	1	16	5 m 18.601 s

(F)- user create login in to Budget and planning UAT files

FAILED	DURATION - 5 m 18.684 s	Scenarios		Steps	
/ 3:01:24.525 PM // 3:06:43.209 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 17 Pass - 0 Fail - 1 Skip - 16	17

(S)- System should able to approve the supplimentary requested budget

FAILED	DURATION - 5 m 18.601 s		Steps	
/ 3:01:24.608 PM // 3:06:43.209 PM /			Total - 17	
user create login in to Budget and planning UAT files			Pass - 0	17
@SupplementaryBudget_KUBS_BP_UAT_005_00-4			Fail - 1 Skip - 16	

#	Step / Hook Details	Status	Duration
1	Given navigate to given url and login with maker credentials	FAILED	3 m 2.246 s

	org.openqa.selenium.TimeoutException: java.util.concurrent.TimeoutException Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.49', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [66346118806a596c9a6d902e92419a2b, get {url=http://172.27.78.245:6080/kubs-qc/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:54913}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54913/devtoo..., se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 66346118806a596c9a6d902e92419a2b
	    at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:72)
	    at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)
	    at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)
	    at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:51)
	    at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)
	    at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)
	    at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:119)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:326)		
	at stepdefinitions.Budgetandplanningsupplementary.navigate_to_given_url(Budgetandplanningsupplementary.java:76)		
	at ?.navigate to given url and login with maker credentials(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/Budgetandplanning.feature:129)		
	Caused by: java.util.concurrent.TimeoutException		
	at java.base/java.util.concurrent.CompletableFuture.timedGet(CompletableFuture.java:1960)		
	at java.base/java.util.concurrent.CompletableFuture.get(CompletableFuture.java:2095)		
	at org.asynchttpclient.netty.NettyResponseFuture.get(NettyResponseFuture.java:206)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.makeCall(NettyHttpHandler.java:66)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyHttpHandler.execute(NettyHttpHandler.java:51)		
	at org.openqa.selenium.remote.http.AddSeleniumUserAgent.lambda$apply$0(AddSeleniumUserAgent.java:42)		
	at org.openqa.selenium.remote.http.Filter.lambda$andFinally$1(Filter.java:56)		
	at org.openqa.selenium.remote.http.netty.NettyClient.execute(NettyClient.java:119)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:181)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:326)		
	at stepdefinitions.Budgetandplanningsupplementary.navigate_to_given_url(Budgetandplanningsupplementary.java:76)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at io.cucumber.java.Invoker.doInvoke(Invoker.java:66)		
	at io.cucumber.java.Invoker.invoke(Invoker.java:24)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda$runScenario$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		

#	Step / Hook Details	Status	Duration
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251)		
	at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2 m 0.352 s
	screenshot		
	+		
2	And maker should navigate to the budget module UAT	SKIPPED	0.002 s
3	And maker click on budget field UAT	SKIPPED	0.001 s
4	When maker click on budget supplementary eye icon UAT	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
5	And click on add button on budget supplementary view page UAT	SKIPPED	0.000 s
6	And user update the Excel sheet testdata for Budget and planning Allocation4	SKIPPED	0.000 s
7	Then fill the input fields UAT	SKIPPED	0.001 s
8	Then fill apportion amount and save the record UAT	SKIPPED	0.000 s
9	And click notification button	SKIPPED	0.000 s
10	Then click on the search button	SKIPPED	0.000 s
11	And serach the budget supplimentory sub module name	SKIPPED	0.002 s
12	Then choose first record in the notification record4	SKIPPED	0.001 s
13	And click on Submit button	SKIPPED	0.002 s
14	Then enter remark in confirmation alertss	SKIPPED	0.001 s
15	Then click on submit button in alert	SKIPPED	0.000 s
16	And user update the Excel sheet testdata for Budget and planning Allocation4	SKIPPED	0.000 s
17	And capture the reviewer ID in pop up which is open when we submit our record in maker stagesss	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should able to approve the
supplimentary requested budget

(F) user create login in to Budget and
planning UAT files