


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking accountsPayable and accounts Receivable module	1	0	1	0	35.724 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking accountsPayable and	Verify No accounting entry is generated on cancelling	15	14	1	0	35.716 s
	accounts Receivable module	advances to employees					

DETAILED SECTION -- 4 --

(F)- Checking accounts Payable and accounts Receivable module

FAILED	DURATION - 35.724 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 3:39:46.680 PN	Л // 3:40:22.404 PM /	Pass - 0	1	Pass - 14	15
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Verify No accounting entry is generated on cancelling advances to employees

FAILED DURATION - 35.716 s				-		-	-			-		1	-			-	Steps			
/ 3:39:46.688 PM // 3:40:22.404 PM /	15 -		- +	-	! -		-!		-		-	-1	- + -	-		-	Total - 15			
Checking accountsPayable and accounts	10 -		- T	-			-		-		-	-		-		-	Pass - 14		15	
Receivable module	5 -		- 1									1		_	_		Skip - 0	N		7
@KUBS_AR_AP_UAT_003_008_TC_01	- 0 -	=	1 2	3	4	5	6	7	8	9	10	11	12	13	14	15	Skip - 0			

#	Step / Hook Details	Status	Duration
1	Given Navigate to KUBS URL and login with maker credentials	PASSED	18.020 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		
	# B of the part o		
2	Then go to ar ap adjustment module	PASSED	1.222 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.468 s
	screenshot		

#	Step / Hook Details	Status	Duration
	## Q - 10 - 10 - 10 - 10 - 10 - 10 - 10 -		
3	Then click on search	PASSED	0.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.279 s
	screenshot		
	10 10 10 10 10 10 10 10		
4	And search the Ar cancelled advance in the adjustment screen	PASSED	1.531 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	Screenshot		
5	And select one record	PASSED	0.011 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.165 s
6	Then click on report segment button	PASSED	0.470 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
			1

#	Step / Hook Details	Status	Duration
7	And click on equiry menu	PASSED	0.200 s
·	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot	1	
8	Then click on edit icon near by fiancial transaction menu	PASSED	0.276 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot		
	Note 2 State 2		
9	And choose branch code	PASSED	0.295 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.187 s
	screenshot		
	The state of the s		
10	And click on transaction from date calender icon	PASSED	0.227 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
	screenshot		


11. Then choose the from date AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 12. And click on the transaction to date calender icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 33. Then choose the to date AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 34. AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 35. Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 36. Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 37. AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 38. AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 39. AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 40. APTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 41. And click on view button 42. APTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 43. AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 44. And click on view button 45. AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 46. AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 47. AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 48. AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 49. AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 40. AFTER_STEP - stepdefinition	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 12 And click on the transaction to date calender icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 Then choose the to date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.148 s PASSED 0.489 s		Particular Par		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 12 And click on the transaction to date calender icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 Then choose the to date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.148 s PASSED 0.489 s		300 1 100 1		
screenshot And click on the transaction to date calender icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then choose the to date AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.148 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.489 s	11			
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.148 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.489 s			PASSED	0.175 s
And click on the transaction to date calender icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) APASSED AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.148 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.240 s 0.240 s 0.240 s 0.187 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 13 Then choose the to date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 And click on view button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.148 s PASSED 0.489 s		## O MANIFORM PARTY OF THE PART		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 13 Then choose the to date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 And click on view button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.148 s PASSED 0.489 s	12	And click on the transaction to date calender icon	PASSED	0.240 s
13 Then choose the to date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 And click on view button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.148 s PASSED 0.489 s				
Then choose the to date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And click on view button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.176 s 0.184 s PASSED 1.148 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.489 s			1	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 14 And click on view button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.148 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.184 s PASSED 0.184 s		Q Description Descriptio	-	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 14 And click on view button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.148 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.184 s PASSED 0.184 s	10	3		1.170
Screenshot And click on view button AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.489 s	13			
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.489 s			PASSED	0.184 S
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.489 s		screenshot	-	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.489 s		The state of the s		
	14	And click on view button	PASSED	1.148 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.489 s
		screenshot		

#	Step / Hook Details	Status	Duration
	BADE SQUE - SANDARD AND SQUE		
15	Then adjustment reference number not availabe in the GL record	FAILED	1.363 s
	org.openga.selenium.NoSuchElementException: no such element. Unable to locate element: {"method":"xpath"; selector":"{//ii@class='datatable-icon-right"]2["]} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit. https://selenium.dev/exceptions//no_such_element_Build info: version: '4.0-0r-1', revision: 'bc5511cbda' System info: host: NMUVADP014584", ip: '10.1.47.109', os.name: "Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openga. selenium.chrome ChromeDriver Command: [6e4978a0b6f68fd8d3ae79ed5b671285, findElement [using=xpath, value=c]//ii@class='datatable-icon-right"][2]] Capabilities (acceptinsecureCerts: false, prowserName: chrome, browserVersion: 99.0.4844.82, chrome: (chromedriverVersion: 99.0.4844.82, chrome: (chrome		


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:478) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:27) at helper.JavascriptHelper.scrollIntoView(JavascriptHelper.java:49) at stepdefinitions.ACCOUNTSPAYABLE_GRNCreation. adjustment_reference_number_not_availabe_in_the_gl_record(ACCOUNTSPAYABLE_GRNCreation.java:304) at ?.adjustment reference number not availabe in the GL_record(file:///C:/Users/inindc00076/git/AzentioAutomationFrameworkAnandh/Anandh_AzentioAutomationFramework1/src/test/java/features/ACCOUNTSPAYABLE_ACCOUNTSRECEIVABLE.feature:338) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.136 s
	# S - Contraction No on type Section Sec		


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --

