


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	0	1	0	21.366 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel	To Verify Reviewer can approve the record which is	20	10	1	9	21.362 s
	<u>feature</u>	submitted by maker					

DETAILED SECTION -- 4 --

## (F)- To check BudgetDefinition moduel feature

FAILED	DURATION - 21.366 s	Scenarios		Steps	
		Total - 1		Total - 20	
/ 11:03:25.646 F	PM // 11:03:47.012 PM /	Pass - 0	1	Pass - 10	20
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 9	

## (S)- To Verify Reviewer can approve the record which is submitted by maker



#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	10.075 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.309 s
	screenshot		
	# State Sign Controlled Controlle		
2	Then click on budget configuration Menu	PASSED	0.308 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.397 s
	screenshot		


AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io. cucumber.java. Scenario)   AFTER_STEP - stepdefinitions. HooksClass. a	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 Then click on pencil icon near by budget code  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And update the budget code  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  D.454 s  D.		0		
Screenshot   Scr	3		PASSED	0.163 s
Then click on pencil icon near by budget code AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  O.209 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED  O.183 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.454 s
Then click on pencil icon near by budget code  After_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And update the budget code  Arter_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Arter_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Screenshot  Arter_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Arter_Step - step - step - step - step - step - s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And update the budget code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  D. 209 s		Part		
Screenshot  5 And update the budget code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then update the budget budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.209 s  PASSED  0.183 s	4	Then click on pencil icon near by budget code	PASSED	0.087 s
5 And update the budget code PASSED 3.204 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then update the budget budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.209 s  PASSED 0.183 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.279 s
5 And update the budget code  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then update the budget budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.209 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.183 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 Then update the budget budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.143 s  PASSED  0.209 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  DASSED  0.183 s		© sumertanue  © Management  T Management  © Management  © Management  Manageme		
Screenshot  6 Then update the budget budget type  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.209 s  0.183 s	5	And update the budget code	PASSED	3.204 s
6 Then update the budget budget type  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.209 s  0.183 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
6 Then update the budget budget type  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.209 s  0.183 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.183 s		O		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.183 s	6	Then update the budget budget type	PASSED	0.209 s
screenshot		, , , , , , , , , , , , , , , , , , , ,	PASSED	0.183 s
		screenshot	1	

#	Step / Hook Details	Status	Duration
	# Descriptions   State of the control of the contro		
7	Then update warning percentage	PASSED	0.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.184 s
	screenshot		
	## Discontinues    Discontinues   Di		
8	Then update budget name	PASSED	0.219 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	Screenshot		
9	Then update remark	PASSED	0.236 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  Vivoriant Vi	PASSED	0.134 s
10	And click on save after update all the details	PASSED	0.076 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.418 s
	screenshot		


screenshot

#	Step / Hook Details	Status	Duration
	# O STATE OF THE PARTY OF THE P		
12	Then click on submit button	SKIPPED	0.001 s
13	And enter remark in alert tab	SKIPPED	0.000 s
14	And click on submit	SKIPPED	0.001 s
15	When click on submit button save the reviewer id	SKIPPED	0.000 s
16	Given navigate to URL and login as a reviewer	SKIPPED	0.001 s
17	Then click on notification icon	SKIPPED	0.000 s
18	And click on action button	SKIPPED	0.000 s
19	And approve the record in reviewer stage	SKIPPED	0.000 s
20	Then enter remark then submit	SKIPPED	0.001 s


EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

