

Cucumber Report

Jan 6, 2022, 7:19:04 AM

Start : Jan 06, 7:18:25.564 AM

End : Jan 06, 7:19:03.392 AM

Duration : 37.828 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 5
FAILED - 1
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	1	0	1	0	37.828 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	User should be able to raise supplementary request for Monthly budget	6	5	1	0	37.825 s





(F)- Checking the Supplementary Budget functionality


FAILED	DURATION - 37.828 s	Scenarios		Steps	
/ 7:18:25.564 AM // 7:19:03.392 AM /		Total - 1		Total - 6	
		Pass - 0		Pass - 5	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- User should be able to raise supplementary request for Monthly budget

<div>FAILED</div> <div>DURATION - 37.825 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 7:18:25.567 AM // 7:19:03.392 AM /				
Checking the Supplementary Budget functionality				
@SupplementaryBudget_BP_SB_08_03				

#	Step / Hook Details	Status	Duration
1	Given maker navigate to the url	PASSED	9.017 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		
			
2	And user navigate to budget module	PASSED	0.086 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	And user click budget field tab	PASSED	11.973 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.129 s
	screenshot 		
4	When maker click on supplementary budget eyebutton	PASSED	0.168 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot 		
5	And click addbutton on budget supplementary	PASSED	0.080 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot 		
6	Then fill required data for record	FAILED	13.479 s
	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'shadowRoot') (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [ce99958d2d678254b10dc48564ef5459, executeScript [script=return document.querySelector('ion-toast').shadowRoot.querySelector('div[class=toast-message']'), args=[]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:		

#	Step / Hook Details	Status	Duration
	<p>96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:64299}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:64299/devtoo..., se.cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ce99958d2d678254b10dc48564ef5459</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:481) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:21) at stepdefinitions. BUDGET_SupplementaryBudget_BP_SB_08_03.fill_required_data_for_record(BUDGET_SupplementaryBudget_BP_SB_08_03.java:88) at ?.fill required data for record(file:///C:/Users/inindc00089/eclipse-workspace/AzentioAutomationFramework2/src/test/java/features/ BUDGET_SupplementaryBudget.feature:69) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.118 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) User should be able to raise
supplementary request for Monthly budget


(F) Checking the Supplementary Budget
functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) User should be able to raise
supplementary request for Monthly budget


(F) Checking the Supplementary Budget
functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) User should be able to raise
supplementary request for Monthly budget


(F) Checking the Supplementary Budget
functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) User should be able to raise
supplementary request for Monthly budget

(F) Checking the Supplementary Budget
functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) User should be able to raise
supplementary request for Monthly budget

(F) Checking the Supplementary Budget
functionality

The screenshot shows the Kastle Universal Banking app interface. The top bar includes the date (21-Oct-2021), language (English), software version (Azentio Software), and user information (ANANT). The left sidebar lists various financial categories: Finance, General ledger transaction, Budget, Budget request & allocation, Supplementary budget, Budget transfer, Accounts payable, Adjustments (AR and AP), Accounts receivable, Fixed assets, and Inventory management. The 'Supplementary budget' option is highlighted with a blue box. The main area displays an 'Actions' section with '0 total'. A blue circular button with a plus sign is visible in the bottom right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) User should be able to raise
supplementary request for Monthly budget

(F) Checking the Supplementary Budget
functionality

The screenshot shows the 'Supplementary Budget Creation' form in the Kastle Universal Banking app. The form includes fields for Budget Code (QC2BUD3), Budget Name (Monthly), Budget Type (MONTHLY), Budget Year (2021-2022), Branch, Total Budget Amount, Amount Utilized, Supplementary Amount Req (EUR), and Comments. A red notification banner at the top right states: 'Only for the budget you budget can be do the supplementary'. The bottom bar shows 'Home' and 'Preference' options.