Cucumber Report

Start : Feb 13, 6:42:20.691 AM	*End : Feb 13, 6:42:35.379 AM*	*Duration : 14.688 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 1 SKIPPED - 4

1

1

8

Pass %
0 %

Pass %
0 %

Pass %
37 %

#	Feature Name	T	P	F	S	Duration
1	Checking the Fixed Asset functionality	1	0	1	0	14.688 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	*Checking the Fixed Asset functionality*	*Serial number should be alloted to the asset and displayed in the list view of Asset serial number sub module*	*8*	*3*	*1*	*4*	*14.685 s*

(F)- Checking the Fixed Asset functionality

FAILED	DURATION - 14.688 s	Scenarios		Steps	
	/ 6:42:20.691 AM // 6:42:35.379 AM /	Total - 1		Total - 8	
		Pass - 0	1	Pass - 3	8
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

(S)- Serial number should be alloted to the asset and displayed in the list view of Asset serial number sub module

FAILED	DURATION - 14.685 s		Steps	
	/ 6:42:20.694 AM // 6:42:35.379 AM /		Total - 8	
	Checking the Fixed Asset functionality		Pass - 3	8
			Fail - 1	
	@MultiAuth @KUBS_FAT_UAT_002_005		Skip - 4	

| #	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	10.283 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
	screenshot		
2	Then Click on Fixed Asset Direction icon	PASSED	0.109 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click on Fixed assets configuration	PASSED	0.266 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot 		
4	Then Click on Asset Serial Num Creation Eye button	FAILED	1.130 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button routerlinkactive="active" color="medium" class="menuicons ion-color ion-color-medium md button button-small button-clear ion-activatable ion-focusable hydrated" ng-reflect-color="medium" tabindex="0" ng-reflect-router-link-active="active" ng-reflect-router-direction="root" ng-reflect-router-link="/tabs/list/datagrid-view/91" ng-reflect-query-params="[object Object]">...</ion-button> is not clickable at point (227, 699). Other element would receive the click: <ion-chip _ngcontent-xtn-c278="" color="primary" ng-reflect-color="primary" class="ion-color ion-color-primary md ion-activatable hydrated">...</ion-chip> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a108047f99ae27831ac2bae440ceb283, clickElement {id=6a00cafb-6e88-4fc3-b8a0-451cbf1d42d2}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:50557}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50557/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (a108047f99ae27831ac2bae440ceb283)] -> xpath: //ion-button[@ng-reflect-router-link='/tabs/list/datagrid-view/91']] Session ID: a108047f99ae27831ac2bae440ceb283
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.FixedAsset_AssetSerialNumCreation.click_on_asset_serial_num_creation_eye_button(FixedAsset_AssetSerialNumCreation.java:29) at ?.Click on Asset Serial Num Creation Eye button(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/FixedAsset_AssetSerialNumCreation.feature:9) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.090 s
5	Then Click on Asset Serial Num Creation Search icon	SKIPPED	0.001 s
6	Then Enter Asset code	SKIPPED	0.000 s
7	Then Fill Asset Serial Num Creation Mandatory fields	SKIPPED	0.000 s
8	Then Click on Fixed Asset Save button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Serial number should be alloted to the asset and displayed in the list view of Asset serial number sub module	
(F) Checking the Fixed Asset functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Serial number should be alloted to the asset and displayed in the list view of Asset serial number sub module	
(F) Checking the Fixed Asset functionality	

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Serial number should be alloted to the asset and displayed in the list view of Asset serial number sub module	
(F) Checking the Fixed Asset functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Serial number should be alloted to the asset and displayed in the list view of Asset serial number sub module	
(F) Checking the Fixed Asset functionality	