

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	1	0	0	25.431 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP	Verify cancelling Debit Note is not allowed if the same has	15	15	0	0	25.425 s
	Module	been adjusted at payment settlement					

DETAILED SECTION -- 4 --

(F)- Check the Functionality of AR/AP Module

PASSED	DURATION - 25.431 s	Scenarios		Steps	
		Total - 1		Total - 15	
/ 2:39:44.615 pm	// 2:40:10.046 pm /	Pass - 1	1	Pass - 15	15
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Verify cancelling Debit Note is not allowed if the same has been adjusted at payment settlement

PASSED	DURATION - 25.425 s						1						-		-	-	-	Steps			
/ 2:39:44.621	l pm // 2:40:10.046 pm /	10	╬	-	!	 			L	!-		-			-			Total - 15			
	· · · · · · · · · · · · · · · · · · ·	5	-	١.					1			Ŀ.	j.		i	1		Pass - 15		15	
Check the Fu	nctionality of AR/AP Module			•		1				_								Fail - 0		رة	,
@KUBS AR	AP_UAT_003_006_TC_05	0		<u> </u>							-	<u>+</u>	-	<u>+</u>	<u>+</u>	<u> </u>	<u> </u>	Skip - 0	\ `		
				1	2 3	3	4 5	5 6	7	8	9	10	11	12	13	14	15				

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.082 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
	■ Particular State Control of the C		
2	Then Choose the second Tab Segment	PASSED	0.340 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		

#	Step / Hook Details	Status	Duration
	The Control Co		
3	And Click On Main module Accounts Receivable	PASSED	0.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		
	NUMBER OF STATE OF ST		
4	Then Click on Accounts Receivable Debit Note Eye Icon	PASSED	0.419 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	Screenshot ***********************************	_	
5	And Click On Search Icon	PASSED	0.128 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		
	### O 100 100 100 100 100 100 100 100 100 1		
6	Then Enter Cancelled Value In Debit Not Status	PASSED	0.314 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		


The Click on Table Row First Eye Icon	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 8		O		
screenshot 8 And Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 Then Open the Adjustment ARAP module AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 9 Then Open the Adjustment ARAP module AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.165 s	7	Then Click on Table Row First Eye Icon	PASSED	0.150 s
Add Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot 9 Then Open the Adjustment ARAP module AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot 0 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot 10 And Click on Adjustment ARAP Eye Icon Adf Elick on Adjustment ARAP Eye Icon Adf Elick on Adjustment ARAP Eye Icon Adf Elick on Adjustment ARAP Eye Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 10 And Click on Adjustment ARAP Eye Icon After_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 10 Adf Elick on Adjustment ARAP Eye Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 10 Add Click on Adjustment ARAP Eye Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 10 Add Click on Adjustment ARAP Eye Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 10 And Click on Adjustment ARAP Eye Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 10 Add Click on Adjustment ARAP Eye Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 10 Add Click on Adjustment ARAP Eye Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 11 Add Click on Adjustment ARAP Eye Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 12 Add Click on Adjustment ARAP Eye Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 13 Add Click on Adjustment ARAP Eye Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 14 Add Click on Adjustment ARAP Eye Icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) 15 Add Click on Adjustment ARAP Eye Icon AFTE		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.429 s
8 And Get The Bp Name and Debit Number Store It AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then Open the Adjustment ARAP module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 PASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.165 s 0.371 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed 1 Then Open the Adjustment ARAP module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AGTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)				
screenshot 9 Then Open the Adjustment ARAP module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And Click on Adjustment ARAP Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.165 s PASSED 0.371 s	8	And Get The Bp Name and Debit Number Store It	PASSED	2.091 s
9 Then Open the Adjustment ARAP module PASSED 0.128 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And Click on Adjustment ARAP Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.165 s 0.371 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.118 s
9 Then Open the Adjustment ARAP module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 And Click on Adjustment ARAP Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.128 s 0.185 s 0.185 s 0.165 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.371 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 And Click on Adjustment ARAP Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.185 s 0.185 s 0.185 s				
Screenshot 10 And Click on Adjustment ARAP Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.371 s	9	Then Open the Adjustment ARAP module	PASSED	0.128 s
10 And Click on Adjustment ARAP Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.371 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
10 And Click on Adjustment ARAP Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.371 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.371 s				
	10	And Click on Adjustment ARAP Eye Icon	PASSED	0.165 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.371 s
		screenshot]	

#	Step / Hook Details	Status	Duration
11	And Click Add icon button	PASSED	0.199 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
	screenshot		
12	Then Give The Business Partner	PASSED	0.444 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		
	The Control of Control		
13	And Give The Adjustment Type	PASSED	0.173 s
-	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		
	B		
14	Then Give the Adjustment Item Type	PASSED	0.470 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.162 s
	screenshot]	


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	Manufacture		
15	And Give the Adjustment Ref No and Validate	PASSED	1.444 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.122 s
	screenshot		
	### Description of the control of th		

EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION


-- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

