

Cucumber Report

Mar 4, 2022, 4:24:34 PM

Start : Mar 04, 4:23:23.043 PM

End : Mar 04, 4:24:27.553 PM

Duration : 1 m 4.510 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 10
FAILED - 1
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of AR/AP Module</u>	1	0	1	0	1 m 4.510 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of AR/AP Module</u>	<u>Verify accounting entries for cleared cheques</u>	11	10	1	0	1 m 4.502 s

(F)- Check the Functionality of AR/AP Module


FAILED	DURATION - 1 m 4.510 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 11 Pass - 10 Fail - 1 Skip - 0	
/ 4:23:23.043 PM // 4:24:27.553 PM /					


(S)- Verify accounting entries for cleared cheques


FAILED	DURATION - 1 m 4.502 s		Steps Total - 11 Pass - 10 Fail - 1 Skip - 0	
/ 4:23:23.050 PM // 4:24:27.552 PM /				
Check the Functionality of AR/AP Module				
@KUBS_AR/AP_UAT_010_002_TC_04				

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	20.039 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.727 s
	screenshot 		
2	Then click on report button	PASSED	0.595 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And click Enquiry menu	PASSED	0.260 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot		
			
4	Then click on Edit icon near by financial transaction	PASSED	0.738 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.570 s
	screenshot		
			
5	And choose branch code Id	PASSED	1.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot		
			
6	And click on transaction from date in calender icon	PASSED	1.176 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then choose from date in calendar	PASSED	0.679 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		
			
8	And click on the transaction to date in calendar icon	PASSED	0.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
	screenshot		
			
9	Then choose the To date in calendar	PASSED	0.852 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.086 s
	screenshot		
			
10	And click on view button to see the Record	PASSED	2.168 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	<p>Then Verify record is available in the sheet or not</p> <p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//i[@class='datatable-icon-right']}[2]"} (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDPO14667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9bf6632a3856924b025bcd0b03293082, findElement {using=xpath, value=(//i[@class='datatable-icon-right'])[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:65168}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:65168/devtoo..., se.cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9bf6632a3856924b025bcd0b03293082</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.getWrappedElement(Unknown Source) at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51) at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197) at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992) at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509) at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499) at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921)</p>	FAILED	3.352 s

#	Step / Hook Details	Status	Duration
	<p>at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234) at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:478) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:27) at helper.JavascriptHelper.scrollToView(JavascriptHelper.java:49) at stepdefinitions.ArAp.verify_record_is_available_in_the_sheet_or_not(ArAp.java:615) at ?.Verify record is available in the sheet or not(file:///C:/Users/inindc00082/git/repository2/Tushar_AzentioFramework/src/test/java/features/ArAp.feature:371) * Not displayable characters are replaced by '?'.</p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	1.113 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries for cleared
cheques

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta)

19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Welcome, anant

Business partner setup

General ledger configuration

Accounting setup

Expense/AR & AP configurati...

Budget configuration

Fixed assets configuration

Inventory maintenance

Bank recon

Petty cash configuration

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries for cleared
cheques

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta)

19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Welcome, anant

Reports

Financial reporting

Enquiry

Petty cash


22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries for cleared
cheques


(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries for cleared
cheques

(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries for cleared
cheques

(F) Check the Functionality of AR/AP
Module

The screenshot displays the Kastle Universal Banking (Beta) application interface. The top header shows the date (19-Oct-2022), language (English), software version (Azentio Software - (AZENTMAIN)), and user profile (ANANT). The left sidebar contains a navigation menu with options: Reports, Financial reporting, Enquiry, Financial transaction (highlighted), and Petty cash. The main content area is titled "Financial Transaction" and includes a "VIEW" link. The form contains several fields: Branch Code (AZENTMAIN-Azentio Main Branch), Branch Name (Azentio Main Branch), GI Code, Transaction From Date, Transaction To Date, Transaction Ref No, and Account Number. The bottom of the interface features a blue bar with "Home" and "Preference" buttons.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries for cleared
cheques

(F) Check the Functionality of AR/AP
Module

This screenshot is identical to the one above, showing the Kastle Universal Banking (Beta) application interface. It features the same top header with date, language, software version, and user profile. The left sidebar navigation menu is the same, with "Financial transaction" highlighted. The main content area, titled "Financial Transaction" with a "VIEW" link, contains the same form fields: Branch Code, Branch Name, GI Code, Transaction From Date, Transaction To Date, Transaction Ref No, and Account Number. The bottom blue bar with "Home" and "Preference" buttons is also present.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries for cleared
cheques

(F) Check the Functionality of AR/AP
Module

The screenshot displays the Kastle Universal Banking (Beta) application interface. The top navigation bar includes the date (19-Oct-2022), language (English), software version (Azentio Software - (AZENTMAIN)), and a user profile (ANANT). The left sidebar shows a menu with options: Finance, Reports, Financial reporting, Enquiry, Financial transaction (highlighted), and Petty cash. The main content area is titled "Financial Transaction" and contains a form with the following fields: Branch Code (AZENTMAIN-Azentio Main Branch), Branch Name (Azentio Main Branch), GI Code, Transaction From Date (01-May-2022), Transaction To Date, Transaction Ref No, and Account Number. A "VIEW" link is located in the top right corner of the form. At the bottom of the interface, there are buttons for "Home" and "Preference", and a status bar showing "22 Appro..." and "11 Messa...".

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries for cleared
cheques

(F) Check the Functionality of AR/AP
Module

This screenshot is identical to the one above, showing the Kastle Universal Banking (Beta) application interface. The top navigation bar includes the date (19-Oct-2022), language (English), software version (Azentio Software - (AZENTMAIN)), and a user profile (ANANT). The left sidebar shows a menu with options: Finance, Reports, Financial reporting, Enquiry, Financial transaction (highlighted), and Petty cash. The main content area is titled "Financial Transaction" and contains a form with the following fields: Branch Code (AZENTMAIN-Azentio Main Branch), Branch Name (Azentio Main Branch), GI Code, Transaction From Date (01-May-2022), Transaction To Date, Transaction Ref No, and Account Number. A "VIEW" link is located in the top right corner of the form. At the bottom of the interface, there are buttons for "Home" and "Preference", and a status bar showing "22 Appro..." and "11 Messa...".

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries for cleared
cheques

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Financial Transaction

Branch Code: AZENTMAIN-Azentio Main Branch Branch Name: Azentio Main Branch GI Code:
Transaction From Date: 01-May-2022 Transaction To Date: 19-Oct-2022 Transaction Ref No:
Account Number:
VIEW

22 Appro... 11 Messa... Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries for cleared
cheques

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Financial Transaction

Branch Code: AZENTMAIN-Azentio Main Branch Branch Name: Azentio Main Branch GI Code:
Transaction From Date: 01-May-2022 Transaction To Date: 19-Oct-2022 Transaction Ref No:
Account Number:
VIEW

Financial Transaction Report

Voucher No	Transaction date	Value Date	GL Code	GL Description	Transaction Type	Amount	Curre
ADJ-30-22022	19-Oct-2022	19-Oct-2022	IFRS-LIAB-LI3000003	Accounts Payable	Debit	420080	INR
ADJ-30-22022	19-Oct-2022	19-Oct-2022	IFRS-AS-AS1000028	IGST	Credit	64080	INR
ADJ-30-22022	19-Oct-2022	19-Oct-2022	IFRS-LIAB-LI3000005	Accrued Purchase GL	Credit	356000	INR

22 Appro... 11 Messa... Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries for cleared
cheques

(F) Check the Functionality of AR/AP
Module

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Financial Transaction

Branch Code: AZENTMAIN-Azentio Main Branch Branch Name: Azentio Main Branch GI Code: Transaction From Date: 01-May-2022 Transaction To Date: 19-Oct-2022 Transaction Ref No: Account Number:

Financial Transaction Report

Voucher No	Transaction date	Value Date	GL Code	GL Description	Transaction Type	Amount	Curre
ADJ-30-22022	19-Oct-2022	19-Oct-2022	IFRS-LIAB-LI3000003	Accounts Payable	Debit	420080	INR
ADJ-30-22022	19-Oct-2022	19-Oct-2022	IFRS-AS-AS1000028	IGST	Credit	64080	INR
ADJ-30-22022	19-Oct-2022	19-Oct-2022	IFRS-LIAB-LI3000005	Accrued Purchase GL	Credit	356000	INR

22 Appro... 11 Messa... Home Preference