

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL1 Module	1	0	1	0	27.206 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL1	Check the category already created and trying to create	8	7	1	0	27.199 s
	Module	same accounting book					

DETAILED SECTION -- 4 --

## **(F)- Check the Functionality of the GL1 Module**

FAILED	DURATION - 27.206 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 3:28:58.582 pn	n // 3:29:25.788 pm /	Pass - 0	1	Pass - 7	8
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

## (S)- Check the category already created and trying to create same accounting book



#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	15.491 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.192 s
	screenshot		
	■		
2	When user click the Accounting setup	PASSED	0.267 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.173 s
	screenshot		


AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)   AFSED   O.208 s   AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)   AFSED   O.208 s   AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)   AFSED   O.208 s   AFSED   O.	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 Then verify the accounting category created for liability  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And click add icon in Gl  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And click add icon in Gl  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.208 s  PASSED  O.165 s				
screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AATER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	3	And click accounting category eye icon	PASSED	1.163 s
4 Then verify the accounting category created for liability AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) creenshot  5 And click add icon in Gl AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) creenshot  6 And enter the category code as Liability AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  6 And enter the category code as Liability AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  6 And enter the category code as Liability AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  8 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  9 ASSED 0.208 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario)  PASSED 0.165 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.306 s
Then verify the accounting category created for liability  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And click add icon in Gl  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.208 s  PASSED  0.165 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And click add icon in Gl  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.169 s  0.261 s  0.262 s				
screenshot  5 And click add icon in Gl  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And enter the category code as Liability  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.208 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.165 s	4	Then verify the accounting category created for liability	PASSED	0.037 s
5 And click add icon in Gl  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And enter the category code as Liability  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.208 s  PASSED  0.165 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
5 And click add icon in GI  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And enter the category code as Liability  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.261 s  0.326 s  PASSED  O.208 s  PASSED  O.208 s  PASSED  O.208 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And enter the category code as Liability  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.326 s  PASSED  0.208 s  PASSED  0.165 s		1		
Screenshot  6 And enter the category code as Liability  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.208 s  0.165 s	5	And click add icon in Gl	PASSED	0.261 s
6 And enter the category code as Liability  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.208 s  0.165 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.326 s
6 And enter the category code as Liability  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.208 s  0.165 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.165 s		#   #   #   #   #   #   #   #   #   #		
	6	And enter the category code as Liability	PASSED	0.208 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
		screenshot		


#	Step / Hook Details	Status	Duration
7	And select the accounting book	PASSED	0.435 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot		
	**   **   **   **   **   **   **   *		
8	Then verify the system should through the validation message for the excisting code	FAILED	0.022 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: ("method":"xpath", "selector":"//div[@id=toast-container]/divi/@iol@role=alertidialog]"). (Session info: chrome=101.0.4951.54) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc551.1cbda' System info: host: 'lNMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [bbd8049ce1e7256636dac5d86e2ec2ce_findElement {using=xpath, value=//div@id='toast-container']/div/ div[@old='laetrdialog]]} Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 101.0.4951.54, chrome: {chromedriverVersion: 101.0.4951.54, e19.2720db8323, userDataDir: C:\Users\NINDC-1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:60421}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, proxy: Proxy(), sec.pcj: ws://localhost:60421/devtoo, sec.dpVersion: 101.0.4951.54, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: b9d8049ce1e7256636dac5d86e2ec2ce  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceQ(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceQelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:130)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.Service.DriverCommandExe		

DETAILED SECTION -- 7 --


#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.getText(Unknown Source)		
	at stepdefinitions.Gl_Module.verify_the_system_should_through_the_validation_message_for_the_excisting_code(Gl_Module.java:127)		
	at ?.verify the system should through the validation message for the excisting code(file:///C:/Users/inindc00075/git/		
	AzentioAutomationFramework/AzentioAutomationFramework/src/test/java/features/GL1_UAT.feature:395)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		

EXPANDED SECTION --- 8 --





EXPANDED SECTION --- 10 --



EXPANDED SECTION -- 11 --

