

## **Cucumber Report**



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	user create login in to Budget and planning UAT files	1	1	0	0	1 m 18.329 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	user create login in to Budget and	System should able to approve the supplimentary requested	17	17	0	0	1 m 18.323 s
	planning UAT files	budget					

## (F)- user create login in to Budget and planning UAT files

PASSED	DURATION - 1 m 18.329 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 5:57:34.954 F	PM // 5:58:53.283 PM /	Pass - 1	1	Pass - 17	17
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- System should able to approve the supplimentary requested budget



#	Step / Hook Details	Status	Duration
1	Given navigate to given url and login with maker credentials	PASSED	50.667 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.807 s
	screenshot		
2	And maker should navigate to the budget module UAT	PASSED	1.899 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		
	END OF THE PROPERTY OF THE PRO		

And maker click on budget field UAT  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.Hook	#	Step / Hook Details	Status	Duration
screenshot  When maker click on budget supplementary eye icon UAT  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.654 s  FASSED  O.654 s  PASSED  O.654 s  PASSED  O.654 s  The fill the input fields UAT  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.011 s  PASSED  O.011 s  PASSED  O.0295 s  PASSED  O.0295 s	3	And maker click on budget field UAT	PASSED	0.155 s
4 When maker click on budget supplementary eye icon UAT  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And click on add button on budget supplementary view page UAT  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.54 s  PASSED  0.504 s  PASSED  0.300 s		screenshot	PASSED	0.253 s
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And click on add button on budget supplementary view page UAT  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.011 s  PASSED  0.295 s  Then fill the input fields UAT  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.837 s  PASSED  0.259 s				
screenshot  5 And click on add button on budget supplementary view page UAT  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And user update the Excel sheet testdata for Budget and planning Allocation4  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 Then fill the input fields UAT  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  1.837 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.259 s	4	When maker click on budget supplementary eye icon UAT	PASSED	0.542 s
5 And click on add button on budget supplementary view page UAT  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And user update the Excel sheet testdata for Budget and planning Allocation4  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 Then fill the input fields UAT  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.837 s  PASSED  1.837 s  PASSED  0.259 s			PASSED	0.654 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And user update the Excel sheet testdata for Budget and planning Allocation4  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 Then fill the input fields UAT  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.837 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.295 s				
Screenshot  6 And user update the Excel sheet testdata for Budget and planning Allocation4  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 Then fill the input fields UAT  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.837 s  PASSED  0.295 s	5	And click on add button on budget supplementary view page UAT	PASSED	1.107 s
6 And user update the Excel sheet testdata for Budget and planning Allocation4  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 Then fill the input fields UAT  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.837 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.295 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.300 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  7 Then fill the input fields UAT  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.837 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.295 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  7 Then fill the input fields UAT  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  1.837 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.295 s		*** **** *** *** *** *** *** *** *** *		
7 Then fill the input fields UAT  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.259 s	6		PASSED	0.011 s
7 Then fill the input fields UAT  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.259 s			PASSED	0.295 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.259 s		SCIENTIFIC  AND TO THE PROPERTY OF THE PROPERT	_	
	7	Then fill the input fields UAT	PASSED	1.837 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
		screenshot		


477 s
343 s
203 s
476 s
730 s
257 s
373 s
249 s
3. 4: 7:

12 Then choose first record in the notification record4  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  passed  13 And click on Submit button  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  passed  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  passed  14 Then enter remark in confirmation alerts  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  passed  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  passed  15 Then click on submit button in alert  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  passed  0.485 s  0.485 s  0.485 s  0.280 s		A		
screenshot  13 And click on Submit button  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  14 Then enter remark in confirmation alertss  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  15 Then click on submit button in alert  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.071 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.071 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.031 s	12	Then choose first record in the notification record4	PASSED	0.516 s
13 And click on Submit button PASSED 0.918 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  14 Then enter remark in confirmation alertss  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  15 Then click on submit button in alert  PASSED 0.071 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.485 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.280 s  14 Then enter remark in confirmation alertss  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  15 Then click on submit button in alert  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.280 s  0.280 s  PASSED  0.889 s  0.331 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.280 s  14 Then enter remark in confirmation alertss  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  15 Then click on submit button in alert  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.280 s  0.280 s  PASSED  0.889 s  0.331 s		A		
Screenshot  14 Then enter remark in confirmation alertss  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  15 Then click on submit button in alert  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.889 s  0.331 s  0.331 s	13	And click on Submit button	PASSED	0.918 s
14 Then enter remark in confirmation alertss  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  15 Then click on submit button in alert  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.889 s  0.331 s  0.331 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.280 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  15 Then click on submit button in alert  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.331 s  0.331 s  0.331 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  15 Then click on submit button in alert  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.331 s  PASSED  0.071 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  DASSED  0.313 s		AND SECOND SECON		
screenshot  15 Then click on submit button in alert  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.071 s  PASSED  0.313 s	14	Then enter remark in confirmation alertss	PASSED	0.889 s
15 Then click on submit button in alert  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.071 s  PASSED  0.313 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.331 s
15 Then click on submit button in alert  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED  0.071 s  0.313 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.313 s				
	15	Then click on submit button in alert	PASSED	0.071 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.313 s
		screenshot	]	


DETAILED SECTION -- 8 --


#	Step / Hook Details	Status	Duration
16	And user update the Excel sheet testdata for Budget and planning Allocation4	PASSED	0.014 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.333 s
	screenshot		
	Part of the state		
17	And capture the reviewer ID in pop up which is open when we submit our record in maker stagesss	PASSED	2.745 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.573 s
	screenshot		
	The state of the s		

EXPANDED SECTION -- 9 --





EXPANDED SECTION -- 10 --






EXPANDED SECTION -- 11 --







EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

