

Cucumber Report

Jul 21, 2022, 7:01:29 PM

Start : Jul 21, 6:59:38.958 PM

End : Jul 21, 7:01:28.548 PM

Duration : 1 m 49.590 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 15


FAILED - 1

SKIPPED - 4







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	1 m 49.590 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Approve the record	20	15	1	4	1 m 49.586 s


(F)- Product Master Retail Functionality

FAILED	DURATION - 1 m 49.590 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 20 Pass - 15 Fail - 1 Skip - 4	
/ 6:59:38.958 PM // 7:01:28.548 PM /					

(S)- verify Checker user is able to Approve the record



<div>FAILED</div> <div>DURATION - 1 m 49.586 s</div>			<div>Steps</div> <div>Total - 20</div> <div>Pass - 15</div> <div>Fail - 1</div> <div>Skip - 4</div>	
/ 6:59:38.962 PM // 7:01:28.548 PM /				
Product Master Retail Functionality				
@ProductMaster_Retail_Approve_Reject_Return				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.230 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		
			
2	And User Login as maker	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.258 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.107 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.231 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	3.167 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.296 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	5.310 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	1.256 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.091 s
	screenshot		
			
8	Then Enter Product Description	PASSED	0.142 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
	screenshot		
			
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	5.218 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.116 s
	screenshot		
			
10	Then verify the field Remarks	PASSED	4.177 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.095 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then click on save button	PASSED	3.175 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
	screenshot		
			
12	Then validate Success pop up	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		
			
13	Then click on inbox	PASSED	0.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		
			
14	And open record for Approve	PASSED	0.174 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	Then submit the Record	PASSED	7.449 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.119 s
	screenshot 		
16	And User Login as Checker <pre> org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-input[@ng-reflect-name='username']/input' (tried for 60 second(s) with 5000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.KULS_Application_Login.ulSApplicationLoginAsAChecker(KULS_Application_Login.java:49) at stepdefinitions.KULS_Login.user_login_as_checker(KULS_Login.java:47) at ?.User Login as Checker(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:105) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-input[@ng-reflect-name='username']/input"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVPD016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [21e31a46cde9d5490e18e373e3aedf81, findElement {using=xpath, value=//ion-input[@ng-reflect-name='username']/input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:52025}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52025/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 21e31a46cde9d5490e18e373e3aedf81 at jdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) </pre>	FAILED	1 m 3.577 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.KULS_Application_Login.ulSApplicationLoginAsAChecker(KULS_Application_Login.java:49) at stepdefinitions.KULS_Login.user_login_as_checker(KULS_Login.java:47) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.091 s
17	Then click on Menu	SKIPPED	0.000 s
18	Then click on inbox	SKIPPED	0.000 s
19	Then Open the record to approve it	SKIPPED	0.000 s
20	Then approve the record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Productcode

97.0M

23.0M

26.0M

5.0M

2.0M

2.0M

6.0M

AHL

AAL

APL

CD

AFC

CC


TL

Powered by Metabase

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record


(F) Product Master Retail Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record


(F) Product Master Retail Functionality









(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality




Product Master					
Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
 	98303249	5634	dldf	C	Active
 	98303249	HOMPUR2	Housing Loan 2	R	Active
 	98303249	KLLL		C	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality




Product Group *		Product Code *
<div>Lending</div>		<div></div>
Product Description *		Retail/Corporate *
<div>Select</div>		<div>Select</div>
DM Code		
<div>Lending</div>		
Trade		
Treasury		
Remarks		
<div></div>		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality




The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a red notification icon. Below the header, there are several input fields: 'Product Group' (a dropdown menu with 'Lending' selected), 'Product Code' (a text input field with 'A' entered), 'Product Description' (a text input field with 'OK' entered), 'Retail/Corporate' (a dropdown menu with 'Select' selected), 'DM Code' (a text input field), and 'Remarks' (a large text area). The form is styled with a clean, modern design using white and light gray colors.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality




The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a red notification icon. Below the header, there are several input fields: 'Product Group' (a dropdown menu with 'Lending' selected), 'Product Code' (a text input field with 'A' entered), 'Product Description' (a text input field with 'OK' entered), 'Retail/Corporate' (a dropdown menu with 'Select' selected), 'DM Code' (a text input field), and 'Remarks' (a large text area). The form is styled with a clean, modern design using white and light gray colors.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality




The screenshot shows the Azentio Product Master form. The form has the following fields: Product Group (Lending), Product Code (A), Product Description (OK), Retail/Corporate (Retail), DM Code, and Remarks. The Retail/Corporate dropdown menu is open, showing options: Select, Corporate, and Retail (selected). The form is titled "Product Master" and has a back button and a save button.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality



The screenshot shows the Azentio Product Master form. The form has the following fields: Product Group (Lending), Product Code (A), Product Description (OK), Retail/Corporate (Retail), DM Code, and Remarks. The Remarks field contains the text "HomeLoan". The form is titled "Product Master" and has a back button and a save button.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config
Business Rules
Corporate Masters
Misc Config
Other Masters
Product Definitions
Product Setup
Asset Auto Master
Asset CD Master
Product master
Sub Product Master
Regulatory Product Defini...
Project Setup
Config Manager

Product Master

Showing 1 to 5 of 105 entries

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303249	A	OK	R	Active	
	98303249	A	OK	R	Active	CHECKER
	98303249	HOMPUR		R	Active	MAKER
	98303249	12		R	Active	CHECKER
	98303249	12		R	Active	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config
Business Rules
Corporate Masters
Misc Config
Other Masters
Product Definitions
Product Setup
Asset Auto Master
Asset CD Master
Product master
Sub Product Master
Regulatory Product Defini...
Project Setup
Config Manager

Product Master

Showing 1 to 5 of 105 entries

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303249	A	OK	R	Active	
	98303249	A	OK	R	Active	CHECKER
	98303249	HOMPUR		R	Active	MAKER
	98303249	12		R	Active	CHECKER
	98303249	12		R	Active	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

Inbox

Action

Showing 0 to 0 of 0 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	5637	PRODUCT_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:59	TSW	
	5635	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 18:30	TSW	
	51	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:23	TSW	
	69	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:11	TSW	
	5628	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:52	TSW	
	67	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 17:48	TSW	
	5626	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:47	TSW	
	5623	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:41	TSW	
	42	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 17:40	TSW	
	5619	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:21	TSW	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

English LOS Azentio Software

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
[Icon]	5635	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 18:30	TSW	
[Icon]	51	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:23	TSW	
[Icon]	69	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 18:11	TSW	
[Icon]	5628	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:52	TSW	
[Icon]	67	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 17:48	TSW	
[Icon]	5626	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:47	TSW	
[Icon]	5623	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:41	TSW	
[Icon]	42	SCHEME_MST	MAKER	LOSMKR	in00135	21-Jul-2022 17:40	TSW	
[Icon]	5619	SUB_PRD_MAST	MAKER	LOSMKR	in00135	21-Jul-2022 17:21	TSW	
[Icon]	33	FLOATING_RATE	MAKER	LOSMKR	in00135	21-Jul-2022 17:18	TSW	

Record APPROVED Successfully, and Current Stage is CHECKER with status PENDING from in01951.

Product master

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

English LOS Azentio Software

Product wise Analysis

Product-wise Amount Financed

Productcode	Amount Financed
AHL	97.0M
AAL	23.0M
APL	26.0M
CD	5.0M
AFC	2.0M
CC	2.0M
TL	6.0M

Subproduct-wise Amount Financed

Scheme wise Amount Financed

scheme description	Amount Financed
Asset Fina	21.8M
Short Term	56.5M
Invoicing	665.0k
Agricultur	1.7M
Working Ca	50.0k

Powered by Metabase