

# Cucumber Report

8 Feb 2023, 4:12:03 PM

Start : Feb 08, 4:10:09.740 PM

End : Feb 08, 4:11:55.052 PM

Duration : 1 m 45.312 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 8  
FAILED - 1  
SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	<u>To verify the functionality of fee master</u>	1	0	1	0	1 m 45.312 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To verify the functionality of fee master</u>	<u>To verify user able to save the modified record with blank and invalid details</u>	10	8	1	1	1 m 45.297 s





**(F)- To verify the functionality of fee master**



<b>FAILED</b>	<b>DURATION - 1 m 45.312 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 10 Pass - 8 Fail - 1 Skip - 1	
/ 4:10:09.740 PM // 4:11:55.052 PM /					

**(S)- To verify user able to save the modified record with blank and invalid details**


<div>FAILED</div> <div>DURATION - 1 m 45.297 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 4:10:09.755 PM // 4:11:55.052 PM /				
To verify the functionality of fee master				
@FeeMaster_M7				

#	Step / Hook Details	Status	Duration
1	Given Get the URL and login as maker	PASSED	29.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.359 s
	screenshot		
			
2	And Click the configuration	PASSED	0.220 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.410 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	Then Click the config Manager	PASSED	0.340 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.340 s
	screenshot		
			
4	And Click the temp view in the fee master	PASSED	0.323 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.516 s
	screenshot		
			
5	Then Choose the data set id for fee master negative validation	PASSED	3.773 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.588 s
	screenshot		
			
6	Then Choose the First record in the fee master for modification	PASSED	0.370 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.768 s
	screenshot		
			
7	And Click the legacy code1 and pass the invalid details	PASSED	6.392 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.377 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
8	Then Verify the invalid field validation popup in the fee master	PASSED	0.047 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.327 s
	screenshot 		
9	And Click the charge type and make that field as blank in fee master  org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-select[@aria-label='Select, Charge Type *']' (tried for 30 second(s) with 5000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.FeeMaster.click_the_charge_type_and_make_that_field_as_blank_in_fee_master(FeeMaster.java:848) at ?.Click the charge type and make that field as blank in fee master(file:///C:/Users/ININDC00073/git/Azentio_ULS/Kamala_Priya_AzentioULSFramework3/src/test/java/features/FeeMaster.feature:138) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-select[@aria-label='Select, Charge Type *']"} (Session info: chrome=108.0.5359.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.60', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e691eb537fe48fcb4a6eb07656812af5, findElement {using=xpath, value=//ion-select[@aria-label='Select, Charge Type *']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:61232}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61232/devtoo..., se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e691eb537fe48fcb4a6eb07656812af5 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)	FAILED	30.185 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.FeeMaster.click_the_charge_type_and_make_that_field_as_blank_in_fee_master(FeeMaster.java:848) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) </pre>		


#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.448 s
	<p>screenshot</p> 		
10	Then Verify the balank field validation popup in the fee master	SKIPPED	0.000 s



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user able to save the  
modified record with blank and invalid  
details


(F) To verify the functionality of fee master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user able to save the  
modified record with blank and invalid  
details


(F) To verify the functionality of fee master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user able to save the  
modified record with blank and invalid  
details


(F) To verify the functionality of fee master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user able to save the  
modified record with blank and invalid  
details

(F) To verify the functionality of fee master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user able to save the  
modified record with blank and invalid  
details

(F) To verify the functionality of fee master

**AZENTIO ONE Banking**

11-Dec-2022

Engl... LOS Aze...

Search the menu

**List Of Charges**

Export

Action	Description	Charge Type	Created By	Status	Authorization Status
	#5%^&&{'	52033	in02256	In-active	CHECKER
	ok	52033	in02256	Active	CHECKER
	Processing Fee1	52033	in02256	Active	
	c	52033	in02256	Active	
	aaaa	52033	in02256	Active	

Showing 1 to 5 of 66 entries

1 2 3 4 5

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user able to save the  
modified record with blank and invalid  
details

(F) To verify the functionality of fee master

**AZENTIO ONE Banking**

11-Dec-2022

Engl... LOS Aze...

Search the menu

**List Of Charges**

Export

Action	Description	Charge Type	Created By	Status	Authorization Status
	#5%^&&{'	52033	in02256	In-active	CHECKER
	ok	52033	in02256	Active	CHECKER
	Processing Fee1	52033	in02256	Active	
	c	52033	in02256	Active	
	aaaa	52033	in02256	Active	

Showing 1 to 5 of 66 entries

<< < 1 2 3 4 5 > >>

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user able to save the  
modified record with blank and invalid  
details

(F) To verify the functionality of fee master

The screenshot shows the 'Charge' configuration page in the AZENTIO ONE Banking system. The left sidebar contains a menu with options: Dashboard, Configurations (expanded), Config Manager, Collateral, Warehouse Master, Collateral sub type, LO Module Waiver, Collateral type, Fee master, Asset Auto Master, Charge master, Asset CD Master, and Appropriation master. The main content area is titled 'Charge' and contains various fields for configuration. The top bar shows the date '11-Dec-2022' and user information. The form includes fields for Description, Charge Type, Due Code, Charge Flag, Legacy Code1, Legacy Code2, GST Applicable State, Is Tax Allowed, Tax Calculation Method, Amortize, Upfront, Amort Rate Method, Amount Recovery, Amort Tenure(Method), and Amort Frequency. The 'Charge Flag' field is set to 'Manually Generated Charges'. The 'Is Tax Allowed' field is a toggle switch that is currently turned on. The 'Amortize' field is set to 'NO'. The 'Upfront' field is set to 'NO'. The 'Amort Rate Method' field is set to 'Select'. The 'Amount Recovery' field is set to 'Select'. The 'Amort Tenure(Method)' field is set to 'Select'. The 'Amort Frequency' field is set to 'Select'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user able to save the  
modified record with blank and invalid  
details

(F) To verify the functionality of fee master

This screenshot is identical to the one above, showing the 'Charge' configuration page in the AZENTIO ONE Banking system. The left sidebar contains a menu with options: Dashboard, Configurations (expanded), Config Manager, Collateral, Warehouse Master, Collateral sub type, LO Module Waiver, Collateral type, Fee master, Asset Auto Master, Charge master, Asset CD Master, and Appropriation master. The main content area is titled 'Charge' and contains various fields for configuration. The top bar shows the date '11-Dec-2022' and user information. The form includes fields for Description, Charge Type, Due Code, Charge Flag, Legacy Code1, Legacy Code2, GST Applicable State, Is Tax Allowed, Tax Calculation Method, Amortize, Upfront, Amort Rate Method, Amount Recovery, Amort Tenure(Method), and Amort Frequency. The 'Charge Flag' field is set to 'Manually Generated Charges'. The 'Is Tax Allowed' field is a toggle switch that is currently turned on. The 'Amortize' field is set to 'NO'. The 'Upfront' field is set to 'NO'. The 'Amort Rate Method' field is set to 'Select'. The 'Amount Recovery' field is set to 'Select'. The 'Amort Tenure(Method)' field is set to 'Select'. The 'Amort Frequency' field is set to 'Select'.

(F) To verify the functionality of fee master

AZENTIO

ONboarding

11-Dec-2022

Engl...

LOS

Aze...

Search the menu

Dashboard

Configurations

Config Manager

Collateral

Warehouse Master

Collateral sub type

LO Module Waiver

Collateral type

Fee master

Asset Auto Master

Charge master

Asset CD Master

Appropriation master

Transactions

Reports

ChargeTax

Charge

Description\*

#S%\*&&%(

Charge Flag\*

Manually Generated Charges

Legacy Code1

#@\$%

Alphanumeric characters allowed

GST Applicable State

Select

Tax Calculation Method

On Payment

Amortize

NO

Upfront

NO

Amort Rate Method

Select

Amount Recovery

Select

Charge Type\*

First

Due Code

Select

Legacy Code2

Test

Is Tax Allowed

☒

Include In APR

☒

Deduct

YES

Status

☐

Amort Tenure(Method)

Select

Amort Frequency

Select