

# Cucumber Report

11-Nov-2022, 3:17:58 pm

**Start : Nov 11, 3:15:44.550 pm**

**End : Nov 11, 3:17:45.275 pm**

**Duration : 2 m 0.725 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 19**


**FAILED - 1**

**SKIPPED - 4**







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Living Expenses Master</u>	1	0	1	0	2 m 0.725 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	Creation of Living Expense Parameter record with valid data	24	19	1	4	2 m 0.714 s




**(F)- Check the functionality of Living Expenses Master**

<b>FAILED</b>	<b>DURATION - 2 m 0.725 s</b>	Scenarios		Steps	
/ 3:15:44.550 pm // 3:17:45.275 pm /		Total - 1		Total - 24	
		Pass - 0		Pass - 19	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 4	

**(S)- Creation of Living Expense Parameter record with valid data**



<div>FAILED</div> <div>DURATION - 2 m 0.714 s</div>		<div></div>	<div>Steps</div> <div>Total - 24</div> <div>Pass - 19</div> <div>Fail - 1</div> <div>Skip - 4</div>	<div></div>
<div>/ 3:15:44.561 pm // 3:17:45.275 pm /</div>				
<div>Check the functionality of Living Expenses Master</div>				
<div>@AT_LE_013_Parameter_Creation</div>				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	24.090 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.838 s
	screenshot		
			
2	Then user click on configurations Tab	PASSED	0.539 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.988 s
	screenshot		
			


#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.431 s
	screenshot		
			
4	And user click on List view Icon of Living Expenses	PASSED	0.654 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.816 s
	screenshot		
			
5	And user click on Add Icon for Living Expenses	PASSED	0.441 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.330 s
	screenshot		
			
6	And user Pass the Exceldata value for Creation	PASSED	0.104 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.523 s
	screenshot		
			
7	And user Enter value in Description and verify it	PASSED	0.877 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	And user Enter value in Description2 and verify it	PASSED	0.306 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		
			
9	And user Enter value in Description3 and verify it	PASSED	0.471 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		
			
10	And user select Rule value and verify it	PASSED	0.511 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.431 s
	screenshot		
			
11	And user choose Calendar Effective Date and verify it	PASSED	1.367 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.606 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
12	And user save the Record in Living Expenses	PASSED	2.503 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.102 s
	screenshot		
			
13	And user Goto the Temp view screen of living Expense	PASSED	0.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.960 s
	screenshot		
			
14	And user click on First record in living Expense	PASSED	0.517 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	6.030 s
	screenshot		
			
15	And user click on Living Expenses Parameter	PASSED	0.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.886 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
16	And user click on Add Icon for Living Expenses	PASSED	0.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.148 s
	screenshot		
			
17	And user Pass the Exceldata value for ParaMeter Creation	PASSED	0.005 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.754 s
	screenshot		
			
18	And user Enter value in Description and verify it	PASSED	0.272 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.300 s
	screenshot		
			
19	And user select the code value	PASSED	1.108 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.674 s
	screenshot		





#	Step / Hook Details	Status	Duration
			
20	<p>And user Enter the value</p> <p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;input class="native-input sc-ion-input-ios" aria-labelledby="ion-input-4-lbl" autocapitalize="off" autocomplete="off" autocorrect="off" name="ion-input-4" placeholder="" spellcheck="false" type="text"&gt; is not clickable at point (1627, 293). Other element would receive the click: &lt;ion-popover class="select-popover ios popover-desktop popover-side-bottom hydrated" id="ion-overlay-5" aria-modal="true" no-router="" tabindex="-1" style="z-index: 20005; --width:528px;"&gt;...&lt;/ion-popover&gt; (Session info: chrome=106.0.5249.119) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVPADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [1d674d78c4b7b4c91091b8de952922f2, clickElement {id=1b8d9024-a534-45ca-a61e-59d4cc06664d}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:59158}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59158/devtoo..., se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (1d674d78c4b7b4c91091b8de952922f2)] -&gt; xpath: //ion-label[text()=' Value ']/parent::ion-item//input[1]] Session ID: 1d674d78c4b7b4c91091b8de952922f2</p> <pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) atjdk.internal.reflect.GeneratedMethodAccessor5.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) atjdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.LivingExpense_Master.user_enter_the_value(LivingExpense_Master.java:771) at ?.user Enter the value(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzenzioULSFramework/src/test/java/features/MDM_LivingExp_Master.feature:313) </pre>	FAILED	1.636 s

#	Step / Hook Details	Status	Duration
	* Not displayable characters are replaced by '?'. AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.175 s
			
21	And user save the Record in Living Expenses	SKIPPED	0.000 s
22	And user goto the Maker Inbox and store the New Referance ID	SKIPPED	0.000 s
23	Then user Click on Action Icon	SKIPPED	0.000 s
24	And user verify the submit button and submit the New Record from Maker stage	SKIPPED	0.000 s

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Creation of Living Expense Parameter record with valid data</u></p>	
<p><u>(F) Check the functionality of Living Expenses Master</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Creation of Living Expense Parameter record with valid data</u></p>	
<p><u>(F) Check the functionality of Living Expenses Master</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Creation of Living Expense Parameter record with valid data</u></p>	
<p><u>(F) Check the functionality of Living Expenses Master</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Creation of Living Expense Parameter record with valid data</u></p>	
<p><u>(F) Check the functionality of Living Expenses Master</u></p>	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with valid data

(F) Check the functionality of Living  
Expenses Master

The screenshot displays the AZENTIO ONEBOOKING application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations (Project Master, Notification Master, Report Master, Target Master, Business Division Master, Approval Reviewer Level Matrix, Income Group Definition, Facility Type, NPA Identification, Classification Master, Living Expense), Transactions, and Reports. The 'Living Expense' option is highlighted. The main content area is titled 'List of Living Expense Model' and contains a table with the following data:

Action	Description	Rule ID	Effective Date	Status
	Test	98303335	2022-10-15	Active
	yugydygugc	98303256	2022-10-25	Active
	Descr1	98303254	2022-10-16	Active
	Test expense	98303254	2022-10-04	Active

At the bottom of the table, it says 'Showing 1 to 4 of 4 entries' with pagination controls. The top right of the application shows the date '11-Nov-2022', language 'Engl...', and other settings.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with valid data

(F) Check the functionality of Living  
Expenses Master

This screenshot is identical to the one above, showing the AZENTIO ONEBOOKING application with the 'List of Living Expense Model' table. The table contains the same four records, and the sidebar menu highlights the 'Living Expense' option. The interface elements, including the top navigation bar and pagination, are consistent with the previous image.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with valid data

(F) Check the functionality of Living  
Expenses Master

The screenshot shows the AZENTIO ONEBOOKING application interface. On the left is a blue sidebar menu with a search bar and a list of configuration items: Dashboard, Project Master, Notification Master, Report Master, Target Master, Business Division Master, Approval Reviewer Level Matrix, Income Group Definition, Facility Type, NPA Identification, Classification Master, and Living Expense (which is highlighted). Below these are sections for Transactions and Reports. The main content area is titled 'Living Expense Definition' and contains a form with the following fields: 'Description' (with the value 'Expenses'), 'Description2', 'Description3', 'Rule' (a dropdown menu showing 'Select'), and 'Effective Date'. There are red asterisks next to the Description, Description2, Description3, and Effective Date fields, indicating they are required. A blue save button is located at the bottom right of the form. The top right of the application shows the date '11-Nov-2022', a calendar icon, an email icon, a grid icon, and language/region dropdowns for 'Engl...', 'LOS', and 'Aze...'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with valid data

(F) Check the functionality of Living  
Expenses Master

This screenshot is identical to the one above, showing the AZENTIO ONEBOOKING application. The 'Living Expense Definition' form is displayed with the same fields: 'Description' (containing 'Expenses'), 'Description2', 'Description3', 'Rule' (dropdown with 'Select'), and 'Effective Date'. All required fields are marked with red asterisks. The sidebar menu on the left remains the same, with 'Living Expense' highlighted. The top right of the application shows the date '11-Nov-2022' and various icons and dropdowns for language and region settings.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with valid data

(F) Check the functionality of Living  
Expenses Master

**AZENTIO**  
ONEBOOKING

11-Nov-2022

Engl... LOS Aze...

Search the menu

Dashboard

Configurations

- Project Master
- Notification Master
- Report Master
- Target Master
- Business Division Master
- Approval Reviewer Level Matrix
- Income Group Definition
- Facility Type
- NPA Identification
- Classification Master
- Living Expense

Transactions

Reports

Living Expense Definition

Description \*  
Expenses

Description2 \*  
ExpensesExp

Description3 \*  
ExpensesLivingExpenses

Rule  
Select

Effective Date \*

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with valid data

(F) Check the functionality of Living  
Expenses Master

**AZENTIO**  
ONEBOOKING

11-Nov-2022

Engl... LOS Aze...

Search the menu

Dashboard

Configurations

- Project Master
- Notification Master
- Report Master
- Target Master
- Business Division Master
- Approval Reviewer Level Matrix
- Income Group Definition
- Facility Type
- NPA Identification
- Classification Master
- Living Expense

Transactions

Reports

Living Expense Definition

Description \*  
Expenses

Description2 \*  
ExpensesExp

Description3 \*  
ExpensesLivingExpenses

Rule  
Rule1

Effective Date \*

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with valid data

(F) Check the functionality of Living  
Expenses Master

**AZENTIO ONEBOOKING**

11-Nov-2022

Living Expense Definition

Description \*  
Expenses

Rule  
Rule1

Description2 \*  
ExpensesExp

Description3 \*  
ExpensesLivingExpenses

Effective Date \*  
03-Aug-2023

Calendar: August 2023

Today Clear

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with valid data

(F) Check the functionality of Living  
Expenses Master

**AZENTIO ONEBOOKING**

11-Nov-2022

Success, Workflow initiated with ID: 333

List of Living Expense Model

Action	Description	Rule ID	Effective Date	Status
	Expenses	98303254	2023-08-02	Active
	Expenses	98303254	2023-08-02	Active
	Expenses	98303254	2023-08-02	Active
	Expenses	98303254	2023-08-02	Active
	Expenses	98303254	2023-08-02	Active

Showing 1 to 5 of 25 entries



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with valid data

(F) Check the functionality of Living  
Expenses Master

**AZENTIO ONE Banking**

11-Nov-2022

Search the menu

**List of Living Expense Model**

Action	Description	Rule ID	Effective Date	Status
	Expenses	98303254	2023-08-02	Active
	Expenses	98303254	2023-08-02	Active
	Expenses	98303254	2023-08-02	Active
	Expenses	98303254	2023-08-02	Active
	Expenses	98303254	2023-08-02	Active

Showing 1 to 5 of 25 entries

Success, Workflow initiated with ID: 333

Dashboard

Configurations

- Project Master
- Notification Master
- Report Master
- Target Master
- Business Division Master
- Approval Reviewer Level Matrix
- Income Group Definition
- Facility Type
- NPA Identification
- Classification Master
- Living Expense**

Transactions

Reports

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with valid data

(F) Check the functionality of Living  
Expenses Master

**AZENTIO ONE Banking**

11-Nov-2022

Search the menu

**List of Living Expense Model**

Action	Description	Rule ID	Effective Date	Status
	Expenses	98303254	2023-08-02	Active

Living Expense Definition Living Expense Parameter Living Expense Location

Success, Workflow initiated with ID: 333

Dashboard

Configurations

- Project Master
- Notification Master
- Report Master
- Target Master
- Business Division Master
- Approval Reviewer Level Matrix
- Income Group Definition
- Facility Type
- NPA Identification
- Classification Master
- Living Expense**


Transactions

Reports

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with valid data


(F) Check the functionality of Living  
Expenses Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with valid data

(F) Check the functionality of Living  
Expenses Master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with valid data

(F) Check the functionality of Living  
Expenses Master

The screenshot displays the AZENTIO ONEBOOKING application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations (Project Master, Notification Master, Report Master, Target Master, Business Division Master, Approval Reviewer Level Matrix, Income Group Definition, Facility Type, NPA Identification, Classification Master, Living Expense), Transactions, and Reports. The main content area shows the 'Living Expense Parameter' form. At the top, there are tabs for 'Living Expense Definition', 'Living Expense Parameter' (selected), and 'Living Expense Location'. The form has three fields: 'Description' (empty), 'Code' (a dropdown menu showing 'Select'), and 'Value' (empty). The top right of the application shows the date '11-Nov-2022', language 'Engl...', location 'LOS', and user 'Aze...'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with valid data

(F) Check the functionality of Living  
Expenses Master

This screenshot is identical to the one above, showing the 'Living Expense Parameter' form in the AZENTIO ONEBOOKING application. The only difference is that the 'Description' field now contains the text 'Expenses'. All other elements, including the sidebar menu, tabs, and top navigation bar, remain the same.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with valid data

(F) Check the functionality of Living  
Expenses Master

The screenshot shows the AZENTIO ONEBanking application interface. The top navigation bar includes the date (11-Nov-2022), language (Engl...), and user profile (Aze...). The left sidebar contains a menu with the following items: Dashboard, Configurations, Project Master, Notification Master, Report Master, Target Master, Business Division Master, Approval Reviewer Level Matrix, Income Group Definition, Facility Type, NPA Identification, Classification Master, Living Expense, Transactions, and Reports. The main content area displays the 'Living Expense Parameter' form. The form has a title bar with 'Living Expense Parameter' and a back arrow. Below the title bar, there are three tabs: 'Living Expense Definition', 'Living Expense Parameter' (selected), and 'Living Expense Location'. The form contains three main fields: 'Description' with the value 'Expenses', 'Code' with a dropdown menu open showing 'AVGINC' and 'LIVEXP', and 'Value' which is empty. The dropdown menu for 'Code' is open, showing the options 'AVGINC' and 'LIVEXP'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Creation of Living Expense Parameter  
record with valid data

(F) Check the functionality of Living  
Expenses Master

This screenshot is identical to the one above, showing the AZENTIO ONEBanking application interface. The top navigation bar includes the date (11-Nov-2022), language (Engl...), and user profile (Aze...). The left sidebar contains a menu with the following items: Dashboard, Configurations, Project Master, Notification Master, Report Master, Target Master, Business Division Master, Approval Reviewer Level Matrix, Income Group Definition, Facility Type, NPA Identification, Classification Master, Living Expense, Transactions, and Reports. The main content area displays the 'Living Expense Parameter' form. The form has a title bar with 'Living Expense Parameter' and a back arrow. Below the title bar, there are three tabs: 'Living Expense Definition', 'Living Expense Parameter' (selected), and 'Living Expense Location'. The form contains three main fields: 'Description' with the value 'Expenses', 'Code' with a dropdown menu open showing 'AVGINC' and 'LIVEXP', and 'Value' which is empty. The dropdown menu for 'Code' is open, showing the options 'AVGINC' and 'LIVEXP'.