

Cucumber Report

20-Sep-2022, 3:33:20 pm

Start : Sep 20, 3:31:56.840 pm

End : Sep 20, 3:33:19.785 pm

Duration : 1 m 22.945 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 4
FAILED - 1
SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	<u>To verify the functional flow for customer entity layout facility details</u>	1	0	1	0	1 m 22.945 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functional flow for customer entity layout facility details	To verify the impact post selecting any record from list view	6	4	1	1	1 m 22.938 s



(F)- To verify the functional flow for customer entity layout facility details

FAILED	DURATION - 1 m 22.945 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 6 Pass - 4 Fail - 1 Skip - 1	
/ 3:31:56.840 pm // 3:33:19.785 pm /					


(S)- To verify the impact post selecting any record from list view

<div>FAILED</div> <div>DURATION - 1 m 22.938 s</div>			<div>Steps</div> <div>Total - 6</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 3:31:56.847 pm // 3:33:19.785 pm /				
To verify the functional flow for customer entity layout facility details				
@AT-FD-003				

#	Step / Hook Details	Status	Duration
1	Given User login as uls maker in transaction	PASSED	11.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot		
			
2	And User click the inbox mail icon in application detail offering	PASSED	0.171 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.343 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And User click the action edit icon in customer entity layout facility details	PASSED	2.345 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
	screenshot		
			
4	And User click the facility info tab in customer entity layout facility details	PASSED	5.158 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.283 s
	screenshot		
			
5	And User verify system display the List view in customer entity layout facility details	FAILED	1 m 0.377 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: (//span[@class='p-button-icon pi pi-search'])[2]' (tried for 60 second(s) with 5000 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.KULS_CustomerEntityLayout_FacilityDetails.</p> <p>user_verify_system_display_the_list_view_in_customer_entity_layout_facility_details(KULS_CustomerEntityLayout_FacilityDetails.java:537)</p> <p>at ?.User verify system display the List view in customer entity layout facility details(file:///C:/Users/inindc00071/git/repositoryKarthiM/mKarthi_AzentioULSFramework3/src/test/java/features/Customer_Entity_Layout_FacilityDetails.feature:49)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element:</p> <p>{"method":"xpath","selector":"(//span[@class='p-button-icon pi pi-search'])[2]"}</p> <p>(Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016574', ip: '10.1.47.116', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [16c0d8558569b7df67ee244d8614bba7, findElement {using=xpath, value=(//span[@class='p-button-icon pi pi-search'])[2]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Profile 1\Default\Extensions\p-...}, goog:chromeOptions: {debuggerAddress: localhost:56864}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56864/devtools, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 16c0d8558569b7df67ee244d8614bba7</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.KULS_CustomerEntityLayout_FacilityDetails. user_verify_system_display_the_list_view_in_customer_entity_layout_facility_details(KULS_CustomerEntityLayout_FacilityDetails.java:537) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.198 s
6	And User verify the impact post selecting any record from list view in customer entity layout facility details	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact post selecting any
record from list view


(F) To verify the functional flow for
customer entity layout facility details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact post selecting any
record from list view

(F) To verify the functional flow for
customer entity layout facility details



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact post selecting any
record from list view

(F) To verify the functional flow for
customer entity layout facility details

The screenshot displays the AZENTIO ONE Banking interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, and Reports. The main area shows an 'Inbox' table with the following columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table contains 10 rows of data, all with 'APP_CREATE' as the Event Code and 'APPDATAENT' as the Stage Code. The Role Code for all entries is 'CPUEXEC'. The Employee Name is 'in02040'. The Created Date ranges from 14-Sep-2022 to 16-Sep-2022. The Workflow Code is 'HLW' and the Product is 'AHL'. At the bottom right, there is a pagination bar showing 'Showing 1 to 10 of 37 entries' and a dropdown menu set to '10'.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
[Icon]	551	APP_CREATE	APPDATAENT	CPUEXEC	in02040	16-Sep-2022 10:53	HLW	AHL
[Icon]	546	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 19:12	HLW	AHL
[Icon]	539	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 17:7	HLW	AHL
[Icon]	517	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 13:2	HLW	AHL
[Icon]	512	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 11:58	HLW	AHL
[Icon]	506	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 10:22	HLW	AHL
[Icon]	489	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 20:59	HLW	AHL
[Icon]	480	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 17:28	HLW	AHL
[Icon]	478	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 16:54	HLW	AHL
[Icon]	468	APP_CREATE	APPDATAENT	CPUEXEC	in02040	14-Sep-2022 13:42	HLW	AHL

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact post selecting any
record from list view

(F) To verify the functional flow for
customer entity layout facility details

The screenshot shows the AZENTIO ONE Banking interface with the 'Facility Info' tab selected. The top navigation bar includes links for Prev, Application Info, Customer details, Additional Customer Info, Customer Financials, Facility Info, Document Details, Offering, Repayment Schedule, Policy Check, Fee Details, and Next. The main content area is currently blank. At the bottom, there is a section titled 'Application Details' with a back arrow and a set of buttons: Approve, Reject, Return, Eligibility Check, and Print. A small icon in the bottom right corner indicates a document or file.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the impact post selecting any
record from list view

(F) To verify the functional flow for
customer entity layout facility details

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Transactions

Reports

Prev

Application Info

Customer details

Additional Customer Info

Customer Financials

Facility info

Document Details

Offering

Repayment Schedule

Policy Check

Fee Details

Next

Conventional Facility List

+

Search

Export

Action	Product	Sub product	Tenure	Expiry date	Requested Amount	Status
	AHL	PLTPUR	18		10000	Active
	AHL	HOMEXT	18	22-Sep-2022	2222	Active

Showing 1 to 2 of 2 entries

<<

<

1

>

>>

5