

# Cucumber Report

20-Sep-2022, 2:53:22 pm

**Start : Sep 20, 2:52:37.099 pm**

**End : Sep 20, 2:53:17.928 pm**

**Duration : 40.829 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 10**


**FAILED - 1**

**SKIPPED - 1**







#	Feature Name	T	P	F	S	Duration
1	<u>check the functionality of Customer address details</u>	1	0	1	0	40.829 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>check the functionality of Customer address details</u>	<u>verify system allow user to do a modification on already approved record</u>	12	10	1	1	40.820 s





**(F)- check the functionality of Customer address details**





<b>FAILED</b>	<b>DURATION - 40.829 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 12 Pass - 10 Fail - 1 Skip - 1	
/ 2:52:37.099 pm // 2:53:17.928 pm /					


**(S)- verify system allow user to do a modification on already approved record**

<div>FAILED</div> <div>DURATION - 40.820 s</div>		<div></div>	<div>Steps</div> <div>Total - 12</div> <div>Pass - 10</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 2:52:37.108 pm // 2:53:17.928 pm /</div>				
<div>check the functionality of Customer address details</div>				
<div>@AT_CAD_07</div>				

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	13.519 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.839 s
	screenshot		
			
2	And user click on Inbox Icon	PASSED	0.235 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.402 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And user click search icon	PASSED	0.170 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		
			
4	And user Enter Customer Address details Application ID	PASSED	0.181 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.400 s
	screenshot		
			
5	And user click on First record of Appdata Entry	PASSED	0.130 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
	screenshot		
			
6	And user click on Additional customer Info Tab	PASSED	2.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.720 s
	screenshot		
			
7	And user click on First Record Edit Icon	PASSED	0.292 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.193 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	And user click on Address Information First Record Edit Icon	PASSED	1.245 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.748 s
	screenshot 		
9	And user Modify the Address type field	PASSED	2.420 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.527 s
	screenshot 		
10	And user Modify the Address Status field	PASSED	1.150 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.552 s
	screenshot 		
11	And user Modify the Residential status field	FAILED	1.151 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-select _ngcontent-sri-c320="" ng-reflect-ok-text="OK" ng-reflect-cancel-text="CANCEL" ng-reflect-placeholder="Select" ng-reflect-interface="popover" ng-reflect-multiple="false" ng-reflect-disabled="false" ng-reflect-is-disabled="false" class="ng-untouched ng-pristine ng-valid ios in-item hydrated ion-untouched ion-pristine ion-valid" role="button" aria-haspopup="listbox" aria-label="Financed , Residential or Occupancy Status *" ng-reflect-model="98303498">...</ion-select> is not clickable at point (663, 450). Other element would receive the click: <ion-popover class="select-popover ios popover-desktop popover-side-bottom hydrated" id="ion-overlay-5" aria-modal="true" no-router="" tabindex="-1" style="z-index: 20005; --width:792.016px;">...</ion-popover> (Session info: chrome=105.0.5195.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System		

#	Step / Hook Details	Status	Duration
	<p>info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5b926e4533ba39dafd448b9429b731de, clickElement {id=3b7816fe-f139-409c-8474-fa734a0a29c0}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:57297}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57297/devtools, se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (5b926e4533ba39dafd448b9429b731de)] -&gt; xpath: //ion-label[text()=' Residential or Occupancy Status']/parent::ion-item//ion-select] Session ID: 5b926e4533ba39dafd448b9429b731de</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)  at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source)  at stepdefinitions.Customer_Address_Information.user_modify_the_residential_status_field(Customer_Address_Information.java:484)  at ?.user Modify the Residential status field(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/CustomerAddress_details.feature:81)  * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.398 s
	<p>screenshot</p> 		
12	And user click the update the button	SKIPPED	0.001 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record


(F) check the functionality of Customer  
address details



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details





(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	565	APP_CREATE	NEWAPP	BREXEC	in02040	19-Sep-2022 15:10	HLW	AHL
	561	APP_CREATE	NEWAPP	BREXEC	in02040	19-Sep-2022 9:59	HLW	AHL
	342	COLLATERAL	MAKER	LOSMKR	in02040	16-Sep-2022 16:59	TSW	
	4	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 16:46	HLW	AHL
	2	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 16:0	HLW	AHL
	211	CHARGE_MST	MAKER	LOSMKR	in02040	16-Sep-2022 15:42	TSW	
	560	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 14:16	HLW	AHL
	559	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 14:11	HLW	AHL
	557	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 13:58	HLW	AHL
	483	APP_CREATE	OFFERING	CREOFF	in02040	16-Sep-2022 11:12	HLW	AHL

Showing 1 to 10 of 76 entries << < 1 2 3 4 5 > >> 10

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	565	APP_CREATE	NEWAPP	BREXEC	in02040	19-Sep-2022 15:10	HLW	AHL
	561	APP_CREATE	NEWAPP	BREXEC	in02040	19-Sep-2022 9:59	HLW	AHL
	342	COLLATERAL	MAKER	LOSMKR	in02040	16-Sep-2022 16:59	TSW	
	4	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 16:46	HLW	AHL
	2	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 16:0	HLW	AHL
	211	CHARGE_MST	MAKER	LOSMKR	in02040	16-Sep-2022 15:42	TSW	
	560	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 14:16	HLW	AHL
	559	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 14:11	HLW	AHL
	557	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 13:58	HLW	AHL
	483	APP_CREATE	OFFERING	CREOFF	in02040	16-Sep-2022 11:12	HLW	AHL

Showing 1 to 10 of 76 entries << < 1 2 3 4 5 > >> 10

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

The screenshot shows the AZENTIO ONE Banking interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, and Reports. The main area displays an 'Inbox' table with the following columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. A single entry is visible with Reference Id 506, Event Code APP\_CREATE, Stage Code APPDATAENT, Role Code CPUEXEC, Employee Name in02040, Created Date 15-Sep-2022 10:22, Workflow Code HLW, and Product AHL. Below the table, it says 'Showing 1 to 1 of 1 entries' with pagination controls. At the bottom right, there is a blue circular button with a white gear icon.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

The screenshot shows the AZENTIO ONE Banking interface with a different view. The sidebar menu is the same. The main area has a horizontal tab bar with the following tabs: Prev, Application Info, Customer details, Additional Customer Info (which is selected), Customer Financials, Facility Info, Document Details, Offering, Repayment Schedule, Policy Check, Fee Details, and Next. The content area below the tabs is currently blank. At the bottom right, there is a blue circular button with a white gear icon.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

The screenshot displays the AZENTIO ONE Banking interface. The top navigation bar includes the AZENTIO logo, a search menu, and a series of tabs: Prev, Application Info, Customer details, Additional Customer Info (selected), Customer Financials, Facility Info, Document Details, Offering, Repayment Schedule, Policy Check, Fee Details, and Next. A left sidebar contains a search bar and a menu with options: Dashboard, Configurations, Transactions, and Reports. The main content area is currently blank, suggesting the 'Additional Customer Info' tab is active but no data is displayed yet.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

The screenshot shows the AZENTIO ONE Banking interface with the 'Additional Customer Info' tab selected. The main content area is divided into three sections: 'Customer Identification', 'Address Details', and 'Contact Details'.  
  
The 'Customer Identification' section contains a table with the following data:  

Action	ID Type	ID Number	Issue Date	Expiry Date	Primary ID flag	Verified Flag	Verified Message	Status
[Edit]	26003	12345612345			Y			Active

  
Below the table, it indicates 'Showing 1 to 1 of 1 entries' with pagination controls.  
  
The 'Address Details' section contains a table with the following data:  

Action	Address Type	Country	Occupancy Status	Occupance Since	Contact Address	Status
[Edit]	16	1105415	96303498	09-Sep-2022	AddressLine1	Active

  
Below the table, it indicates 'Showing 1 to 1 of 1 entries' with pagination controls.  
  
The 'Contact Details' section is currently empty, showing only a '+' button to add new details.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

The screenshot shows the 'Customer Address' form in the AZENTIO ONE Banking system. The form is divided into two main sections: 'Customer Address' and 'Communication Address'. The 'Customer Address' section includes fields for Address Type (Home), Residential Or Occupancy Status (Financed), Address Line 1, Address Line 2, Province Id (Maharastra), City Id (Yavatmal), PO BOX Number, Mobile Number (Primary), Duration Of Stay, and Longitude Details Of The Address. The 'Communication Address' section includes fields for Address Status (Current), Communication Address, Address Line 2, Province Id (Maharastra), City Id (Yavatmal), PO BOX Number, Mobile Number (Primary), Latitude Details Of The Address, and Land Mark. The form is currently in the 'Additional Customer Info' tab.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

The screenshot shows the 'Customer Address' form in the AZENTIO ONE Banking system. The form is divided into two main sections: 'Customer Address' and 'Communication Address'. The 'Customer Address' section includes fields for Address Type (Home), Residential Or Occupancy Status (Financed), Address Line 1, Address Line 2, Province Id (Maharastra), City Id (Yavatmal), PO BOX Number, Mobile Number (Primary), Duration Of Stay, and Longitude Details Of The Address. The 'Communication Address' section includes fields for Address Status (Current), Communication Address, Address Line 2, Province Id (Maharastra), City Id (Yavatmal), PO BOX Number, Mobile Number (Primary), Latitude Details Of The Address, and Land Mark. The form is currently in the 'Additional Customer Info' tab.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

The screenshot displays the 'Customer Address' form within the AZENTIO ONE Banking application. The interface includes a top navigation bar with the application name and user profile, and a left sidebar with a search menu and navigation links for Dashboard, Configurations, Transactions, and Reports. The main content area shows the 'Customer Address' form with the following fields:

- Address Type \***: Home
- Residential Or Occupancy Status \***: Financed
- Address Line 1 \***: AddressLine1
- Country \***: INDIA
- Neighbourhood/District Name \***: mumbai
- Zip Code \***: 123456
- Mobile Number (Primary)**: 1234567123
- Duration Of Stay**: 0
- Longitude Details Of The Address**: (empty)
- Address Status \***: Current
- Province Id \***: Maharastra
- City Id \***: Yavatmal
- PO BOX Number**: 12345
- Mobile Number (Primary)**: 1234567123
- Latitude Details Of The Address**: (empty)
- Land Mark**: (empty)

At the top of the form, there are input fields for 'Application ID', 'Applicant Name', and 'Customer ID'. A navigation bar above the form includes tabs for 'Prev', 'Application Info', 'Customer details', 'Additional Customer info' (active), 'Customer Financials', 'Facility Info', 'Document Details', 'Offering', 'Repayment Schedule', 'Policy Check', 'Fee Details', and 'Next'. Action buttons at the top right include 'Approve', 'Reject', 'Return', 'Eligibility Check', and 'Print'.