

# Cucumber Report

Jul 20, 2022, 1:04:35 PM

Start : Jul 20, 1:03:55.261 PM

End : Jul 20, 1:04:34.777 PM

Duration : 39.516 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 5  
FAILED - 1  
SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	39.516 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	Product Master Retail Field validation	7	5	1	1	39.512 s





**(F)- Product Master Retail Functionality**


<b>FAILED</b>	<b>DURATION - 39.516 s</b>	Scenarios		Steps	
/ 1:03:55.261 PM // 1:04:34.777 PM /		Total - 1		Total - 7	
		Pass - 0		Pass - 5	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

**(S)- Product Master Retail Field validation**

<div>FAILED</div> <div>DURATION - 39.512 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
<div>/ 1:03:55.265 PM // 1:04:34.777 PM /</div>				
<div>Product Master Retail Functionality</div>				
<div>@ProductMaster_Retail</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.593 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
			
2	And User Login as maker	PASSED	0.002 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.110 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.163 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	5.188 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		
			
6	Then verify all the fields are available on the screen	FAILED	19.051 s
	<p>org.openqa.selenium.NoAlertPresentException: no such alert (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc551cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8208ac60a9729a5a6380e5b7e89ee894, getAlertText {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppDataL..., goog:chromeOptions: {debuggerAddress: localhost:54058},</p>		

#	Step / Hook Details	Status	Duration
	<p>javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54058/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 8208ac60a9729a5a6380e5b7e89ee894</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)  at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1042)  at helper.AlertHelper.getAlert(AlertHelper.java:25)  at helper.AlertHelper.getAlertText(AlertHelper.java:45)  at stepdefinitions.ProductMaster_Retail.verify_all_the_fields_are_available_on_the_screen(ProductMaster_Retail.java:136)  at ?.verify all the fields are available on the screen(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:14)  * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.111 s
7	Then click on Product Master back button	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot displays the AZENTIO software interface. On the left, a dark blue sidebar contains a menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, **Product Setup** (highlighted in orange), Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled "Product wise Analysis" and features three charts: "Product-wise Amount Financed" (a bar chart showing values for AHL, AAL, APL, CD, AFC, CC, and TL), "Subproduct-wise Amount Financed" (a placeholder for a chart), and "Scheme wise Amount Financed" (a placeholder for a chart). The top navigation bar includes a hamburger menu, an envelope icon, language selection (English), location selection (LOS), software selection (Azentio Software), a grid icon, a bell icon, a user profile (Puneet, 01-Sep-2023), and a chat icon. The bottom right corner of the main area contains a circular icon with a gear symbol. The footer text reads "Powered by Metabase".

Productcode	Amount Financed
AHL	97.0M
AAL	23.0M
APL	26.0M
CD	5.0M
AFC	2.0M
CC	2.0M
TL	6.0M

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot displays the AZENTIO software interface. On the left, a dark blue sidebar contains a menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, **Product master** (highlighted in orange), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is blank. The top navigation bar includes a hamburger menu, an envelope icon, language selection (English), location selection (LOS), software selection (Azentio Software), a grid icon, a bell icon, a user profile (Puneet, 01-Sep-2023), and a chat icon. The bottom right corner of the main area contains a circular icon with a gear symbol.



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled 'Product Master' and contains a table with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table lists five entries, all with a status of 'Active'. At the bottom of the table, it says 'Showing 1 to 5 of 68 entries' with pagination controls. A search bar and an 'Export' button are in the top right of the table area. The top of the page has a header with a menu icon, language (English), LOS, Azentio Software, and a user profile for Puneet dated 01-Sep-2023.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	PMR	Standard home loan - kuls	R	Active
	98303249	AHL	Standard Home Loan - KUBS	R	Active
	98303249	HL3	Home Loan - Standard	R	Active
	98303249	HFL	Housing Finance LTD	R	Active
	98303249	TTM	Corporate TTM	R	Active

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is the same as in the previous screenshot. The main content area is titled 'Product Master' and contains a form with the following fields: Product Group (dropdown menu with 'Lending' selected), Product Code (text input with 'LO'), Product Description (text input with 'OK'), Retail/Corporate (dropdown menu with 'Retail' selected), DM Code (text input with 'Loan'), and Remarks (text area with 'Loan01'). The top of the page has the same header as the previous screenshot.