

Cucumber Report

Aug 7, 2022, 10:52:57 PM

Start : Aug 07, 10:51:59.295 PM

End : Aug 07, 10:52:56.423 PM

Duration : 57.128 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 22
FAILED - 1
SKIPPED - 11







#	Feature Name	T	P	F	S	Duration
1	<u>collateral Functionality</u>	1	0	1	0	57.128 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>collateral Functionality</u>	<u>To verify the</u>	34	22	1	11	57.124 s

(F)- collateral Functionality




FAILED	DURATION - 57.128 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 34 Pass - 22 Fail - 1 Skip - 11	
/ 10:51:59.295 PM // 10:52:56.423 PM /					





(S)- To verify the


<div>FAILED</div> <div>DURATION - 57.124 s</div>		<div></div>	<div>Steps</div> <div>Total - 34</div> <div>Pass - 22</div> <div>Fail - 1</div> <div>Skip - 11</div>	<div></div>
<div>/ 10:51:59.299 PM // 10:52:56.423 PM /</div>				
<div>collateral Functionality</div>				
<div>@collateral_Data</div>				





#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	9.774 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	Then click on Asset collateral config	PASSED	0.075 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.359 s
	screenshot		
			
4	Then click on collateral eye icon	PASSED	0.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		
			
5	Then click on collateral add button	PASSED	1.232 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
	screenshot		
			
6	Then Enter collateral Description	PASSED	0.308 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then Enter Asset collateral Category Code	PASSED	0.122 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.099 s
	screenshot		
			
8	Then Enter collateral Module	PASSED	1.200 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.130 s
	screenshot		
			
9	Then click on collateral Registration Required Toggle	PASSED	0.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	screenshot		
			
10	Then click on collateral Repossession Toggle	PASSED	0.067 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
11	Then Enter collateral Remarks	PASSED	0.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.104 s
	screenshot 		
12	Then click on collateral save button	PASSED	0.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot 		
13	Then validate Success pop up	PASSED	5.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s
	screenshot 		
14	Then click on inbox	PASSED	0.172 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	Then click on search icon of record list	PASSED	0.111 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		
			
16	Then search collateral record	PASSED	0.114 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		
			
17	Then get reference number	PASSED	0.060 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.099 s
	screenshot		
			
18	Then click on collateral Edit icon	PASSED	0.175 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.409 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
19	Then open collateral wip record	PASSED	0.272 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s
	screenshot 		
20	Then click on collateral view summary	PASSED	0.186 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot 		
21	Then Validate Txn status is in Pending state	PASSED	0.166 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot 		
22	Then close the collateral view summary	PASSED	0.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.257 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
23	<p>Then edit the record with module field</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-select[@aria-label='Select, Module *']' (tried for 30 second(s) with 1000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.Collateral.edit_the_record_with_module_field(Collateral.java:131) at ?.edit the record with module field(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzzentioULSFramework/src/test/java/features/Collateral.feature:59)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-select[@aria-label='Select, Module *']"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [5f50c75bbdd40a399945aba9cc47fb77, findElement {using=xpath, value=//ion-select[@aria-label='Select, Module *']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:/Users/ININDC~1/AppData/L...}, goog:chromeOptions: {debuggerAddress: localhost:58635}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58635/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 5f50c75bbdd40a399945aba9cc47fb77 atjdk.internal.reflect.GeneratedConstructorAccessor19.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)</p>	FAILED	30.634 s

#	Step / Hook Details	Status	Duration
	at jdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.Collateral.edit_the_record_with_module_field(Collateral.java:131) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.082 s
24	Then click on collateral save button	SKIPPED	0.000 s
25	Then maker user submit the Record	SKIPPED	0.001 s
26	Then user logout from the application	SKIPPED	0.000 s
27	And User Login as Checker	SKIPPED	0.000 s
28	Then click on Menu	SKIPPED	0.000 s
29	Then click on inbox	SKIPPED	0.000 s
30	Then click on search icon of record list	SKIPPED	0.000 s
31	Then search Project Master Retail record	SKIPPED	0.000 s
32	Then checker user open the record from inbox	SKIPPED	0.000 s
33	Then checker user approve the record	SKIPPED	0.000 s
34	Then user logout from the application	SKIPPED	0.000 s

(F) collateral Functionality



(F) collateral Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the

(F) collateral Functionality

The screenshot displays the AZENTIO ONEBanking dashboard. The left sidebar contains a menu with options: Dashboard, Configurations (expanded), Asset Collateral Config, Collateral, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Regulatory Product Defi..., and Transactions. The main content area is titled 'Product wise Analysis' and features three charts: 'Product-wise Amount Financed', 'Subproduct-wise Amount Financed', and 'Scheme wise Amount Financed'. Each chart shows a single data point represented by a circle. The bottom right corner of the dashboard has a blue circular button with a gear icon. The footer indicates 'Powered by Metabase'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the

(F) collateral Functionality

This screenshot is identical to the one above, showing the AZENTIO ONEBanking dashboard with the 'Product wise Analysis' section. The sidebar menu is the same, and the main content area displays the same three charts: 'Product-wise Amount Financed', 'Subproduct-wise Amount Financed', and 'Scheme wise Amount Financed'. The interface elements, including the blue gear button and the 'Powered by Metabase' footer, are consistent with the previous image.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the

(F) collateral Functionality

The screenshot displays the AZENTIO ONEBanking application. On the left is a blue sidebar menu with options: Dashboard, Configurations, Asset Collateral Config, Collateral, Collateral sub type, Collateral type, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, and Transactions. The main area shows a table titled 'List of Asset/Collateral categories'. The table has columns: Action, Asset/Collateral Category Code, AssetCollateral Category Description, Created By, and Status. It lists five entries, all with a status of 'Active'. At the bottom, it says 'Showing 1 to 5 of 53 entries' with pagination controls.

Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status
	1000022	ok	in00135	Active
	KJ	kk	in00135	Active
	1002	ok	in00135	Active
	AUTOLT	Auto Lite	in00135	Active
	CCE	Cash and Cash Equivalents	in00135	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the

(F) collateral Functionality

The screenshot shows the 'Asset / Collateral categories' detail form in the AZENTIO ONEBanking application. The sidebar menu is the same as in the previous screenshot. The main area is titled 'Asset / Collateral categories' and contains a form for 'Asset / Collateral Category Detail'. The form has fields for: Description (with value 'Fixed Deposite2'), Asset / Collateral Category Code, Module (with a dropdown menu), Remarks, Registration Required (toggle), and Reposeession Allowed (toggle). There is a 'Go Back' button at the top left of the form area.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

AZENTIO ONEBanking

Go Back

Asset / Collateral categories

Asset / Collateral Category Detail

Description *
Fixed Deposite2

Asset / Collateral Category Code *
FD2

Module *
Select

Registration Required ☐

Reposeession Allowed ☐

Remarks *

(S) To verify the

(F) collateral Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

AZENTIO ONEBanking

Asset / Collateral categories

Asset / Collateral Category Detail

Description *
FLO Deposite2

Asset / Collateral Category Code *
FD2

Module *
LO

Registration Required ☐

Reposeession Allowed ☐

Remarks *

(S) To verify the

(F) collateral Functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the

(F) collateral Functionality

AZENTIO ONEBanking

Search the menu

Asset / Collateral categories

Asset / Collateral Category Detail

Description *
Fixed Deposite2

Asset / Collateral Category Code *
FD2

Module *
LO

Registration Required
☐

Reposeession Allowed
☐

Remarks *

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the

(F) collateral Functionality

AZENTIO ONEBanking

Search the menu

Asset / Collateral categories

Asset / Collateral Category Detail

Description *
Fixed Deposite2

Asset / Collateral Category Code *
FD2

Module *
LO

Registration Required
☒

Reposeession Allowed
☐

Remarks *

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the

(F) collateral Functionality

The screenshot shows the AZENTIO ONEBanking interface. On the left is a blue sidebar menu with options: Dashboard, Configurations (expanded), Asset Collateral Config (expanded), Collateral (checked), Collateral sub type (checked), Collateral type (checked), Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, and Transactions. The main content area is titled 'Asset / Collateral categories' and 'Asset / Collateral Category Detail'. It contains the following fields: 'Description' with value 'Fixed Deposite2', 'Asset / Collateral Category Code' with value 'FD2', 'Module' with value 'LO', 'Registration Required' toggle (checked), 'Repossession Allowed' toggle (checked), and 'Remarks' with value 'OK'. The top right of the interface shows user controls for language (Engl...), location (LOS), user (Aze...), and a profile icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the

(F) collateral Functionality

This screenshot is identical to the one above, showing the AZENTIO ONEBanking 'Asset / Collateral categories' form. The sidebar menu, form fields (Description: Fixed Deposite2, Code: FD2, Module: LO, Registration Required: checked, Repossession Allowed: checked, Remarks: OK), and top-right user controls are all the same.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the

(F) collateral Functionality

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions











Transactions

+

List of Asset/Collateral categories

Search

Export

Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status	Authorization Status
 	FD2	Fixed Deposit2	in00135	Active	
 	FD1	Fixed Deposit1	in00135	Active	
 	853110	okey	in00135	Active	
 	852110	okey	in00135	Active	
 	85110	okey	in00135	Active	CHECKER

Showing 1 to 5 of 91 entries

<<

<

1

2

3

4

5

>

>>

5

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the

(F) collateral Functionality

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions

Inbox

Search

Action

Showing 0 to 0 of 0 entries

<<

<

>

>>

10

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the

(F) collateral Functionality

AZENTIO ONEBanking

Search the menu

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	166	COLLATERAL	MAKER	LOSMKR	in00135	07-Aug-2022 22:51	TSW	
	165	COLLATERAL	MAKER	LOSMKR	in00135	07-Aug-2022 22:45	TSW	
	4	INSURANCE_SCHEME_MST	MAKER	LOSMKR	in00135	05-Aug-2022 18:48	TSW	
	134	FEE_MST	MAKER	LOSMKR	in00135	05-Aug-2022 18:43	TSW	
	133	FEE_MST	MAKER	LOSMKR	in00135	05-Aug-2022 18:38	TSW	
	137	DEPOSIT_ACC_MST	MAKER	LOSMKR	in00135	05-Aug-2022 18:25	TSW	
	134	DEPOSIT_ACC_MST	MAKER	LOSMKR	in00135	05-Aug-2022 18:14	TSW	
	6054	SUB_PRD_MAST	MAKER	LOSMKR	in00135	05-Aug-2022 18:13	TSW	
	133	DEPOSIT_ACC_MST	MAKER	LOSMKR	in00135	05-Aug-2022 18:12	TSW	
	5247	SUB_PRD_MAST	MAKER	LOSMKR	in00135	05-Aug-2022 18:10	TSW	

Showing 1 to 10 of 797 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the

(F) collateral Functionality

AZENTIO ONEBanking

Search the menu

Inbox

COLLATERAL

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	166	COLLATERAL	MAKER	LOSMKR	in00135	07-Aug-2022 22:51	TSW	
	165	COLLATERAL	MAKER	LOSMKR	in00135	07-Aug-2022 22:45	TSW	
	4	INSURANCE_SCHEME_MST	MAKER	LOSMKR	in00135	05-Aug-2022 18:48	TSW	
	134	FEE_MST	MAKER	LOSMKR	in00135	05-Aug-2022 18:43	TSW	
	133	FEE_MST	MAKER	LOSMKR	in00135	05-Aug-2022 18:38	TSW	
	137	DEPOSIT_ACC_MST	MAKER	LOSMKR	in00135	05-Aug-2022 18:25	TSW	
	134	DEPOSIT_ACC_MST	MAKER	LOSMKR	in00135	05-Aug-2022 18:14	TSW	
	6054	SUB_PRD_MAST	MAKER	LOSMKR	in00135	05-Aug-2022 18:13	TSW	
	133	DEPOSIT_ACC_MST	MAKER	LOSMKR	in00135	05-Aug-2022 18:12	TSW	
	5247	SUB_PRD_MAST	MAKER	LOSMKR	in00135	05-Aug-2022 18:10	TSW	

Showing 1 to 10 of 797 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the

(F) collateral Functionality

The screenshot displays the AZENTIO ONEBanking application. On the left is a blue sidebar menu with options: Dashboard, Configurations (expanded), Asset Collateral Config (expanded), Collateral (checked), Collateral sub type (checked), Collateral type (checked), Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, and Transactions. The main content area is titled 'Inbox' and features a search bar with 'COLLATERAL' entered. Below the search bar is a table with the following columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table contains 10 entries. At the bottom of the table, it says 'Showing 1 to 10 of 797 entries' with pagination controls.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	166	COLLATERAL	MAKER	LOSMKR	in00135	07-Aug-2022 22:51	TSW	
	165	COLLATERAL	MAKER	LOSMKR	in00135	07-Aug-2022 22:45	TSW	
	4	INSURANCE_SCHEME_MST	MAKER	LOSMKR	in00135	05-Aug-2022 18:48	TSW	
	134	FEE_MST	MAKER	LOSMKR	in00135	05-Aug-2022 18:43	TSW	
	133	FEE_MST	MAKER	LOSMKR	in00135	05-Aug-2022 18:38	TSW	
	137	DEPOSIT_ACC_MST	MAKER	LOSMKR	in00135	05-Aug-2022 18:25	TSW	
	134	DEPOSIT_ACC_MST	MAKER	LOSMKR	in00135	05-Aug-2022 18:14	TSW	
	6054	SUB_PRD_MAST	MAKER	LOSMKR	in00135	05-Aug-2022 18:13	TSW	
	133	DEPOSIT_ACC_MST	MAKER	LOSMKR	in00135	05-Aug-2022 18:12	TSW	
	5247	SUB_PRD_MAST	MAKER	LOSMKR	in00135	05-Aug-2022 18:10	TSW	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the

(F) collateral Functionality

The screenshot displays the AZENTIO ONEBanking application. On the left is a blue sidebar menu with options: Dashboard, Configurations (expanded), Asset Collateral Config (expanded), Collateral (checked), Collateral sub type (checked), Collateral type (checked), Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, and Transactions. The main content area is titled 'List of Asset/Collateral categories' and shows a table with 6 columns. The table is currently empty, displaying only header rows. At the bottom right of the page, there is a blue circular button with a gear icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the

(F) collateral Functionality

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config






Other Masters

Product Definitions

Transactions

List of Asset/Collateral categories

Export

Action	Asset/Collateral Category Code	AssetCollateral Category Description	Created By	Status	Authorization Status
	FD2	Fixed Deposit2	in00135	Active	
	FD1	Fixed Deposit1	in00135	Active	
	853110	okey	in00135	Active	
	852110	okey	in00135	Active	
	85110	okey	in00135	Active	CHECKER

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the

(F) collateral Functionality

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions

Asset / Collateral categories

Submit

Cancel

Asset / Collateral Category Detail

Description *

Fixed Deposit2

Asset / Collateral Category Code *

FD2

Module *

LO

Status

Registration Required

Repossession Allowed

Remarks *

OK

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the

(F) collateral Functionality

Asset / Collateral categories

Asset / Collateral Category Detail

Description * Fixed Deposite2

Asset / Collateral Category Code * FD2

Module * LO

Registration Required ☒

Repossession Allowed ☒

Status ☒

Transaction summary

User	Stage Code	Status	Start Time	End Time	Remarks
in00135	MAKER	PENDING	07-Aug-2022 22:51		>

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the

(F) collateral Functionality

Asset / Collateral categories

Asset / Collateral Category Detail

Description * Fixed Deposite2

Asset / Collateral Category Code * FD2

Module * LO

Registration Required ☒

Repossession Allowed ☒

Status ☒

Remarks * OK

Transaction summary

User	Stage Code	Status	Start Time	End Time	Remarks
in00135	MAKER	PENDING	07-Aug-2022 22:51		>

```
(Step) AFTER_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)
```

(S) To verify the

(F) collateral Functionality

ENGENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Asset Collateral Config

Collateral

Collateral sub type

Collateral type

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Transactions

Asset / Collateral categories

Asset / Collateral Category Detail

Description *

Fixed Deposit2

Module *

LO

Status

Asset / Collateral Category Code *

FD2

Registration Required

Repossession Allowed

Remarks *

OK

Submit

Cancel