


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the functionality of product master	1	0	1	0	26.374 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of product	Product Master - Modify records (approve, reject and return)	29	12	1	16	26.328 s
	<u>master</u>	at maker stage					

DETAILED SECTION -- 4 --

(F)- Check the functionality of product master

FAILED	DURATION - 26.374 s	Scenarios		Steps	
		Total - 1		Total - 29	
7:48:00.900 PN	M // 7:48:27.274 PM /	Pass - 0	1	Pass - 12	29
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 16	

(S)- Product Master - Modify records (approve, reject and return) at maker stage



#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	6.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.393 s
	screenshot		
	AZENTIO End-to- End Stanking Suite Linking mar unauch deathe former unaufful from perman of best former unaufful stanking of un		
2	And User Login as maker	PASSED	5.404 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.384 s
	screenshot		

#	Step / Hook Details	Status	Duration
	ATENTO Solve of the control of the		
3	Then user should navigate to product master	PASSED	0.390 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.284 s
	screenshot		
	AZENTIO Separation Separat		
4	And click on edit view of product master	PASSED	0.371 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.445 s
5	Then click on edit button of record to modify	PASSED	0.872 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.408 s
6	Then user should verify the buttons available on screen while modify	PASSED	1.333 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot		

7 Then verify system should modify the record before approved AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefi	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 And click on eye icon of product master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then verify system should modify already approved record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then verify system should modify already approved record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify system allow user to save modified record with valid data AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.271 s 0.244 s PASSED 0.295 s 1.593 s PASSED 0.159 s		PARTITION IN THE CONTROL IN THE CON		
8 And click on eye icon of product master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then verify system should modify already approved record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.295 s 1.593 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.159 s	7		PASSED	1.588 s
8 And click on eye icon of product master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then verify system should modify already approved record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.159 s 1.593 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.156 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
8 And click on eye icon of product master AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then verify system should modify already approved record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.244 s 0.295 s 1.593 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Then verify system allow user to save modified record with valid data PASSED 0.156 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 Then verify system should modify already approved record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify system allow user to save modified record with valid data AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.295 s 0.295 s 0.295 s 1.593 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.159 s 0.156 s PASSED 0.156 s		AZENTIO No. Mark		
Screenshot 9 Then verify system should modify already approved record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify system allow user to save modified record with valid data AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.156 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s	8	And click on eye icon of product master	PASSED	0.244 s
9 Then verify system should modify already approved record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then verify system allow user to save modified record with valid data AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.156 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.295 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify system allow user to save modified record with valid data AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.159 s 0.159 s 0.156 s PASSED 0.206 s			_	
Screenshot 10 Then verify system allow user to save modified record with valid data AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.156 s 0.206 s	9	Then verify system should modify already approved record	PASSED	1.593 s
10 Then verify system allow user to save modified record with valid data AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.156 s 0.206 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
10 Then verify system allow user to save modified record with valid data AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.156 s 0.206 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.206 s		AZENTIO Residential Residenti		
	10	Then verify system allow user to save modified record with valid data	PASSED	0.156 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
	A ZEÚTIO I 1981 IN 19		
11	Then system should display the confirmation message	PASSED	0.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.213 s
	AZENTIO Not the state of the		
12	Then click on inbox button	PASSED	0.230 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	Screenshot Section Se	-	
13	And select the modified record from inbox to approve	FAILED	0.017 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'5640')]//td/button"} (Session info: chrome=100.0.4896.127) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [cf99f71f6d22fe291a4f5e06604c755d, findElement {using=xpath, value=//span[contains(text(),'5640')]///td/button]} Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:57250}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57250/devtoo, se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cf99f71f6d22fe291a4f5e06604c755d at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocationfindElement(ElementLocation.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ProductMaster_Retail.select_the_modified_record_from_inbox_to_approve(ProductMaster_Retail.java:144) at ?.select the modified record from inbox to approve(file:///C:/Users/inindc00091/git/Azentio_ULS_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:17) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.146 s
	screenshot		
	A ZENTIO		
14	Then click on submit button	SKIPPED	0.000 s
15	Then system should display confirmation message after submit	SKIPPED	0.000 s
16	And click on edit view of product master	SKIPPED	0.001 s
17	Then click on edit button of record2 to modify	SKIPPED	0.000 s
18	Then verify system should modify the record before approved	SKIPPED	0.000 s
19	Then click on inbox button	SKIPPED	0.000 s
20	And select the modified record from inbox to reject	SKIPPED	0.000 s
21	Then click on submit button	SKIPPED	0.000 s
22	Then system should display confirmation message after submit	SKIPPED	0.000 s
23	And click on edit view of product master	SKIPPED	0.000 s
24	Then click on edit button of record3 to modify	SKIPPED	0.000 s
25	Then verify system should modify the record before approved	SKIPPED	0.000 s
26	Then click on inbox button	SKIPPED	0.000 s
27	And select the modified record from inbox to return	SKIPPED	0.000 s


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
28	Then click on submit button	SKIPPED	0.000 s
29	Then system should display confirmation message after submit	SKIPPED	0.000 s


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

