

Cucumber Report

15-Nov-2022, 11:04:12 am

Start : Nov 15, 11:03:19.146 am

End : Nov 15, 11:04:11.195 am

Duration : 52.049 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 14
FAILED - 1
SKIPPED - 6







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Living Expenses Master</u>	1	0	1	0	52.049 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	To verify user can able to update the living expense with invalid inputs	21	14	1	6	52.045 s


(F)- Check the functionality of Living Expenses Master

FAILED	DURATION - 52.049 s	Scenarios		Steps	
/ 11:03:19.146 am // 11:04:11.195 am /		Total - 1		Total - 21	
		Pass - 0		Pass - 14	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	





(S)- To verify user can able to update the living expense with invalid inputs

<div>FAILED</div> <div>DURATION - 52.045 s</div>		<div></div>	<div>Steps</div> <div>Total - 21</div> <div>Pass - 14</div> <div>Fail - 1</div> <div>Skip - 6</div>	<div></div>
/ 11:03:19.150 am // 11:04:11.195 am /				
Check the functionality of Living Expenses Master				
@AT_LE_018				

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	14.177 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
	screenshot		
			
2	Then user click on configurations Tab	PASSED	0.494 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.391 s
	screenshot		
			


#	Step / Hook Details	Status	Duration
3	When user click Config Manager menu	PASSED	0.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.391 s
	screenshot		
			
4	And user Goto the Temp view screen of living Expense	PASSED	0.750 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.535 s
	screenshot		
			
5	And select the approved record of living expense	PASSED	0.879 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.458 s
	screenshot		
			
6	And go to living expese parameter tab	PASSED	0.499 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.835 s
	screenshot		
			
7	And user click on Add Icon for Living Expenses	PASSED	0.235 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.804 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	And user Pass the Exceldata value for ParaMeter Creation	PASSED	0.064 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.339 s
	screenshot		
			
9	And user Enter value in Description and verify it	PASSED	0.493 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.278 s
	screenshot		
			
10	And user select the code value	PASSED	0.574 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.350 s
	screenshot		
			
11	And user Enter the value	PASSED	0.233 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
12	And user save the Record in Living Expenses	PASSED	2.916 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.074 s
	screenshot		
			
13	And select the living expense parameter approved record	PASSED	0.651 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.275 s
	screenshot		
			
14	And user Pass the Exceldata value for Update Invalid input	PASSED	0.008 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.325 s
	screenshot		
			
15	And clear all the input fields of living expense approved record	FAILED	10.263 s
	org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-label[text()=' Description ']/following-sibling::ion-textarea' (tried for 10 second(s) with 1000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.ULS_LivingExpenseSteps.clear_all_the_input_fields_of_living_expense_approved_record(ULS_LivingExpenseSteps.		

#	Step / Hook Details	Status	Duration
	<pre> java:82) at ?.clear all the input fields of living expense approved record(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/ src/test/java/features/MDM_LivingExp_Master.feature:501) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion- label[text()=' Description ']/following-sibling::ion-textarea"} (Session info: chrome=106.0.5249.119) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [ae74931d697dc5ed239e563f79030403, findElement {using=xpath, value=//ion-label[text()=' Description ']/following-sibling::ion-textarea}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local\ goog.chromeOptions: {debuggerAddress: localhost:60823}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:60823/devtoo..., se.cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: ae74931d697dc5ed239e563f79030403 atjdk.internal.reflect.GeneratedConstructorAccessor43.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) atjdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.ULS_LivingExpenseSteps.clear_all_the_input_fields_of_living_expense_approved_record(ULS_LivingExpenseSteps. java:82) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) </pre>		

#	Step / Hook Details	Status	Duration
	<pre>at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)</pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.217 s
16	And click on save button in living expense record	SKIPPED	0.000 s
17	Then verify system should through the validation for blank field	SKIPPED	0.000 s
18	And enter invalid special charecter in input box	SKIPPED	0.000 s
19	Then verify system should through the validation in living expense parameter screen	SKIPPED	0.000 s
20	And click on back button in living expense parameter screen	SKIPPED	0.000 s
21	Then verify living expense parameter screen should get navigate to previous screen	SKIPPED	0.000 s


<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) To verify user can able to update the living expense with invalid inputs</u></p>	
<p><u>(F) Check the functionality of Living Expenses Master</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) To verify user can able to update the living expense with invalid inputs</u></p>	
<p><u>(F) Check the functionality of Living Expenses Master</u></p>	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs


(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs

(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs

(F) Check the functionality of Living
Expenses Master

The screenshot displays the AZENTIO ONEBOOKING application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations (Project Master, Notification Master, Report Master, Target Master, Business Division Master, Approval Reviewer Level Matrix, Income Group Definition, Facility Type, NPA Identification, Classification Master, Living Expense), Transactions, and Reports. The main content area is titled 'List of Living Expense Model' and contains a table with the following data:

Action	Description	Rule ID	Effective Date	Status
	Expenses	98303254	2023-08-02	Active
	Expenses	98303254	2023-08-02	Active
	Expenses	98303254	2023-08-02	Active
	Expenses	98303254	2023-08-02	Active
	Expenses	98303254	2023-08-02	Active

At the bottom of the table, it says 'Showing 1 to 5 of 28 entries' with pagination controls. The top right of the application shows the date '15-Nov-2022', language 'Engl...', location 'LOS', and a user profile icon.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs


(F) Check the functionality of Living
Expenses Master

This screenshot shows the same AZENTIO ONEBOOKING application, but with the 'Living Expense Parameter' tab selected in the breadcrumb navigation. The breadcrumb path is 'Living Expense Definition > Living Expense Parameter > Living Expense Location'. The sidebar menu and the top right header are identical to the previous screenshot. The main content area is currently empty, showing only the breadcrumb navigation and a back arrow.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs


(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs

(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs

(F) Check the functionality of Living
Expenses Master

The screenshot shows the AZENTIO ONE Banking application interface. The top navigation bar includes the date '15-Nov-2022', a calendar icon, an email icon, a grid icon, language selection ('Engl...'), location selection ('LOS'), user selection ('Aze...'), and a user profile icon. The left sidebar contains a search bar and a menu with categories: Dashboard, Configurations (Project Master, Notification Master, Report Master, Target Master, Business Division Master, Approval Reviewer Level Matrix, Income Group Definition, Facility Type, NPA Identification, Classification Master, Living Expense), Transactions, and Reports. The 'Living Expense' option is highlighted. The main content area shows the 'Living Expense Parameter' form. It has a breadcrumb trail: 'Living Expense Definition' > 'Living Expense Parameter' > 'Living Expense Location'. The form title is 'Living Expense Parameter'. It contains three fields: 'Description' with the value 'Expenses', 'Code' with a dropdown menu showing 'Select', and 'Value' with an empty text input field.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs

(F) Check the functionality of Living
Expenses Master

This screenshot is similar to the one above, showing the 'Living Expense Parameter' form. However, the 'Code' dropdown menu is now open, displaying three options: 'Select', 'AVGINC', and 'LIVEXP'. The 'LIVEXP' option is highlighted with a blue checkmark, indicating it is the selected value. The 'Description' field still contains 'Expenses' and the 'Value' field remains empty.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs

(F) Check the functionality of Living
Expenses Master

The screenshot shows the AZENTIO ONEBOOKING application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations (Project Master, Notification Master, Report Master, Target Master, Business Division Master, Approval Reviewer Level Matrix, Income Group Definition, Facility Type, NPA Identification, Classification Master, Living Expense), Transactions, and Reports. The main content area is titled 'Living Expense Parameter' and contains a form with the following fields:

- Description: Expenses
- Code: LIVEXP
- Value: 200

At the top of the main area, there are tabs for 'Living Expense Definition', 'Living Expense Parameter' (selected), and 'Living Expense Location'. The top right of the application shows the date '15-Nov-2022', language 'Engl...', and other user interface elements.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs

(F) Check the functionality of Living
Expenses Master

The screenshot shows the AZENTIO ONEBOOKING application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations (Project Master, Notification Master, Report Master, Target Master, Business Division Master, Approval Reviewer Level Matrix, Income Group Definition, Facility Type, NPA Identification, Classification Master, Living Expense), Transactions, and Reports. The main content area is titled 'Living Expense Parameter List' and displays a table with the following data:


Action	Description	Code	Comparator Value	Status
	Expenses	98303345	200	Active
	Expenses	98303345	200	Active
	Expenses	98303345	200	Active
	Expenses	98303345	200	Active
	daf	98303346	1111	Active

At the top of the main area, there are tabs for 'Living Expense Definition', 'Living Expense Parameter' (selected), and 'Living Expense Location'. A green notification banner at the top right says 'Success! Record created with ID: 597'. The bottom of the table shows 'Showing 1 to 5 of 22 entries' and a pagination control with a dropdown set to '5'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs


(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs

(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify user can able to update the
living expense with invalid inputs

(F) Check the functionality of Living
Expenses Master

The screenshot displays the AZENTIO ONEBOOKING application interface. The top navigation bar includes the date '15-Nov-2022', a calendar icon, an email icon, a grid icon, and language/region settings ('Engl...', 'LOS', 'Aze...'). The main header shows three tabs: 'Living Expense Definition', 'Living Expense Parameter' (selected), and 'Living Expense Location'. Below the header, the 'Living Expense Parameter List' is shown with a search bar and an 'Export' button. The list contains five entries, each with an edit icon, a description, a code, a comparator value, and a status. The entries are:

Action	Description	Code	Comparator Value	Status
	Expenses	98303345	200	Active
	Expenses	98303345	200	Active
	Expenses	98303345	200	Active
	Expenses	98303345	200	Active
	daf	98303346	1111	Active

At the bottom of the list, it says 'Showing 1 to 5 of 22 entries' with pagination controls. The left sidebar contains a menu with options: Dashboard, Configurations (Project Master, Notification Master, Report Master, Target Master, Business Division Master, Approval Reviewer Level Matrix, Income Group Definition, Facility Type, NPA Identification, Classification Master, Living Expense), Transactions, and Reports.