

Cucumber Report

Jul 20, 2022, 4:23:09 PM

Start : Jul 20, 4:22:38.004 PM

End : Jul 20, 4:23:08.119 PM

Duration : 30.115 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 12
FAILED - 1
SKIPPED - 3







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	30.115 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	verify Checker user is able to Approve the record	16	12	1	3	30.111 s





(F)- Product Master Retail Functionality





FAILED	DURATION - 30.115 s	Scenarios		Steps	
/ 4:22:38.004 PM // 4:23:08.119 PM /		Total - 1		Total - 16	
		Pass - 0		Pass - 12	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	




(S)- verify Checker user is able to Approve the record


<div>FAILED</div> <div>DURATION - 30.111 s</div>			Steps		
/ 4:22:38.008 PM // 4:23:08.119 PM /			Total - 16		
Product Master Retail Functionality			Pass - 12		
@ProductMaster_Retail_Approve			Fail - 1		
			Skip - 3		

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.219 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s
	screenshot		
			
2	And User Login as maker	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.092 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.110 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	3.187 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	5.328 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	1.203 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.107 s
	screenshot		
			
8	Then verify functionality and asterik mark of the field Product Description	PASSED	0.726 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		
			
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	0.335 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
			
10	Then verify functionality of the field DM Code	PASSED	1.197 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then verify the field Remarks	PASSED	0.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.097 s
	screenshot		
			
12	Then click on save button	PASSED	3.127 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.102 s
	screenshot		
			
13	Then validate Success pop up	FAILED	0.018 s
	<p>org.openqa.selenium.NoAlertPresentException: no such alert (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [145bdb6bf6c57364a96f5f17c1d105e6, getAlertText {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:56618}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56618/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 145bdb6bf6c57364a96f5f17c1d105e6</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteTargetLocator.alert(RemoteWebDriver.java:1042) at helper.AlertHelper.getAlert(AlertHelper.java:25) at helper.AlertHelper.getAlertText(AlertHelper.java:45) at stepdefinitions.ProductMaster_Retail.validate_success_pop_up(ProductMaster_Retail.java:183) at ?.validate Success pop up(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:73) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.081 s
	screenshot		
			
14	Then click on inbox	SKIPPED	0.000 s
15	And open the record	SKIPPED	0.000 s
16	Then submit the Record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English ▾

LOS ▾

Azentio Software ▾

Puneet

01-Sep-2023

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English ▾

LOS ▾

Azentio Software ▾


Puneet

01-Sep-2023

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record


(F) Product Master Retail Functionality

The screenshot shows the Azentio software interface. The top navigation bar includes a mail icon, language dropdown (English), LOS dropdown, Azentio Software dropdown, a grid icon, a bell icon, and a user profile for Puneet dated 01-Sep-2023. The left sidebar contains a list of menu items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup (highlighted in orange), Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is a light blue rectangle with a dark blue circular icon in the bottom right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio software interface. The top navigation bar is identical to the first screenshot. The left sidebar contains a list of menu items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted in orange), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is a light gray rectangle with a dark blue circular icon in the bottom right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled 'Product Master' and contains a table with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, and Status. The table lists five entries, all with 'Active' status. At the bottom, it says 'Showing 1 to 5 of 68 entries' with pagination controls. A search bar and an 'Export' button are in the top right of the table area.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	PMR	Standard home loan - kuls	R	Active
	98303249	AHL	Standard Home Loan - KUBS	R	Active
	98303249	HL3	Home Loan - Standard	R	Active
	98303249	HFL	Housing Finance LTD	R	Active
	98303249	TTM	Corporate TTM	R	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record


(F) Product Master Retail Functionality

The screenshot shows the Azentio Product Master form view. The sidebar is the same as in the previous screenshot. The main content area is titled 'Product Master' and contains a form with fields: Product Group (dropdown menu), Product Code (text input), Product Description (dropdown menu with 'Select' as the current selection), Retail/Corporate (dropdown menu), and Remarks (text area). A dropdown menu for Product Description is open, showing options: Deposits, Lending (selected with a checkmark), Trade, and Treasury.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record


(F) Product Master Retail Functionality

The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a red notification icon. Below the header, there are several input fields: 'Product Group' (a dropdown menu with 'Lending' selected), 'Product Code' (a text input field with 'LFH' entered), 'Product Description' (a text input field with a lock icon), 'Retail/Corporate' (a dropdown menu with 'Select' selected), 'DM Code' (a text input field), and 'Remarks' (a large text area). The form is styled with a clean, modern design using light gray and white colors.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality

The screenshot shows the 'Product Master' form in the Azentio software. A modal dialog box is open over the form, titled 'Product Description'. The dialog has a close button (X) in the top right corner. It contains four text input fields: 'Description(English)' (with 'OK' entered), 'Description(French)' (with 'd'accord' entered), 'Description(German)' (with 'OK' entered), and 'Description(Arabic)' (with 'Ù..Ù"ø§ÙðÙ, entered). The background form is partially visible behind the dialog.

(F) Product Master Retail Functionality

[illegible]

(F) Product Master Retail Functionality

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Confin Manager

☰

English ▾

LOS ▾

Azentio Software ▾

Puneet

01-Sep-2023

Product Master

Product Master

Product Group *

Lending ▾

Product Description *

OK

DM Code

Loan

Remarks

Product Code *

LFH


Retail/Corporate *

Retail ▾

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record


(F) Product Master Retail Functionality

The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a save icon. Below the header, there are several input fields: 'Product Group' (dropdown menu with 'Lending' selected), 'Product Code' (text input with 'LFH'), 'Product Description' (text input with 'OK'), 'Retail/Corporate' (dropdown menu with 'Retail' selected), 'DM Code' (text input with 'Loan'), and 'Remarks' (text input with 'Loan'). There are also some icons and a small green status indicator in the top right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record


(F) Product Master Retail Functionality

The screenshot shows the 'Product Master' form in the Azentio software. The form has a header bar with a back arrow, the title 'Product Master', and a save icon. Below the header, there are several input fields: 'Product Group' (dropdown menu with 'Lending' selected), 'Product Code' (text input with 'LFH'), 'Product Description' (text input with 'OK'), 'Retail/Corporate' (dropdown menu with 'Retail' selected), 'DM Code' (text input with 'Loan'), and 'Remarks' (text input with 'Loan'). There are also some icons and a small green status indicator in the top right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify Checker user is able to Approve
the record

(F) Product Master Retail Functionality



AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
 - Asset Auto Master
 - Asset CD Master
 - Product master**
 - Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

Product Master

Product Group *
Lending

Product Code *
LFH

Product Description *
OK

Retail/Corporate *
Retail

DM Code
Loan

Remarks
Loan