

Cucumber Report

23-Aug-2022, 3:27:05 pm

Start : Aug 23, 3:25:06.515 pm

End : Aug 23, 3:26:57.958 pm

Duration : 1 m 51.443 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0



FAILED - 1

SKIPPED - 0

PASSED - 23


FAILED - 1

SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Living Expenses Master</u>	1	0	1	0	1 m 51.443 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of Living Expenses Master</u>	<u>verify system allow user to modify the Living Expenses</u>	24	23	1	0	1 m 51.437 s


(F)- Check the functionality of Living Expenses Master


FAILED	DURATION - 1 m 51.443 s	Scenarios		Steps	
/ 3:25:06.515 pm // 3:26:57.958 pm /		Total - 1		Total - 24	
		Pass - 0		Pass - 23	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	



(S)- verify system allow user to modify the Living Expenses





<div>FAILED</div> <div>DURATION - 1 m 51.437 s</div>	<div></div>	<div>Steps</div> <div>Total - 24</div> <div>Pass - 23</div> <div>Fail - 1</div> <div>Skip - 0</div>	<div></div>
<div>/ 3:25:06.521 pm // 3:26:57.958 pm /</div>			
<div>Check the functionality of Living Expenses Master</div>			
<div>@AT_LE_006_Modification</div>			





#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	12.855 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.832 s
	screenshot		
			
2	Then user click on configurations Tab	PASSED	0.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.381 s
	screenshot		



#	Step / Hook Details	Status	Duration
			
3	And user click on Other Masters Tab	PASSED	0.213 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
	screenshot		
			
4	And user click on List view Icon of Living Expenses	PASSED	1.050 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.374 s
	screenshot		
			
5	And user click on Add Icon for Living Expenses	PASSED	2.160 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot		
			
6	And user Enter value in Description and verify it	PASSED	0.830 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And user Enter value in Description2 and verify it	PASSED	0.307 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
			
8	And user Enter value in Description3 and verify it	PASSED	0.383 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		
			
9	And user select Rule value and verify it	PASSED	0.366 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.245 s
	screenshot		
			
10	And user choose Calender Effective Date and verify it	PASSED	1.088 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And user save the Record in Living Expenses	PASSED	0.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.271 s
	screenshot		
			
12	And user Goto the Temp view screen of living Expense	PASSED	0.562 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.466 s
	screenshot		
			
13	And user click on First record in living Expense	PASSED	0.451 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.468 s
	screenshot		
			
14	And user Enter Modify value in Description and verify it	PASSED	0.642 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.254 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	And user Enter Modify value in Description2 and verify it	PASSED	0.476 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.211 s
	screenshot		
			
16	And user try to update the Modified Record	PASSED	0.417 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.443 s
	screenshot		
			
17	And user click on List view Icon of Living Expenses	PASSED	0.428 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.409 s
	screenshot		
			
18	And user click on First record in living Expense	PASSED	0.156 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.797 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
19	And user Enter ApprovedModify value in Description and verify it	PASSED	0.453 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		
			
20	And user Enter ApprovedModify value in Description2 and verify it	PASSED	0.498 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
	screenshot		
			
21	And user try to update the Modified Record	PASSED	0.229 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.584 s
	screenshot		
			
22	And user goto the Maker Inbox and store the Referance ID	PASSED	2.548 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
23	Then user Click on Action Icon	PASSED	0.152 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.474 s
	screenshot		
			
24	And user verify the submit button and submit the Record from Maker stage	FAILED	1 m 3.339 s
	<p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //div[@id='toast-container']/div[@role='alert']' (tried for 60 second(s) with 2000 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.WareHouseMaster.user_verify_the_submit_button_and_submit_the_record_from_maker_stage(WareHouseMaster.java:241)</p> <p>at ?.user verify the submit button and submit the Record from Maker stage(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzenzioULSFramework/src/test/java/features/LivingExp_Master.feature:145)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//div[@id='toast-container']/div[@role='alert']"} (Session info: chrome=104.0.5112.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVPD014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [005d1b8613ba67de9baf6a80582633be, findElement {using=xpath, value=//div[@id='toast-container']/div[@role='alert']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 104.0.5112.82, chrome: {chromedriverVersion: 103.0.5060.134 (8ec6fce403b..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\...}, goog:chromeOptions: {debuggerAddress: localhost:58153}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:58153/devtools, se.cdpVersion: 104.0.5112.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 005d1b8613ba67de9baf6a80582633be</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor20.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.WareHouseMaster.user_verify_the_submit_button_and_submit_the_record_from_maker_stage(WareHouseMaster.java:241) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) </pre>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	<p>screenshot</p> 		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to modify the
Living Expenses


(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to modify the
Living Expenses


(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to modify the
Living Expenses


(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to modify the
Living Expenses

(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to modify the
Living Expenses

(F) Check the functionality of Living
Expenses Master

The screenshot displays the AZENTIO ONEBanking application. On the left is a blue sidebar menu with options: Dashboard, Configurations, Corporate Masters, Misc Config, Other Masters, Insurance Master, Facility Type, Living Expense, QuestionnaireMaster, Product Definitions, Product Setup, and Transactions. The main area is titled 'List of Living Expense Model' and contains a table with the following data:

Action	Description	Rule ID	Effective Date	Status
	Living	98303254	2023-08-03	Active
	Desc1	98303254	2023-08-03	Active
	Desc1	98303254	2023-08-03	Active
	Approved 1st check21	98303256	2022-06-23	Active
	Reappr	98303256	2022-06-23	Active

Below the table, it says 'Showing 1 to 5 of 18 entries' with pagination controls. A blue circular button with a gear icon is in the bottom right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to modify the
Living Expenses

(F) Check the functionality of Living
Expenses Master

The screenshot displays the AZENTIO ONEBanking application. On the left is a blue sidebar menu with options: Dashboard, Configurations, Corporate Masters, Misc Config, Other Masters, Insurance Master, Facility Type, Living Expense, QuestionnaireMaster, Product Definitions, Product Setup, and Transactions. The main area is titled 'Living Expense Definition' and contains a form with the following fields:

- Description * (text input with 'Expenses' entered)
- Description2 * (text input)
- Description3 * (text input)
- Rule (dropdown menu with 'Select' selected)
- Effective Date * (text input with a calendar icon)

A blue circular button with a gear icon is in the bottom right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to modify the
Living Expenses

(F) Check the functionality of Living
Expenses Master

AZENTIO ONEBanking

Search the menu

Dashboard

Configurations

Corporate Masters

Misc Config

Other Masters

Insurance Master

Facility Type

Living Expense

QuestionnaireMaster

Product Definitions

Product Setup

Transactions

Living Expense Definition

Description *

Expenses

Description2 *

ExpensesExp

Description3 *

Rule

Select

Effective Date *

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to modify the
Living Expenses

(F) Check the functionality of Living
Expenses Master

AZENTIO ONEBanking

Search the menu

Dashboard

Configurations

Corporate Masters

Misc Config

Other Masters

Insurance Master

Facility Type

Living Expense

QuestionnaireMaster

Product Definitions

Product Setup

Transactions

Living Expense Definition

Description *

Expenses

Description2 *

ExpensesExp

Description3 *

ExpensesLivingExpenses

Rule

Select

Effective Date *

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to modify the
Living Expenses

(F) Check the functionality of Living
Expenses Master

AZENTIO
ONEBanking

Search the menu

Living Expense Definition

Living Expense Definition

Description *
Expenses

Description2 *
ExpensesExp

Description3 *
ExpensesLivingExpenses

Rule
Rule1

Effective Date *

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to modify the
Living Expenses

(F) Check the functionality of Living
Expenses Master

AZENTIO
ONEBanking

Search the menu

Living Expense Definition

Living Expense Definition

Description *
Expenses

Description2 *
ExpensesExp

Description3 *
ExpensesLivingExpenses

Rule
Rule1

August 2023

Su	Mo	Tu	We	Th	Fr	Sa
30	31	1	2	3	4	5
6	7	8	9	10	11	12
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31	1	2

Today Clear

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to modify the
Living Expenses

(F) Check the functionality of Living
Expenses Master

The screenshot shows the 'Living Expense Definition' form in the AZENTIO ONEBanking application. The left sidebar contains a menu with options: Dashboard, Configurations, Corporate Masters, Misc Config, Other Masters, Insurance Master (checked), Facility Type (checked), Living Expense (checked), QuestionnaireMaster (checked), Product Definitions, Product Setup, and Transactions. The main form area has a title 'Living Expense Definition' and a back button. It contains three input fields for 'Description *': 'Expenses', 'ExpensesExp', and 'ExpensesLivingExpenses'. Below these are a 'Rule' dropdown set to 'Rule1' and an 'Effective Date *' field set to '03-Aug-2023' with a calendar icon. A green success message 'success' is visible in the top right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to modify the
Living Expenses

(F) Check the functionality of Living
Expenses Master

The screenshot shows the 'List of Living Expense Model' table in the AZENTIO ONEBanking application. The left sidebar is identical to the previous screenshot. The main area displays a table with 8 columns and 5 rows of data. A green success message 'success' is visible in the top right corner. A blue circular button with a gear icon is located in the bottom right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to modify the
Living Expenses

(F) Check the functionality of Living
Expenses Master

AZENTIO ONEBanking

Search the menu

Dashboard

Configurations

Corporate Masters

Misc Config

Other Masters

Insurance Master

Facility Type

Living Expense

QuestionnaireMaster

Product Definitions

Product Setup

Transactions

Living Expense Definition

Living Expense Parameter

Living Expense Location

success

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to modify the
Living Expenses

(F) Check the functionality of Living
Expenses Master

AZENTIO ONEBanking

Search the menu

Dashboard

Configurations

Corporate Masters

Misc Config

Other Masters

Insurance Master

Facility Type

Living Expense

QuestionnaireMaster

Product Definitions

Product Setup

Transactions

Living Expense Definition

Living Expense Parameter

Living Expense Location

success

Submit Cancel

Living Expense Definition

Description *

ModifyDesc

Description2 *

ExpensesExp

Description3 *

ExpensesLivingExpenses

Rule

Rule1

Effective Date *

Status

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to modify the
Living Expenses

(F) Check the functionality of Living
Expenses Master

AZENTIO ONEBanking

Living Expense Definition

Living Expense Definition

Description *
ModifyDesc

Description2 *
ModifyDescExp

Description3 *
ExpensesLivingExpenses

Rule
Rule1

Effective Date *

Status

Submit Cancel

success

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to modify the
Living Expenses

(F) Check the functionality of Living
Expenses Master

AZENTIO ONEBanking

Living Expense Definition

Living Expense Definition

Description *
ModifyDesc

Description2 *
ModifyDescExp

Description3 *
ExpensesLivingExpenses

Rule
Rule1

Effective Date *

Status

Submit Cancel

success

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to modify the
Living Expenses

(F) Check the functionality of Living
Expenses Master

AZENTIO ONEBanking

Search the menu

Dashboard

Configurations

Corporate Masters

Misc Config

Other Masters

Insurance Master

Facility Type

Living Expense

QuestionnaireMaster

Product Definitions

Product Setup

Transactions

List of Living Expense Model

Success

success

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to modify the
Living Expenses

(F) Check the functionality of Living
Expenses Master

AZENTIO ONEBanking

Search the menu

Dashboard

Configurations

Corporate Masters

Misc Config

Other Masters

Insurance Master

Facility Type

Living Expense

QuestionnaireMaster

Product Definitions

Product Setup

Transactions

List of Living Expense Model

Living Expense Definition

Living Expense Parameter

Living Expense Location

Living Expense Definition

Description *

Description2 *

Description3 *

Rule

Effective Date *

Status

Living

LivingExp

LivingExpenses

Rule1

Success

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to modify the
Living Expenses

(F) Check the functionality of Living
Expenses Master

AZENTIO
ONEBanking

Search the menu

Dashboard
Configurations
Corporate Masters
Misc Config
Other Masters
Insurance Master
Facility Type
Living Expense
QuestionnaireMaster
Product Definitions
Product Setup
Transactions

Living Expense Definition

Living Expense Definition

Description *
ExpenseModify

Description2 *
LivingExp

Description3 *
LivingExpenses

Rule
Rule1

Effective Date *

Status

Success

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to modify the
Living Expenses

(F) Check the functionality of Living
Expenses Master

AZENTIO
ONEBanking

Search the menu

Dashboard
Configurations
Corporate Masters
Misc Config
Other Masters
Insurance Master
Facility Type
Living Expense
QuestionnaireMaster
Product Definitions
Product Setup
Transactions

Living Expense Definition

Living Expense Definition

Description *
ExpenseModify

Description2 *
ExpenseModify2

Description3 *
LivingExpenses

Rule
Rule1

Effective Date *

Status

Success

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to modify the
Living Expenses

(F) Check the functionality of Living
Expenses Master

AZENTIO ONEBanking

Search the menu

List of Living Expense Model

Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
--------------	------------	------------	-----------	---------------	--------------	---------------	---------

Success

Navigation Menu:

- Dashboard
- Configurations
- Corporate Masters
- Misc Config
- Other Masters
- Insurance Master
- Facility Type
- Living Expense
- QuestionnaireMaster
- Product Definitions
- Product Setup
- Transactions

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to modify the
Living Expenses

(F) Check the functionality of Living
Expenses Master

AZENTIO ONEBanking

Search the menu

Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	30	LIV_EXP	MAKER	LOSMKR	in00135	23-Aug-2022 15:25	TSW	
	40	LIV_EXP	MAKER	LOSMKR	in00135	23-Aug-2022 15:25	TSW	
	77	ALLOCATION_MST	MAKER	LOSMKR	in00135	23-Aug-2022 12:11	TSW	
	75	ALLOCATION_MST	MAKER	LOSMKR	in00135	23-Aug-2022 11:1	TSW	
	90	CHARGE_MST	MAKER	LOSMKR	in00135	23-Aug-2022 10:37	TSW	
	320	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	23-Aug-2022 9:56	TSW	
	74	ALLOCATION_MST	MAKER	LOSMKR	in00135	23-Aug-2022 9:56	TSW	
	73	ALLOCATION_MST	MAKER	LOSMKR	in00135	23-Aug-2022 9:56	TSW	
	319	UW_OFFSET_CONTROL	MAKER	LOSMKR	in00135	23-Aug-2022 9:52	TSW	
	72	ALLOCATION_MST	MAKER	LOSMKR	in00135	23-Aug-2022 9:4	TSW	

Showing 1 to 10 of 1171 entries

Success


Navigation Menu:

- Dashboard
- Configurations
- Corporate Masters
- Misc Config
- Other Masters
- Insurance Master
- Facility Type
- Living Expense
- QuestionnaireMaster
- Product Definitions
- Product Setup
- Transactions

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to modify the
Living Expenses

(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) verify system allow user to modify the
Living Expenses

(F) Check the functionality of Living
Expenses Master

