

Cucumber Report

Jul 26, 2022, 10:30:53 AM

Start : Jul 26, 10:30:28.711 AM

End : Jul 26, 10:30:52.202 AM

Duration : 23.491 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 9
FAILED - 1
SKIPPED - 3







#	Feature Name	T	P	F	S	Duration
1	Product Master Retail Functionality	1	0	1	0	23.491 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Product Master Retail Functionality	Product Master Retail Field validation	13	9	1	3	23.488 s




(F)- Product Master Retail Functionality




FAILED	DURATION - 23.491 s	Scenarios		Steps	
/ 10:30:28.711 AM // 10:30:52.202 AM /		Total - 1		Total - 13	
		Pass - 0		Pass - 9	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 3	


(S)- Product Master Retail Field validation

<div>FAILED</div> <div>DURATION - 23.488 s</div>		<div></div>	<div>Steps</div> <div>Total - 13</div> <div>Pass - 9</div> <div>Fail - 1</div> <div>Skip - 3</div>	<div></div>
<div>/ 10:30:28.714 AM // 10:30:52.202 AM /</div>				
<div>Product Master Retail Functionality</div>				
<div>@ProductMaster_Retail</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	10.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		
			
2	And User Login as maker	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.234 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Product Setup	PASSED	0.106 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		
			
4	Then click on Product Master eye icon	PASSED	0.117 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot		
			
5	Then click on Product Master add button	PASSED	1.636 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		
			
6	Then verify functionality and asterik mark of the field Product Group	PASSED	2.335 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify functionality and asterik mark of the field Product Code	PASSED	1.722 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.100 s
	screenshot		
			
8	Then verify functionality and asterik mark of the field Product Description	PASSED	0.652 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		
			
9	Then verify functionality and asterik mark of the field RetailCorporate	PASSED	2.225 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.115 s
	screenshot		
			
10	Then verify functionality of the field DM Code	FAILED	0.163 s
	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [246021168f3ec754f75626c853417988, sendKeysToElement {id=0c586367-8f28-4e16-b5f6-741ededa9c11, value=[Ljava.lang.CharSequence;@5fdb7394]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome:		

#	Step / Hook Details	Status	Duration
	<pre>{chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:56986}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56986/devtools..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (246021168f3ec754f75626c853417988)] -> xpath: //ion-row[1]/ion-col[6]/ion-item[1]/ion-input[1]/input] Session ID: 246021168f3ec754f75626c853417988</pre> <pre>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107) at jdk.internal.reflect.GeneratedMethodAccessor3.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at stepdefinitions.ProductMaster_Retail.verify_functionality_of_the_field_dm_code(ProductMaster_Retail.java:169) at ?.verify functionality of the field DM Code(file:///C:/Users/inindc00089/git/Azentio_ULSFramework/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:14) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.120 s
11	Then verify the field Remarks	SKIPPED	0.000 s
12	Then verify the functionality of Back button	SKIPPED	0.000 s
13	Then user logout from the application	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product wise Analysis dashboard. The left sidebar contains a menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Regulatory Product Defini..., Project Setup, Config Manager, and Sample Screens. The main content area is titled "Product wise Analysis" and contains three charts: "Product-wise Amount Financed", "Subproduct-wise Amount Financed", and "Scheme wise Amount Financed". All three charts are currently empty, displaying only a loading spinner. The top navigation bar includes a hamburger menu, language selection (English), location selection (LOS), software version (Azentio Software), and user profile (Puneet, 01-Sep-2023). The bottom of the dashboard indicates it is "Powered by Metabase".

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot shows the Azentio Product wise Analysis dashboard. The left sidebar contains a menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Regulatory Product Defini..., Project Setup, Config Manager, and Sample Screens. The main content area is titled "Product wise Analysis" and contains three charts: "Product-wise Amount Financed", "Subproduct-wise Amount Financed", and "Scheme wise Amount Financed". The "Product-wise Amount Financed" chart is a bar chart showing the amount financed for different product codes. The data is as follows:

Productcode	Amount Financed (M)
AHL	97.0M
AAL	23.0M
APL	26.0M
CD	5.0M
AFC	2.0M
CC	2.0M
TL	6.0M

The "Subproduct-wise Amount Financed" and "Scheme wise Amount Financed" charts are currently empty, displaying only a loading spinner. The top navigation bar includes a hamburger menu, language selection (English), location selection (LOS), software version (Azentio Software), and user profile (Puneet, 01-Sep-2023). The bottom of the dashboard indicates it is "Powered by Metabase".

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot displays the Azentio software interface. On the left, a dark blue sidebar contains a menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup (highlighted in orange), Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled "Product wise Analysis" and features three charts: "Product-wise Amount Financed" (a bar chart showing values for AHIL (97.0M), AAL (23.0M), APL (26.0M), CD (5.0M), AFC (2.0M), CC (2.0M), and TL (6.0M)), "Subproduct-wise Amount Financed" (a placeholder for a chart), and "Scheme wise Amount Financed" (a placeholder for a chart). The top of the interface includes a header with a hamburger menu, language selection (English), location selection (LOS), software version (Azentio Software), and user information (Puneet, 01-Sep-2023). A "Powered by Metabase" logo is visible at the bottom left of the main content area.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality

The screenshot displays the Azentio software interface. On the left, a dark blue sidebar contains a menu with the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted in orange), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is blank, with a placeholder for a chart visible. The top of the interface includes a header with a hamburger menu, language selection (English), location selection (LOS), software version (Azentio Software), and user information (Puneet, 01-Sep-2023). A "Powered by Metabase" logo is visible at the bottom left of the main content area.

(F) Product Master Retail Functionality

English

▼

LOS

▼

Azentio Software

▼

Puneet

01-Sep-2023

Product Master

+

Q

Export

▼

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status
	98303249	PR19	Loan	R	Active
	98303249	PR19	Loan	R	Active
	98303249	PR19	Loan	R	Active
	98303249	PR19	Loan	R	Active
	98303249	PR16	Loan	R	Active

Showing 1 to 5 of 130 entries

<<

<

1

2

3

4

5

>

>>

5

▼

(F) Product Master Retail Functionality

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
 - Asset Auto Master
 - Asset CD Master
 - Product master**
 - Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

Menu Icon

English

LOS

Azentio Software

Grid Icon

Notification Icon

Puneet
01-Sep-2023

Back Arrow

Product Master

Product Master

Product Group *

Lending

Select

Deposits

DM Code

Lending

Trade

Remarks

Treasury

Product Code *

Retail/Corporate *


Select

Remarks

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality




The screenshot shows the Azentio software interface. The sidebar menu on the left contains the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted in orange), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled 'Product Master' and contains a form with fields for Product Group, Product Code, Product Description, DM Code, and Remarks.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master Retail Field validation

(F) Product Master Retail Functionality



The screenshot shows the Azentio software interface. The sidebar menu on the left contains the following items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted in orange), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled 'Product Master' and contains a form with fields for Product Group, Product Code, Product Description, DM Code, and Remarks. A modal dialog is open over the Product Description field, showing a form with fields for Description(English), Description(French), Description(German), and Description(Arabic). The English field contains the text 'Loan', the French field contains 'd'accord', the German field contains 'OK', and the Arabic field contains 'موافق'.

(F) Product Master Retail Functionality

[illegible]

(F) Product Master Retail Functionality

The screenshot displays the AZENTIO web application interface. On the left is a dark blue sidebar with the AZENTIO logo at the top and a menu containing icons for various configuration areas like Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Confin Manager. The main header area includes user information (Puneet, 01-Sep-2023) and language/location settings (English, LOS). Below the header, the title "Product Master" is shown next to a back arrow icon. The form contains several fields: "Product Group *" with a dropdown set to "Lending"; "Product Description *" with a text input set to "Loan" and a lock icon; "DM Code" with an empty text box; "Product Code *" with a long alphanumeric string and a warning message "Maxdum 50 characters are allowed"; "Retail/Corporate *" with a dropdown set to "Retail"; and "Remarks" with a large empty text area.