

# Cucumber Report

8 Feb 2023, 5:04:02 PM

Start : Feb 08, 5:02:13.673 PM

End : Feb 08, 5:03:57.682 PM

Duration : 1 m 44.009 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 8  
FAILED - 1  
SKIPPED - 1







#	Feature Name	T	P	F	S	Duration
1	<u>To verify the functionality of fee master</u>	1	0	1	0	1 m 44.009 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To verify the functionality of fee master</u>	<u>To verify user able to save the modified record with blank and invalid details</u>	10	8	1	1	1 m 43.997 s





**(F)- To verify the functionality of fee master**



<b>FAILED</b>	<b>DURATION - 1 m 44.009 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 10 Pass - 8 Fail - 1 Skip - 1	
/ 5:02:13.673 PM // 5:03:57.682 PM /					

**(S)- To verify user able to save the modified record with blank and invalid details**


<div>FAILED</div> <div>DURATION - 1 m 43.997 s</div>			<div>Steps</div> <div>Total - 10</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 1</div>	
/ 5:02:13.685 PM // 5:03:57.682 PM /				
To verify the functionality of fee master				
@FeeMaster_M7				

#	Step / Hook Details	Status	Duration
1	Given Get the URL and login as maker	PASSED	31.329 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.372 s
	screenshot		
			
2	And Click the configuration	PASSED	0.931 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.404 s
	screenshot		
			


#	Step / Hook Details	Status	Duration
3	Then Click the config Manager	PASSED	0.403 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.584 s
	screenshot		
			
4	And Click the temp view in the fee master	PASSED	0.393 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.706 s
	screenshot		
			
5	Then Choose the data set id for fee master negative validation	PASSED	2.311 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.458 s
	screenshot		
			
6	Then Choose the First record in the fee master for modification	PASSED	0.352 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.621 s
	screenshot		
			
7	And Click the legacy code1 and pass the invalid details	PASSED	7.081 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.401 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	Then Verify the invalid field validation popup in the fee master	PASSED	0.039 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.276 s
	screenshot 		
9	And Click the charge type and make that field as blank in fee master  org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //ion-select[@aria-label='Select, Charge Type *']' (tried for 30 second(s) with 5000 milliseconds interval) at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.FeeMaster.click_the_charge_type_and_make_that_field_as_blank_in_fee_master(FeeMaster.java:848) at ?.Click the charge type and make that field as blank in fee master(file:///C:/Users/ININDC00073/git/Azentio_ULS/Kamala_Priya_AzentioULSFramework3/src/test/java/features/FeeMaster.feature:138) Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//ion-select[@aria-label='Select, Charge Type *']"} (Session info: chrome=108.0.5359.126) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.60', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [48d8383bac6a56a779ee964033e26b73, findElement {using=xpath, value=//ion-select[@aria-label='Select, Charge Type *']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:62977}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62977/devtoo..., se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 48d8383bac6a56a779ee964033e26b73 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)	FAILED	30.185 s

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.FeeMaster.click_the_charge_type_and_make_that_field_as_blank_in_fee_master(FeeMaster.java:848) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:104) at java.base/java.lang.reflect.Method.invoke(Method.java:578) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		

#	Step / Hook Details	Status	Duration
	<pre> at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.304 s
10	Then Verify the balank field validation popup in the fee master	SKIPPED	0.001 s




<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) To verify user able to save the modified record with blank and invalid details</u></p>	
<p><u>(F) To verify the functionality of fee master</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) To verify user able to save the modified record with blank and invalid details</u></p>	
<p><u>(F) To verify the functionality of fee master</u></p>	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user able to save the  
modified record with blank and invalid  
details


(F) To verify the functionality of fee master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user able to save the  
modified record with blank and invalid  
details

(F) To verify the functionality of fee master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user able to save the  
modified record with blank and invalid  
details

(F) To verify the functionality of fee master

**AZENTIO ONE Banking**

11-Dec-2022

Engl... LOS Aze...

Search the menu

**List Of Charges**

Export

Action	Description	Charge Type	Created By	Status	Authorization Status
	#5% ^ & & '{	52033	in02256	In-active	CHECKER
	ok	52033	in02256	Active	CHECKER
	Processing Fee1	52033	in02256	Active	
	c	52033	in02256	Active	
	aaaa	52033	in02256	Active	

Showing 1 to 5 of 66 entries

1 2 3 4 5

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user able to save the  
modified record with blank and invalid  
details

(F) To verify the functionality of fee master

**AZENTIO ONE Banking**

11-Dec-2022

Engl... LOS Aze...

Search the menu

**List Of Charges**

Export

Action	Description	Charge Type	Created By	Status	Authorization Status
	#5% ^ & & '{	52033	in02256	In-active	CHECKER
	ok	52033	in02256	Active	CHECKER
	Processing Fee1	52033	in02256	Active	
	c	52033	in02256	Active	
	aaaa	52033	in02256	Active	

Showing 1 to 5 of 66 entries

<< < 1 2 3 4 5 > >>

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user able to save the  
modified record with blank and invalid  
details

(F) To verify the functionality of fee master

The screenshot shows the 'Charge' configuration page in the AZENTIO ONE Banking system. The left sidebar contains a menu with options: Dashboard, Configurations (expanded), Config Manager, Collateral, Warehouse Master, Collateral sub type, LO Module Waiver, Collateral type, Fee master, Asset Auto Master, Charge master, Asset CD Master, and Appropriation master. The main content area is titled 'Charge' and contains various fields for configuration. The 'Description' field is set to '#\$%\*&\*('. The 'Charge Flag' is set to 'Manually Generated Charges'. The 'Legacy Code1' is set to '#@\$%'. The 'GST Applicable State' is set to 'Select'. The 'Tax Calculation Method' is set to 'On Payment'. The 'Amortize' is set to 'NO'. The 'Upfront' is set to 'NO'. The 'Amort Rate Method' is set to 'Select'. The 'Amount Recovery' is set to 'Select'. The 'Charge Type' is set to 'First'. The 'Due Code' is set to 'Select'. The 'Legacy Code2' is set to 'Test'. The 'Is Tax Allowed' is set to 'Yes'. The 'Include in APR' is set to 'Yes'. The 'Deduct' is set to 'YES'. The 'Status' is set to 'On'. The 'Amort Tenure(Method)' is set to 'Select'. The 'Amort Frequency' is set to 'Select'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user able to save the  
modified record with blank and invalid  
details

(F) To verify the functionality of fee master

The screenshot shows the 'Charge' configuration page in the AZENTIO ONE Banking system. The left sidebar contains a menu with options: Dashboard, Configurations (expanded), Config Manager, Collateral, Warehouse Master, Collateral sub type, LO Module Waiver, Collateral type, Fee master, Asset Auto Master, Charge master, Asset CD Master, and Appropriation master. The main content area is titled 'Charge' and contains various fields for configuration. The 'Description' field is set to '#\$%\*&\*('. The 'Charge Flag' is set to 'Manually Generated Charges'. The 'Legacy Code1' is set to '#@\$%'. The 'GST Applicable State' is set to 'Select'. The 'Tax Calculation Method' is set to 'On Payment'. The 'Amortize' is set to 'NO'. The 'Upfront' is set to 'NO'. The 'Amort Rate Method' is set to 'Select'. The 'Amount Recovery' is set to 'Select'. The 'Charge Type' is set to 'First'. The 'Due Code' is set to 'Select'. The 'Legacy Code2' is set to 'Test'. The 'Is Tax Allowed' is set to 'Yes'. The 'Include in APR' is set to 'Yes'. The 'Deduct' is set to 'YES'. The 'Status' is set to 'On'. The 'Amort Tenure(Method)' is set to 'Select'. The 'Amort Frequency' is set to 'Select'.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user able to save the  
modified record with blank and invalid  
details

(F) To verify the functionality of fee master

The screenshot displays the 'AZENTIO ONEBOOKING' web application interface. The top navigation bar includes the date '11-Dec-2022', a calendar icon, an email icon, a grid icon, and language/region selectors for 'Engl...', 'LOS', and 'Aze...'. A user profile icon is also present.

The left sidebar is a dark blue navigation menu with the following items: Dashboard, Configurations (expanded), Collateral, Warehouse Master, Collateral sub type, LO Module Waiver, Collateral type, Fee master, Asset Auto Master, Charge master, Asset CD Master, Appropriation master, Transactions, and Reports.

The main content area is titled 'Charge' and contains the following fields and controls:

- Description \***: A text input field containing the regex pattern `#$%*&%(`.
- Charge Type \***: A dropdown menu with 'First' selected.
- Charge Flag \***: A dropdown menu with 'Manually Generated Charges' selected.
- Due Code**: A dropdown menu with 'Select' selected.
- Legacy Code1**: A text input field containing `#@$%`.
- Legacy Code2**: A text input field containing 'Test'.
- GST Applicable State**: A dropdown menu with 'Select' selected.
- Is Tax Allowed**: A toggle switch that is currently turned on.
- Tax Calculation Method**: A dropdown menu with 'On Payment' selected.
- Include in APR**: A toggle switch that is currently turned on.
- Amortize**: A dropdown menu with 'NO' selected.
- Deduct**: A dropdown menu with 'YES' selected.
- Upfront**: A dropdown menu with 'NO' selected.
- Status**: A toggle switch that is currently turned off.
- Amort Rate Method**: A dropdown menu with 'Select' selected.
- Amort Tenure(Method)**: A dropdown menu with 'Select' selected.
- Amount Recovery**: A dropdown menu with 'Select' selected.
- Amort Frequency**: A dropdown menu with 'Select' selected.