

Cucumber Report

Jul 20, 2022, 11:53:26 PM

Start : Jul 20, 11:52:52.683 PM

End : Jul 20, 11:53:25.494 PM

Duration : 32.811 s

Features


Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 17
FAILED - 0
SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	Check the functionality of product master	1	1	0	0	32.811 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	<u>Product Master - Modify records (approve, reject and return) at maker stage</u>	17	17	0	0	32.806 s

(F)- Check the functionality of product master





PASSED	DURATION - 32.811 s	Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0		Steps Total - 17 Pass - 17 Fail - 0 Skip - 0	
/ 11:52:52.683 PM // 11:53:25.494 PM /					


(S)- Product Master - Modify records (approve, reject and return) at maker stage

<div>PASSED</div> <div>DURATION - 32.806 s</div>	<div></div>	<div>Steps</div> <div>Total - 17</div> <div>Pass - 17</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 11:52:52.688 PM // 11:53:25.494 PM /</div>			
<div>Check the functionality of product master</div>			
<div>@M5</div>			


#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	11.513 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	Then user should navigate to product master	PASSED	0.203 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		
			
4	And click on edit view of product master	PASSED	0.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.328 s
	screenshot		
			
5	Then click on edit button of record2 to modify	PASSED	1.132 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.454 s
	screenshot		
			
6	Then verify system should modify the record before approved	PASSED	2.283 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.181 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then click on inbox button	PASSED	0.229 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.235 s
	screenshot		
			
8	And select the modified record from inbox to reject	PASSED	0.675 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
	screenshot		
			
9	Then click on submit button	PASSED	1.398 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	screenshot		
			
10	Then system should display confirmation message after submit	PASSED	1.335 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And click on edit view of product master	PASSED	0.144 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.334 s
	screenshot		
			
12	Then click on edit button of record3 to modify	PASSED	0.125 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.299 s
	screenshot		
			
13	Then verify system should modify the record before approved	PASSED	1.606 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		
			
14	Then click on inbox button	PASSED	0.138 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
15	And select the modified record from inbox to return	PASSED	0.212 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.455 s
	screenshot		
			
16	Then click on submit button	PASSED	1.453 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		
			
17	Then system should display confirmation message after submit	PASSED	1.249 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		
			


<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Product Master - Modify records (approve, reject and return) at maker stage</u></p>	
<p><u>(F) Check the functionality of product master</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) Product Master - Modify records (approve, reject and return) at maker stage</u></p>	
<p><u>(F) Check the functionality of product master</u></p>	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master




The screenshot displays the Azentio Software web application. The header includes the Azentio logo, a hamburger menu, and navigation links for English, LOS, and Azentio Software. A user profile for Puneet (01-Sep-2023) is visible. The left sidebar lists various configuration and setup options, with 'Product Setup' highlighted in orange. The main content area shows a 'Loading...' message with a circular progress indicator. A 'Powered by Metabase' logo is at the bottom left of the main area. A floating action button with a gear icon is in the bottom right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master




This screenshot shows the Azentio Software interface with the 'Product master' section selected in the sidebar. The sidebar menu includes options like Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is currently blank, indicating that the data for the selected section has not yet loaded. The header and footer elements are consistent with the previous screenshot.


(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master



The screenshot shows the Azentio Software interface. The left sidebar contains a menu with options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area displays the 'Product Master' table with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table contains five rows of data, all with 'Active' status. A search bar and an 'Export' button are at the top right of the table.



The screenshot shows the Azentio Software interface with a 'Success' message at the top. The left sidebar is the same as in the first screenshot. The main content area displays the 'Product Master' table with the same data as in the first screenshot. At the bottom of the table, there is a pagination bar showing 'Showing 1 to 5 of 138 entries' and a set of navigation buttons (1, 2, 3, 4, 5, >, <).

The screenshot displays the Azenzio mobile application interface. At the top, the Azenzio logo is visible. Below it is a navigation bar with three icons: a person (selected), a document, and a folder. The main content area is a list of menu items, each with a circular icon to its left. The items are: 'Asset Collateral Config', 'Business Rules', 'Corporate Masters', 'Misc Config', 'Other Masters', 'Product Definitions', 'Product Setup', 'Asset Auto Master', 'Asset CD Master', 'Product master', 'Sub Product Master', 'Regulatory Product Defini...', 'Project Setup', and 'Config Manager'. The 'Product master' item is highlighted with an orange background. To the right of each menu item are two small icons: a document and an eye.

English ▾LOS ▾Azentio Software ▾

Puneet

01-Sep-2023

SubmitCancel

←

Product Master

Product Master

Product Group *

Deposits ▾

Product Description *

DM Code

desc22

Remarks

desc22

Product Code *

desc22

Retail/Corporate *

Retail ▾

Status

←

Product Master

SubmitCancel

Product Master

Product Group *
Deposits

Product Code *
desc22

Product Description *

Retail/Corporate *
Retail

DM Code
desc22


Status
☒

Remarks
desc22

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

The screenshot shows the Azentio Product Master interface. The sidebar menu on the left includes options like Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area displays a table with columns for Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table contains two rows of data, both with 'Active' status and 'CHECKER' authorization.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

The screenshot shows the Azentio Product Master interface. The sidebar menu on the left includes options like Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area displays a table with columns for Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table contains two rows of data, both with 'Active' status and 'CHECKER' authorization.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager

Product Master

Showing 1 to 5 of 138 entries

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
[Edit]	98303275	desc22		R	Active	CHECKER
[Edit]	98303275	desc21		R	Active	MAKER
[Edit]	98303249	LHL		R	Active	
[Edit]	98303275	desc19		R	Active	CHECKER
[Edit]	98303275	desc17		R	Active	CHECKER

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

AZENTIO™

- Asset Collateral Config
- Business Rules
- Corporate Masters
- Misc Config
- Other Masters
- Product Definitions
- Product Setup
- Asset Auto Master
- Asset CD Master
- Product master**
- Sub Product Master
- Regulatory Product Defini...
- Project Setup
- Config Manager


Inbox

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
[Edit]	5561	PRODUCT_MST	MAKER	LOSMKR	in00135	20-Jul-2022 23:53	TSW	
[Edit]	43	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:56	TSW	
[Edit]	42	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:33	TSW	
[Edit]	40	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:8	TSW	
[Edit]	39	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:5	TSW	
[Edit]	38	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:3	TSW	
[Edit]	37	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 18:59	TSW	
[Edit]	36	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 18:56	TSW	
[Edit]	35	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 18:52	TSW	
[Edit]	34	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 18:49	TSW	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage


(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Product Master - Modify records
(approve, reject and return) at maker
stage

(F) Check the functionality of product
master

The screenshot displays the AZENTIO software interface. On the left is a dark blue sidebar with the AZENTIO logo at the top. Below the logo are several menu items with icons: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted in orange), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main area of the interface is titled 'Inboxes' and contains a table with the following columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table lists 11 records, each with an orange icon in the Action column. A green notification box in the top right corner states: 'Record APPROVED Successfully, and Current Stage is CHECKER with status PENDING from in01589.' At the bottom right of the interface, there is a blue circular button with a white gear icon.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	43	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:56	TSW	
	42	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:33	TSW	
	40	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:8	TSW	
	39	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:5	TSW	
	38	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 19:3	TSW	
	37	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 18:59	TSW	
	36	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 18:56	TSW	
	35	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 18:52	TSW	
	34	SCHEME_MST	MAKER	LOSMKR	in00135	20-Jul-2022 18:49	TSW	
	5548	SUB_PRD_MAST	MAKER	LOSMKR	in00135	20-Jul-2022 18:37	TSW	