

Cucumber Report

21-Nov-2022, 5:41:36 pm

Start : Nov 21, 5:40:30.244 pm

End : Nov 21, 5:41:32.474 pm

Duration : 1 m 2.230 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 5


FAILED - 1

SKIPPED - 19







#	Feature Name	T	P	F	S	Duration
1	To verify the functional flow for customer entity layout facility details	1	0	1	0	1 m 2.230 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To verify the functional flow for customer entity layout facility details	To verify the functional flow for customer entity layout facility details	25	5	1	19	1 m 2.221 s




(F)- To verify the functional flow for customer entity layout facility details


FAILED	DURATION - 1 m 2.230 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 25 Pass - 5 Fail - 1 Skip - 19	
/ 5:40:30.244 pm // 5:41:32.474 pm /					

(S)- To verify the functional flow for customer entity layout facility details


<div>FAILED</div> <div>DURATION - 1 m 2.221 s</div>		<div>Steps</div> <div>Total - 25</div> <div>Pass - 5</div> <div>Fail - 1</div> <div>Skip - 19</div>	
<div>/ 5:40:30.253 pm // 5:41:32.474 pm /</div>			
<div>To verify the functional flow for customer entity layout facility details</div>			
<div>@AT_FD_001</div>			


#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	26.933 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.020 s
	screenshot		
			
2	And user click on Inbox Icon	PASSED	0.456 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.860 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And User click the action edit icon in customer entity layout facility details	PASSED	4.209 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.466 s
	screenshot		
			
4	And User click the facility info tab in customer entity layout facility details	PASSED	5.652 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.136 s
	screenshot		
			
5	And User click the add icon in customer entity layout facility details	PASSED	0.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.883 s
	screenshot		
			
6	And User click the back button in customer entity layout facility details	FAILED	1.161 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <button _ngcontent-oy-p-c617="" pbutton="" type="button" icon="pi pi-arrow-left" iconpos="left" tooltipposition="top" class="p-element p-button-secondary p-button-sm p-button-raised w-70 cmnbtn p-button p-component p-button-icon-only" ng-reflect-icon="pi pi-arrow-left" ng-reflect-icon-pos="left" ng-reflect-tooltip-position="top" ng-reflect-text="Go Back">...</button> is not clickable at point (291, 161). Other element would receive the click: <div class="p-tooltip-text">...</div> (Session info: chrome=106.0.5249.119) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDAP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [d2238c64e17d69f36c72c5720e07554e, clickElement {id=c1666a82-8db8-4477-be88-e9124ba55d36}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:64350}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:64350/devtoo..., se.cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,		

#	Step / Hook Details	Status	Duration
	<p>webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (d2238c64e17d69f36c72c5720e07554e)] -> xpath: //button[@ng-reflect-text='Go Back']] Session ID: d2238c64e17d69f36c72c5720e07554e</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.KULS_CustomerEntityLayout_FacilityDetails. user_click_the_back_button_in_customer_entity_layout_facility_details(KULS_CustomerEntityLayout_FacilityDetails.java:115) at ?.User click the back button in customer entity layout facility details(file:///C:/Users/inindc00075/git/Arshath_ULS/ Arshath_AzentioULSFramework/src/test/java/features/ULS_FacilityDetails.feature:10) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.201 s
7	And User click the add icon in customer entity layout facility details	SKIPPED	0.000 s
8	And User enter the primary product in customer entity layout facility details	SKIPPED	0.001 s
9	And User enter the primary sub product in customer entity layout facility details	SKIPPED	0.000 s
10	And User enter the scheme in customer entity layout facility details	SKIPPED	0.000 s
11	And User enter the program code in customer entity layout facility details	SKIPPED	0.000 s
12	And User enter the facility type in customer entity layout facility details	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
13	And User enter the servicing branch in customer entity layout facility details	SKIPPED	0.000 s
14	And User enter the pricing or interest indicator in customer entity layout facility details	SKIPPED	0.000 s
15	And User enter the declared asset value in customer entity layout facility details	SKIPPED	0.001 s
16	And User enter the declared down payment amount in customer entity layout facility details	SKIPPED	0.000 s
17	And User enter the requested amount in customer entity layout facility details	SKIPPED	0.000 s
18	And User enter the currency in customer entity layout facility details	SKIPPED	0.000 s
19	And User enter the expiry date in customer entity layout facility details	SKIPPED	0.000 s
20	And User enter the loan tenure month in customer entity layout facility details	SKIPPED	0.000 s
21	And User click the save icon in customer entity layout facility details	SKIPPED	0.000 s
22	And User get the save confirmation messege in customer entity layout facility details	SKIPPED	0.000 s
23	Then User click the action edit icon in conventional facility details	SKIPPED	0.000 s
24	And User verify the primary product field should be non editable in customer entity layout facility details	SKIPPED	0.000 s
25	And User verify the primary sub product field should be non editable in customer entity layout facility details	SKIPPED	0.000 s

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) To verify the functional flow for customer entity layout facility details</u></p>	
<p><u>(F) To verify the functional flow for customer entity layout facility details</u></p>	

<p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p>	
<p><u>(S) To verify the functional flow for customer entity layout facility details</u></p>	
<p><u>(F) To verify the functional flow for customer entity layout facility details</u></p>	

(F) To verify the functional flow for customer entity layout facility details

[illegible]

(F) To verify the functional flow for customer entity layout facility details

[illegible]

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functional flow for
customer entity layout facility details

(F) To verify the functional flow for
customer entity layout facility details

The screenshot displays the AZENTIO ONE Banking interface. The top navigation bar includes the date '21-Nov-2022', a search icon, and language/region selectors for 'Engl...', 'LOS', and 'Aze...'. The main navigation menu on the left lists 'Dashboard', 'Configurations', 'Transactions', and 'Reports'. The breadcrumb trail at the top of the content area reads: 'Prev' > 'Application Info' > 'Customer details' > 'Additional Customer Info' > 'Customer Financials' > 'Facility Info' > 'Document Details' > 'Offering' > 'Repayment Schedule' > 'Policy Check' > 'Fee Details' > 'Prop' > 'Next'. The current view is titled 'Conventional Facility List' and features a search bar and an 'Export' button. The main content area is currently empty.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functional flow for
customer entity layout facility details

(F) To verify the functional flow for
customer entity layout facility details

The screenshot shows the 'Facility Details' form within the AZENTIO ONE Banking application. The top navigation bar is identical to the previous screenshot. The breadcrumb trail is: 'Prev' > 'Application Info' > 'Customer details' > 'Additional Customer Info' > 'Customer Financials' > 'Facility Info' > 'Document Details' > 'Offering' > 'Repayment Schedule' > 'Policy Check' > 'Fee Details' > 'Prop' > 'Next'. The form is titled 'Facility Details' and includes a 'Go Back' button. The form fields are organized into two columns. The left column contains: 'Classification *' (dropdown), 'Scheme *' (dropdown), 'Facility Type *' (dropdown), 'Pricing Or Interest Indicator *' (dropdown), 'Declared Down Payment Amount *' (text input), 'Currency *' (dropdown), and 'Moratorium Period' (text input with value '0'). The right column contains: 'Product *' (dropdown), 'Program Code *' (dropdown), 'Servicing Branch *' (dropdown with value 'Azentio Main Branch'), 'Declared Property Value *' (text input), 'Requested Amount *' (text input), and 'Loan Tenure(Months) *' (text input). All dropdown menus are currently set to 'Select'.