

# Cucumber Report

20-Sep-2022, 3:18:50 pm

**Start : Sep 20, 3:18:01.448 pm**

**End : Sep 20, 3:18:47.613 pm**

**Duration : 46.165 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 10**


**FAILED - 1**

**SKIPPED - 1**







#	Feature Name	T	P	F	S	Duration
1	<u>check the functionality of Customer address details</u>	1	0	1	0	46.165 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>check the functionality of Customer address details</u>	<u>verify system allow user to do a modification on already approved record</u>	12	10	1	1	46.159 s





**(F)- check the functionality of Customer address details**





<b>FAILED</b>	<b>DURATION - 46.165 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 12 Pass - 10 Fail - 1 Skip - 1	
/ 3:18:01.448 pm // 3:18:47.613 pm /					


**(S)- verify system allow user to do a modification on already approved record**

<div>FAILED</div> <div>DURATION - 46.159 s</div>		<div></div>	<div>Steps</div> <div>Total - 12</div> <div>Pass - 10</div> <div>Fail - 1</div> <div>Skip - 1</div>	<div></div>
/ 3:18:01.453 pm // 3:18:47.612 pm /				
check the functionality of Customer address details				
@AT_CAD_07				

#	Step / Hook Details	Status	Duration
1	Given User Launch the KULS url for Transaction	PASSED	12.816 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.506 s
	screenshot		
			
2	And user click on Inbox Icon	PASSED	0.579 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.323 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And user click search icon	PASSED	0.135 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.359 s
	screenshot		
			
4	And user Enter Customer Address details Application ID	PASSED	0.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.267 s
	screenshot		
			
5	And user click on First record of Appdata Entry	PASSED	5.218 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.339 s
	screenshot		
			
6	And user click on Additional customer Info Tab	PASSED	2.219 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.818 s
	screenshot		
			
7	And user click on First Record Edit Icon	PASSED	0.287 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.998 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
8	And user click on Address Information First Record Edit Icon	PASSED	3.630 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.714 s
	screenshot 		
9	And user Modify the Address type field	PASSED	1.158 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.484 s
	screenshot 		
10	And user Modify the Address Status field	PASSED	0.833 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.354 s
	screenshot 		
11	And user Modify the Residential status field	FAILED	1.125 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-select _ngcontent-eld-c320="" ng-reflect-ok-text="OK" ng-reflect-cancel-text="CANCEL" ng-reflect-placeholder="Select" ng-reflect-interface="popover" ng-reflect-multiple="false" ng-reflect-disabled="false" ng-reflect-is-disabled="false" class="ng-untouched ng-pristine ng-valid ios in-item hydrated ion-untouched ion-pristine ion-valid" role="button" aria-haspopup="listbox" aria-label="Financed , Residential or Occupancy Status *" ng-reflect-model="98303498">...</ion-select> is not clickable at point (663, 450). Other element would receive the click: <ion-popover class="select-popover ios popover-desktop popover-side-bottom hydrated" id="ion-overlay-5" aria-modal="true" no-router="" tabindex="-1" style="z-index: 20005; --width:792.016px;">...</ion-popover> (Session info: chrome=105.0.5195.102) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System		

#	Step / Hook Details	Status	Duration
	<p>info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [b6e8928731e88509fab88e3437ddd5fa, clickElement {id=1d0814c9-1c90-4c4f-8d04-2edec454f68e}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 105.0.5195.102, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:59476}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59476/devtoo..., se:cdpVersion: 105.0.5195.102, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (b6e8928731e88509fab88e3437ddd5fa)] -&gt; xpath: //ion-label[text()=' Residential or Occupancy Status']/parent::ion-item//ion-select] Session ID: b6e8928731e88509fab88e3437ddd5fa</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)  at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source)  at stepdefinitions.Customer_Address_Information.user_modify_the_residential_status_field(Customer_Address_Information.java:484)  at ?.user Modify the Residential status field(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzentioULSFramework/src/test/java/features/CustomerAddress_details.feature:81)  * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.239 s
	<p>screenshot</p> 		
12	And user click the update the button	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record


(F) check the functionality of Customer  
address details



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details



Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	565	APP_CREATE	NEWAPP	BREXEC	in02040	19-Sep-2022 15:10	HLW	AHL
	561	APP_CREATE	NEWAPP	BREXEC	in02040	19-Sep-2022 9:59	HLW	AHL
	342	COLLATERAL	MAKER	LOSMKR	in02040	16-Sep-2022 16:59	TSW	
	4	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 16:46	HLW	AHL
	2	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 16:0	HLW	AHL
	211	CHARGE_MST	MAKER	LOSMKR	in02040	16-Sep-2022 15:42	TSW	
	560	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 14:16	HLW	AHL
	559	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 14:11	HLW	AHL
	557	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 13:58	HLW	AHL
	483	APP_CREATE	OFFERING	CREOFF	in02040	16-Sep-2022 11:12	HLW	AHL

Showing 1 to 10 of 76 entries << < 1 2 3 4 5 > >> 10



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	565	APP_CREATE	NEWAPP	BREXEC	in02040	19-Sep-2022 15:10	HLW	AHL
	561	APP_CREATE	NEWAPP	BREXEC	in02040	19-Sep-2022 9:59	HLW	AHL
	342	COLLATERAL	MAKER	LOSMKR	in02040	16-Sep-2022 16:59	TSW	
	4	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 16:46	HLW	AHL
	2	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 16:0	HLW	AHL
	211	CHARGE_MST	MAKER	LOSMKR	in02040	16-Sep-2022 15:42	TSW	
	560	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 14:16	HLW	AHL
	559	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 14:11	HLW	AHL
	557	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 13:58	HLW	AHL
	483	APP_CREATE	OFFERING	CREOFF	in02040	16-Sep-2022 11:12	HLW	AHL

Showing 1 to 10 of 76 entries << < 1 2 3 4 5 > >> 10

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
	565	APP_CREATE	NEWAPP	BREXEC	in02040	19-Sep-2022 15:10	HLW	AHL
	561	APP_CREATE	NEWAPP	BREXEC	in02040	19-Sep-2022 9:59	HLW	AHL
	342	COLLATERAL	MAKER	LOSMKR	in02040	16-Sep-2022 16:59	TSW	
	4	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 16:46	HLW	AHL
	2	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 16:0	HLW	AHL
	211	CHARGE_MST	MAKER	LOSMKR	in02040	16-Sep-2022 15:42	TSW	
	560	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 14:16	HLW	AHL
	559	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 14:11	HLW	AHL
	557	APP_CREATE	NEWAPP	BREXEC	in02040	16-Sep-2022 13:58	HLW	AHL
	483	APP_CREATE	OFFERING	CREOFF	in02040	16-Sep-2022 11:12	HLW	AHL

Showing 1 to 10 of 76 entries << < 1 2 3 4 5 > >> 10

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

The screenshot shows the AZENTIO ONE Banking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, and Reports. The main area displays an 'Inbox' table with the following columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. A single entry is visible with Reference Id 506, Event Code APP\_CREATE, Stage Code APPDATAENT, Role Code CPUEXEC, Employee Name in02040, Created Date 15-Sep-2022 10:22, Workflow Code HLW, and Product AHL. The bottom of the table indicates 'Showing 1 to 1 of 1 entries'.

Action	Reference Id	Event Code	Stage Code	Role Code	Employee Name	Created Date	Workflow Code	Product
AP	506	APP_CREATE	APPDATAENT	CPUEXEC	in02040	15-Sep-2022 10:22	HLW	AHL

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

The screenshot shows the AZENTIO ONE Banking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations, Transactions, and Reports. The main area displays a horizontal tabbed interface with the following tabs: Prev, Application Info, Customer details, Additional Customer Info (selected), Customer Financials, Facility Info, Document Details, Offering, Repayment Schedule, Policy Check, Fee Details, and Next. The content area below the tabs is currently blank.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

The screenshot displays the AZENTIO ONE Banking interface. On the left is a blue sidebar with a search bar and a menu containing 'Dashboard', 'Configurations', 'Transactions', and 'Reports'. The main content area has a top navigation bar with tabs: 'Prev', 'Application Info', 'Customer details', 'Additional Customer Info' (selected), 'Customer Financials', 'Facility Info', 'Document Details', 'Offering', 'Repayment Schedule', 'Policy Check', 'Fee Details', and 'Next'. Below the tabs, the 'Customer Identification' section is active, showing a form with multiple rows of input fields. Below this, the 'Address Details' section is also visible, containing another set of input fields. The top right of the interface shows language and user settings: 'Engl...', 'LOS', 'Aze...', and a user profile icon.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

This screenshot shows the same AZENTIO ONE Banking interface as the first one, but with the 'Additional Customer Info' tab selected. The top navigation bar is identical. Below the tabs, there are three input fields labeled 'Application ID:', 'Applicant Name:', and 'Customer ID:'. Below these fields, the 'Customer Identification' section is visible, showing a form with multiple rows of input fields. The 'Address Details' section is also visible below it. The top right of the interface shows language and user settings: 'Engl...', 'LOS', 'Aze...', and a user profile icon.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) verify system allow user to do a  
modification on already approved record

(F) check the functionality of Customer  
address details

AZENTIO

ONBOARDING

Search the menu

Dashboard

Configurations

Transactions

Reports

Application ID :

Applicant Name :

Customer ID :

Prev

Application Info

Customer details

Additional Customer info

Customer Financials

Facility Info

Document Details

Offering

Repayment Schedule

Policy Check

Fee Details

Next

Approve

Reject

Return

Eligibility Check

Print

Customer Address

Customer Address

Address Type \*  
Home

Residential Or Occupancy Status \*  
Financed

Address Line 1 \*  
AddressLine1

Country \*  
INDIA

Neighbourhood/District Name \*  
mumbai

Zip Code \*  
123456

Mobile Number (Primary)  
1234567123

Duration Of Stay  
0

Longitude Details Of The Address

Address Status \*  
Current

Select  
Current  
Previous

Province Id \*  
Maharastra

City Id \*  
Yavatmal

PO BOX Number  
12345

Mobile Number (Primary)  
1234567123

Latitude Details Of The Address

Land Mark