

Cucumber Report

24-Aug-2022, 2:58:06 pm

Start : Aug 24, 2:57:31.851 pm

End : Aug 24, 2:58:02.363 pm

Duration : 30.512 s

Features

Scenarios

Steps

PASSED - 1

FAILED - 0

SKIPPED - 0

PASSED - 1

FAILED - 0

SKIPPED - 0

PASSED - 18

FAILED - 0

SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of Living Expenses Master</u>	1	1	0	0	30.512 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Living Expenses Master	Creation of Living Expense Parameter record with valid data	18	18	0	0	30.504 s


(F)- Check the functionality of Living Expenses Master




PASSED	DURATION - 30.512 s	Scenarios		Steps	
/ 2:57:31.851 pm // 2:58:02.363 pm /		Total - 1		Total - 18	
		Pass - 1		Pass - 18	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	




(S)- Creation of Living Expense Parameter record with valid data

<div><div>PASSED</div><div>DURATION - 30.504 s</div></div>		<div></div>	<div>Steps</div> <div>Total - 18</div> <div>Pass - 18</div> <div>Fail - 0</div> <div>Skip - 0</div>		<div></div>
/ 2:57:31.859 pm // 2:58:02.363 pm /					
Check the functionality of Living Expenses Master					
@AT_LE_013_Parameter_Creation					

#	Step / Hook Details	Status	Duration
1	Given user log in as uls application maker	PASSED	11.014 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.662 s
	screenshot		
			
2	Then user click on configurations Tab	PASSED	0.096 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.314 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And user click on Other Masters Tab	PASSED	0.271 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.285 s
	screenshot		
			
4	And user click on List view Icon of Living Expenses	PASSED	0.202 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.642 s
	screenshot		
			
5	And user click on Add Icon for Living Expenses	PASSED	0.211 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.416 s
	screenshot		
			
6	And user Enter value in Description and verify it	PASSED	0.642 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	And user Enter value in Description2 and verify it	PASSED	0.259 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		
			
8	And user Enter value in Description3 and verify it	PASSED	0.396 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
			
9	And user select Rule value and verify it	PASSED	0.348 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.283 s
	screenshot		
			
10	And user choose Calender Effective Date and verify it	PASSED	0.824 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	And user save the Record in Living Expenses	PASSED	0.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.474 s
	screenshot		
			
12	And user Goto the Temp view screen of living Expense	PASSED	0.305 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.400 s
	screenshot		
			
13	And user click on First record in living Expense	PASSED	0.311 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.538 s
	screenshot		
			
14	And user click on Living Expenses Parameter	PASSED	0.264 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.470 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
15	And user click on Add Icon for Living Expenses	PASSED	0.331 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.541 s
	screenshot		
			
16	And user Enter value in Description and verify it	PASSED	0.319 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	screenshot		
			
17	And user select the code value	PASSED	0.317 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.348 s
	screenshot		
			
18	And user Enter the value	PASSED	0.183 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		

#	Step / Hook Details	Status	Duration
			

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense Parameter
record with valid data


(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense Parameter
record with valid data


(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense Parameter
record with valid data

(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense Parameter
record with valid data

(F) Check the functionality of Living
Expenses Master

The screenshot displays the AZENTIO ONEBanking dashboard with the 'List of Living Expense Model' table. The table has 7 columns and 6 rows of data. The columns are: Productcode, Amount Financed, Subproductcode, Subproduct Amount Financed, Scheme, Scheme Amount Financed, and QuestionnaireMaster. The data is as follows:

Productcode	Amount Financed	Subproductcode	Subproduct Amount Financed	Scheme	Scheme Amount Financed	QuestionnaireMaster
AHL	97.0M					
AAL	23.0M					
APL	26.0M					
CD	5.0M					
AFC	2.0M					
CC	2.0M					

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense Parameter
record with valid data

(F) Check the functionality of Living
Expenses Master

The screenshot displays the AZENTIO ONEBanking application. On the left is a blue sidebar menu with options: Dashboard, Configurations, Corporate Masters, Misc Config, Other Masters, Insurance Master, Facility Type, Living Expense, QuestionnaireMaster, Product Definitions, Product Setup, and Transactions. The main area shows a table titled 'List of Living Expense Model'. The table has columns: Action, Description, Rule ID, Effective Date, and Status. It contains five rows of data, all with a status of 'Active'. Below the table, it says 'Showing 1 to 5 of 19 entries' with pagination controls. The top right of the interface shows user information and language settings.

Action	Description	Rule ID	Effective Date	Status
	Expenses	98303254	2023-08-03	Active
	Living	98303254	2023-08-03	Active
	Desc1	98303254	2023-08-03	Active
	Desc1	98303254	2023-08-03	Active
	Approved 1st check21	98303256	2022-06-23	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense Parameter
record with valid data

(F) Check the functionality of Living
Expenses Master

The screenshot displays the AZENTIO ONEBanking application. On the left is a blue sidebar menu with options: Dashboard, Configurations, Corporate Masters, Misc Config, Other Masters, Insurance Master, Facility Type, Living Expense, QuestionnaireMaster, Product Definitions, Product Setup, and Transactions. The main area shows a form titled 'Living Expense Definition'. The form has fields for Description, Description2, Description3, Rule, and Effective Date. The Description field contains the text 'Expenses'. The Rule field has a dropdown menu with 'Select' as the current option. The Effective Date field has a calendar icon. The top right of the interface shows user information and language settings.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense Parameter
record with valid data

(F) Check the functionality of Living
Expenses Master

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Corporate Masters

Misc Config

Other Masters

Insurance Master

Facility Type

Living Expense

QuestionnaireMaster

Product Definitions

Product Setup

Transactions

Living Expense Definition

Description *

Expenses

Description2 *

ExpensesExp

Description3 *

Rule

Select

Effective Date *

Save

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense Parameter
record with valid data

(F) Check the functionality of Living
Expenses Master

AZENTIO
ONEBanking

Search the menu

Dashboard

Configurations

Corporate Masters

Misc Config

Other Masters

Insurance Master

Facility Type

Living Expense

QuestionnaireMaster

Product Definitions

Product Setup

Transactions

Living Expense Definition

Description *

Expenses

Description2 *

ExpensesExp

Description3 *

ExpensesLivingExpenses

Rule

Select

Effective Date *

Save

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense Parameter
record with valid data

(F) Check the functionality of Living
Expenses Master

AZENTIO ONEBanking

Search the menu

Dashboard

Configurations

Corporate Masters

Misc Config

Other Masters

Insurance Master

Facility Type

Living Expense

QuestionnaireMaster

Product Definitions

Product Setup

Transactions

Living Expense Definition

Description *

Expenses

Description2 *

ExpensesExp

Description3 *

ExpensesLivingExpenses

Rule

Rule1

Effective Date *

Rule1

Rule2

Rule3

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense Parameter
record with valid data

(F) Check the functionality of Living
Expenses Master

AZENTIO ONEBanking

Search the menu

Dashboard

Configurations

Corporate Masters

Misc Config

Other Masters

Insurance Master

Facility Type

Living Expense

QuestionnaireMaster

Product Definitions

Product Setup

Transactions

Living Expense Definition

Description *

Expenses

Description2 *

ExpensesExp

Description3 *

ExpensesLivingExpenses

Rule

Rule1

Effective Date *

Rule1

Rule2

Rule3

August 2023

Su Mo Tu We Th Fr Sa

30 31 1 2 3 4 5

6 7 8 9 10 11 12

13 14 15 16 17 18 19

20 21 22 23 24 25 26

27 28 29 30 31 1 2

Today Clear

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense Parameter
record with valid data

(F) Check the functionality of Living
Expenses Master

AZENTIO ONEBanking

Search the menu

Dashboard

Configurations

Corporate Masters

Misc Config

Other Masters

Insurance Master

Facility Type

Living Expense

QuestionnaireMaster

Product Definitions

Product Setup

Transactions

List of Living Expense Model

Engl... LOS Aze...

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense Parameter
record with valid data

(F) Check the functionality of Living
Expenses Master

AZENTIO ONEBanking

Search the menu

Dashboard

Configurations

Corporate Masters

Misc Config

Other Masters

Insurance Master

Facility Type

Living Expense

QuestionnaireMaster

Product Definitions

Product Setup

Transactions

List of Living Expense Model


Engl... LOS Aze...

success

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense Parameter
record with valid data


(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense Parameter
record with valid data

(F) Check the functionality of Living
Expenses Master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense Parameter
record with valid data

(F) Check the functionality of Living
Expenses Master

Azentio ONEBanking

Living Expense Definition Living Expense Parameter Living Expense Location

Go Back

Living Expense Parameter

Living Expense Parameter

Description * Code * Value *

Select

success

Dashboard Configurations Corporate Masters Misc Config Other Masters Insurance Master Facility Type Living Expense QuestionnaireMaster Product Definitions Product Setup Transactions

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense Parameter
record with valid data

(F) Check the functionality of Living
Expenses Master

Azentio ONEBanking

Living Expense Definition Living Expense Parameter Living Expense Location

Go Back

Living Expense Parameter

Living Expense Parameter

Description * Code * Value *

Expenses Select

success

Dashboard Configurations Corporate Masters Misc Config Other Masters Insurance Master Facility Type Living Expense QuestionnaireMaster Product Definitions Product Setup Transactions

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense Parameter
record with valid data

(F) Check the functionality of Living
Expenses Master

Azentio ONEBanking

Living Expense Definition Living Expense Parameter Living Expense Location

Living Expense Parameter

Description * Code * Value *

Expenses LIVEXP

Select AVGINC LIVEXP

success

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expense Parameter
record with valid data

(F) Check the functionality of Living
Expenses Master

Azentio ONEBanking

Living Expense Definition Living Expense Parameter Living Expense Location

Living Expense Parameter

Description * Code * Value *

Expenses LIVEXP

success