

# Cucumber Report

Jul 20, 2022, 1:02:37 PM

**Start : Jul 20, 1:02:16.779 PM**

**End : Jul 20, 1:02:35.640 PM**

**Duration : 18.861 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 0**

**FAILED - 1**

**SKIPPED - 0**

**PASSED - 0**


**FAILED - 1**

**SKIPPED - 0**

**PASSED - 4**


**FAILED - 1**

**SKIPPED - 17**







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	1	0	1	0	18.861 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	<u>Product Master - Modify records (approve, reject and return) at maker stage</u>	22	4	1	17	18.855 s




**(F)- Check the functionality of product master**


<b>FAILED</b>	<b>DURATION - 18.861 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 22 Pass - 4 Fail - 1 Skip - 17	
/ 1:02:16.779 PM // 1:02:35.640 PM /					

**(S)- Product Master - Modify records (approve, reject and return) at maker stage**

<div>FAILED</div> <div>DURATION - 18.855 s</div>		<div></div>	<div>Steps</div> <div>Total - 22</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 17</div>	<div></div>
<div>/ 1:02:16.785 PM // 1:02:35.640 PM /</div>				
<div>Check the functionality of product master</div>				
<div>@M5</div>				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	11.664 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.329 s
	screenshot		
			
2	And User Login as maker	PASSED	0.000 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.364 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then user should navigate to product master	PASSED	0.146 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot		
			
4	And click on edit view of product master	PASSED	0.272 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.343 s
	screenshot		
			
5	Then click on edit button of record to modify	FAILED	0.130 s
	<p>org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"(//span[contains(text(),'null')]/../..//td[1]/span[1]/button[1]/span[1])[1]"} (Session info: chrome=100.0.4896.127) For documentation on this error, please visit: <a href="https://selenium.dev/exceptions/#no_such_element">https://selenium.dev/exceptions/#no_such_element</a> Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [6b0e91d1658a9da8d8bb157d02deee71, findElement {using=xpath, value=(//span[contains(text(),'null')]/../..//td[1]/span[1]/button[1]/span[1])[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\NINDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:60400}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60400/devtoo..., se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 6b0e91d1658a9da8d8bb157d02deee71</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ProductMaster_Retail.click_on_edit_button_of_record_to_modify(ProductMaster_Retail.java:41) at ?.click on edit button of record to modify(file:///C:/Users/inindc00091/git/Azentio_ULS_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:8) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.599 s
6	Then user should verify the buttons available on screen while modify	SKIPPED	0.001 s
7	Then verify system should modify before approved the record	SKIPPED	0.001 s
8	Then verify system should modify already approved record	SKIPPED	0.000 s
9	Then verify system allow user to save modified record with valid data	SKIPPED	0.000 s
10	Then click on inbox and select the modified record	SKIPPED	0.000 s
11	Then click on submit button	SKIPPED	0.000 s
12	Then user verify that system should display confirmation message after submit	SKIPPED	0.001 s
13	And click on edit view of product master	SKIPPED	0.001 s
14	Then click on edit button of record to modify	SKIPPED	0.000 s
15	Then verify system allow user to save modified record with valid data	SKIPPED	0.001 s
16	Then click on inbox and select the modified record	SKIPPED	0.001 s
17	Then click on submit button	SKIPPED	0.001 s
18	And click on edit view of product master	SKIPPED	0.001 s
19	Then click on edit button of record to modify	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
20	Then verify system allow user to save modified record with valid data	SKIPPED	0.001 s
21	Then click on inbox and select the modified record	SKIPPED	0.000 s
22	Then click on submit button	SKIPPED	0.002 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

The screenshot shows the Azentio Software interface. The header includes the Azentio logo, a menu icon, and user information (Puneet, 01-Sep-2023). The left sidebar lists various configuration options: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Regulatory Product Defini..., Project Setup, Config Manager, and Sample Screens. The main content area displays a large loading spinner and the text "Loading...". At the bottom, it says "Powered by Metabase".

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master


The screenshot shows the Azentio Software interface with the "Product wise Analysis" section. The header and sidebar are identical to the previous screenshot. The main content area displays three charts, each with a loading spinner: "Product-wise Amount Financed", "Subproduct-wise Amount Financed", and "Scheme wise Amount Financed". At the bottom, it says "Powered by Metabase".



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage


(F) Check the functionality of product  
master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

**AZENTIO**

Product Master

Asset Collateral Config  
Business Rules  
Corporate Masters  
Misc Config  
Other Masters  
Product Definitions  
Product Setup  
Asset Auto Master  
Asset CD Master  
**Product master**  
Sub Product Master  
Regulatory Product Defini...  
Project Setup  
Config Manager

Product Master

Export

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
		UYTRE			Active	
	98303249	PPP	OK	R	Active	
	98303249	HL	OK	R	Active	
	98303275	depo11	depo11	R	Active	CHECKER
	98303275	depositPC01	depositDesc02	R	Active	CHECKER

Showing 1 to 5 of 57 entries

1 2 3 4 5