

Cucumber Report

06-Oct-2022, 3:20:24 pm

Start : Oct 06, 3:20:01.476 pm

End : Oct 06, 3:20:22.487 pm

Duration : 21.011 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 8


FAILED - 1

SKIPPED - 13







#	Feature Name	T	P	F	S	Duration
1	<u>To verify the report parameter creation of the report master</u>	1	0	1	0	21.011 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To verify the report parameter creation of the report master</u>	<u>To verify the functionality of the report master</u>	22	8	1	13	21.006 s





(F)- To verify the report parameter creation of the report master




FAILED	DURATION - 21.011 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 22 Pass - 8 Fail - 1 Skip - 13	
/ 3:20:01.476 pm // 3:20:22.487 pm /					


(S)- To verify the functionality of the report master

<div>FAILED</div> <div>DURATION - 21.006 s</div>			<div>Steps</div> <div>Total - 22</div> <div>Pass - 8</div> <div>Fail - 1</div> <div>Skip - 13</div>	
/ 3:20:01.481 pm // 3:20:22.487 pm /				
To verify the report parameter creation of the report master				
@AT-RA-022				

#	Step / Hook Details	Status	Duration
1	Given User login as uls maker in asset CD master	PASSED	11.860 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.302 s
	screenshot		
			
2	Then User click the Configurations in asset auto master	PASSED	0.230 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And User click the config manager in Bounce master	PASSED	0.111 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		
			
4	Then User click the report master list view icon	PASSED	0.194 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.547 s
	screenshot		
			
5	Then User verify the functionality of Add button in report master	PASSED	0.176 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.279 s
	screenshot		
			
6	And User verify the functionality of Back button in report master	PASSED	0.444 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then User verify the functionality of Add button in report master	PASSED	0.673 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.430 s
	<p>screenshot</p> 		
8	And User click the report parameter add icon in report master	PASSED	0.241 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.266 s
	<p>screenshot</p> 		
9	And User click the report group master icon in report master	FAILED	1.126 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-label _ngcontent-imc-c616="" class="sc-ion-label-ios-h sc-ion-label-ios-s ios hydrated">...</ion-label> is not clickable at point (514, 97). Other element would receive the click: <ion-segment-button _ngcontent-imc-c616="" id="seg2" ng-reflect-value="[object Object]" class="ng-star-inserted ios in-toolbar in-segment segment-button-has-label segment-button-has-label-only segment-button-layout-icon-top ion-activatable ion-activatable-instant ion-focusable hydrated" role="tab" aria-selected="false" tabindex="-1">...</ion-segment-button> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016574', ip: '10.1.47.116', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [23d6e9efb029b1573c951487e8f01b51, clickElement {id=7730e585-b599-4d42-a4ae-83ef49d7a4a2}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:59281}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59281/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (23d6e9efb029b1573c951487e8f01b51)] -> xpath: //ion-label[contains(text(),'Report Group Master')]] Session ID: 23d6e9efb029b1573c951487e8f01b51</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.ReportMaster.user_click_the_report_group_master_icon_in_report_master(ReportMaster.java:120) at ?.User click the report group master icon in report master(file:///C:/Users/inindc00071/git/repository4/mKarthi_AzentioULSFramework4/src/test/java/features/ReportMaster.feature:68) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.134 s
10	And User click the report group master add icon in report master	SKIPPED	0.000 s
11	And User Enter the group name in report master	SKIPPED	0.000 s
12	And User Enter the group description in report master	SKIPPED	0.000 s
13	And User Enter the min parameter required in report master	SKIPPED	0.000 s
14	And User Verify the available and selected field in report master	SKIPPED	0.000 s
15	Then User click the save icon in report master	SKIPPED	0.000 s
16	Then User get the confirmation message in report master	SKIPPED	0.000 s
17	Then User click the inboxmail icon in report master	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
18	And User get the reference id in report master	SKIPPED	0.000 s
19	And User click the action edit icon in submit stage in report master	SKIPPED	0.000 s
20	And User click the submit icon in report master	SKIPPED	0.000 s
21	And User enter the popup remark and click the popup submit	SKIPPED	0.000 s
22	And user get the popup message and get the checker id in report master	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functionality of the report master

(F) To verify the report parameter creation of the report master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functionality of the report master

(F) To verify the report parameter creation of the report master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functionality of the report master

(F) To verify the report parameter creation of the report master



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functionality of the report master

(F) To verify the report parameter creation of the report master

The screenshot displays the AZENTIO ONEBanking dashboard with the 'Report Master - List View' table. The left sidebar contains a menu with options: Dashboard, Configurations (expanded), Allocation Master, Allocation Details, Insurance Master, UnderwriterOffsetC control, digitaldocumentma ster, Deposit Account Master, Project Master, Notification Master, Report Master, and Transactions. The main content area shows a table with 7 columns and 5 rows of data. The table is titled 'Report Master - List View'.

Report ID	Report Name	Report Type	Report Status	Report Date	Report Time	Report User
1	Report 1	Report Type 1	Report Status 1	Report Date 1	Report Time 1	Report User 1
2	Report 2	Report Type 2	Report Status 2	Report Date 2	Report Time 2	Report User 2
3	Report 3	Report Type 3	Report Status 3	Report Date 3	Report Time 3	Report User 3
4	Report 4	Report Type 4	Report Status 4	Report Date 4	Report Time 4	Report User 4
5	Report 5	Report Type 5	Report Status 5	Report Date 5	Report Time 5	Report User 5

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functionality of the report master

(F) To verify the report parameter creation of the report master

The screenshot shows the AZENTIO ONEBanking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations (Allocation Master, Allocation Details, Insurance Master, UnderwriterOffsetControl, digitaldocumentmaster, Deposit Account Master, Project Master, Notification Master, Report Master), and Transactions. The main area is titled 'Report Master - List View' and contains a table with 5 columns: Action, Report Name, Description, Report Type, and Status. The table lists 5 entries, all with 'Active' status. Below the table is a pagination bar showing 'Showing 1 to 5 of 7 entries' and a dropdown for 5 items. A floating action button with a plus icon is in the bottom right corner.

Action	Report Name	Description	Report Type	Status
	testRN1	testRD	57447	Active
	rname1	rdesc	57945	Active
	Nmo	done	57446	Active
	Company1	done	57446	Active
	Repayment Schedule	Repayment Schedule	57945	Active

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functionality of the report master

(F) To verify the report parameter creation of the report master

This screenshot is identical to the one above, showing the 'Report Master - List View' table. Below the table, there is a form titled 'Report Master' with a back arrow and a notification icon. The form has three input fields labeled 'Report Name *', 'Report Name 2 *', and 'Report Name 3 *'.

Action	Report Name	Description	Report Type	Status
	testRN1	testRD	57447	Active
	rname1	rdesc	57945	Active
	Nmo	done	57446	Active
	Company1	done	57446	Active
	Repayment Schedule	Repayment Schedule	57945	Active

Report Master

Report Name * Report Name 2 * Report Name 3 *

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functionality of the report master

(F) To verify the report parameter creation of the report master

The screenshot shows the 'Report Master - List View' page in the Azentio ONEBanking application. The left sidebar contains a menu with options: Dashboard, Configurations (with a sub-menu including Allocation Master, Allocation Details, Insurance Master, UnderwriterOffsetControl, digitaldocumentmaster, Deposit Account Master, Project Master, Notification Master, and Report Master), and Transactions. The main content area is titled 'Report Master' and features a 'Report Parameter Details' section. This section contains several input fields: 'Report Name' (with a sub-field 'Report Name 2'), 'Report Description', 'Report Type' (a dropdown menu), 'Report Category' (a dropdown menu), and 'Report Url'. There are also buttons for 'Add' and 'Edit'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functionality of the report master

(F) To verify the report parameter creation of the report master

The screenshot shows the 'Report Master' page in the Azentio ONEBanking application, specifically the 'Report Parameter Details' section. The left sidebar is the same as in the previous screenshot. The main content area is titled 'Report Master' and features a 'Report Parameter Details' section. This section contains several input fields: 'Template' (a dropdown menu), 'Parameter 1' (with a sub-field 'Parameter 1 Description 1'), 'Parameter 1 Description 2', 'Parameter 1 Description 3', 'Parameter 2', 'Parameter 2 Description 2', 'Parameter 2 Description 3', 'Sequence No', 'Date Format', 'Is Mandatory' (a dropdown menu), and 'Nullable Values'. There are also buttons for 'Add' and 'Edit'.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify the functionality of the report
master

(F) To verify the report parameter creation
of the report master

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Allocation Master

Allocation Details

Insurance Master

UnderwriterOffsetC
ontrol

digitaldocumentma
ster

Deposit Account
Master

Project Master

Notification Master

Report Master

Transactions

Report Master

Report Group Master

Report Parameter Details

Template *

Param 1 Description 2 *

Param 2 Description 2 *

Sequence No *

Parameter 1 *

Param 1 Description 3 *

Param 2 Description 3 *

Date Format *

Param 1 Description 1 *

Parameter 2 *

Is Mandatory

Nullable Values *