

# Cucumber Report

Aug 23, 2022, 2:22:29 PM

**Start : Aug 23, 2:22:09.464 PM**

**End : Aug 23, 2:22:28.010 PM**

**Duration : 18.546 s**

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 11


FAILED - 1

SKIPPED - 2







#	Feature Name	T	P	F	S	Duration
1	<u>IncentiveMaster Functionality</u>	1	0	1	0	18.546 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>IncentiveMaster Functionality</u>	<u>To verify user is able to add new Incentive Master record in the system by entering valid data</u>	14	11	1	2	18.543 s

**(F)- IncentiveMaster Functionality**





<b>FAILED</b>	<b>DURATION - 18.546 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 14 Pass - 11 Fail - 1 Skip - 2	
/ 2:22:09.464 PM // 2:22:28.010 PM /					



**(S)- To verify user is able to add new Incentive Master record in the system by entering valid data**


<div>FAILED</div>	<div>DURATION - 18.543 s</div>	<div></div>	<div>Steps</div> <div>Total - 14</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 2</div> <div></div>
<div>/ 2:22:09.467 PM // 2:22:28.010 PM /</div>			
<div>IncentiveMaster Functionality</div>			
<div>@M2 @IncentiveMaster</div>			

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	4.884 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.368 s
	screenshot		
			
2	And User Login as maker	PASSED	4.868 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then click on Misc Config	PASSED	0.088 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot 		
4	Then click on Incentive Master eye icon	PASSED	0.104 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot 		
5	Then click on Incentive Master add button	PASSED	1.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	screenshot 		
6	Then Enter Incentive code	PASSED	0.228 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then Enter Incentive Description	PASSED	0.176 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.090 s
	screenshot		
			
8	Then Enter Incentive Description2	PASSED	0.141 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s
	screenshot		
			
9	Then Enter Incentive Description3	PASSED	0.113 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.093 s
	screenshot		
			
10	Then Select Incentive Mode	PASSED	1.176 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.117 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then Select Incentive Type	PASSED	1.195 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.103 s
	screenshot		
			
12	Then Enter Flat Amount	FAILED	0.103 s
	<p>org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e7cb07af1a9364afd54a0b2111a051fe, sendKeysToElement {id=7aab5c15-9df1-423e-b497-e2f9a03de774, value=[Ljava.lang.CharSequence;@f03ee8f}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog.chromeOptions: {debuggerAddress: localhost:58209}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:58209/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (e7cb07af1a9364afd54a0b2111a051fe)] -&gt; xpath: //ion-col[8]/digital-text-box[1]/ion-item[1]/ion-input[1]/input[1]] Session ID: e7cb07af1a9364afd54a0b2111a051fe</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)  at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy45.sendKeys(Unknown Source) at stepdefinitions.IncentiveMaster.enter_flat_amount(IncentiveMaster.java:94) at ?.Enter Flat Amount(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/IncentiveMaster.feature:16) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>screenshot</p> 	PASSED	0.122 s
13	Then Enter Incentive Percentage	SKIPPED	0.000 s
14	Then Select Incentive Computation on	SKIPPED	0.000 s



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to add new  
Incentive Master record in the system by  
entering valid data


(F) IncentiveMaster Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to add new  
Incentive Master record in the system by  
entering valid data


(F) IncentiveMaster Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to add new  
Incentive Master record in the system by  
entering valid data


(F) IncentiveMaster Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to add new  
Incentive Master record in the system by  
entering valid data

(F) IncentiveMaster Functionality



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to add new  
Incentive Master record in the system by  
entering valid data

(F) IncentiveMaster Functionality

**AZENTIO ONEBanking**

Search the menu

**List of Incentive Definition**

Action	Description	Incentive Mode	Incentive Type	Status
	ok	57909	57887	Active
	TARGET TARGET	57907	57886	Active
	test123	57908	57887	Active
	Incentives 1	57909	57887	Active
	Desc	57909	57887	Active

Showing 1 to 5 of 6 entries

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to add new  
Incentive Master record in the system by  
entering valid data

(F) IncentiveMaster Functionality

**AZENTIO ONEBanking**

Go Back

**Incentive Definition**

**Incentive Definition**

Incentive Code \*

Description \*

Description 2

Description 3

Incentive Mode \*

Incentive Type \*

Flat Amount

Percentage

Incentive Computation On \*

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to add new  
Incentive Master record in the system by  
entering valid data

(F) IncentiveMaster Functionality

**AZENTIO ONEBanking**

Go Back

### Incentive Definition

**Incentive Definition**

Incentive Code \*  
02

Description \*  
Incentive1

Description 2

Description 3

Incentive Mode \*  
Select

Incentive Type \*  
Select

Flat Amount

Percentage

Incentive Computation On \*  
Select

Dashboard  
Configurations  
Asset Collateral Config  
Business Rules  
Corporate Masters  
Misc Config  
Target Master  
Incentive master  
Other Masters  
Product Definitions  
Transactions

Engl... LOS Aze...

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to add new  
Incentive Master record in the system by  
entering valid data

(F) IncentiveMaster Functionality

**AZENTIO ONEBanking**

Go Back

### Incentive Definition

**Incentive Definition**

Incentive Code \*  
02

Description \*  
Incentive1

Description 2  
Incentive2

Description 3

Incentive Mode \*  
Select

Incentive Type \*  
Select

Flat Amount

Percentage

Incentive Computation On \*  
Select

Dashboard  
Configurations  
Asset Collateral Config  
Business Rules  
Corporate Masters  
Misc Config  
Target Master  
Incentive master  
Other Masters  
Product Definitions  
Transactions

Engl... LOS Aze...

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to add new  
Incentive Master record in the system by  
entering valid data

(F) IncentiveMaster Functionality

**AZENTIO ONEBanking**

Go Back

### Incentive Definition

**Incentive Definition**

Incentive Code \*  
02

Description \*  
Incentive1Incentive3

Description 2  
Incentive2

Description 3  
[Empty]

Incentive Mode \*  
Select

Incentive Type \*  
Select

Flat Amount  
[Empty]

Percentage  
[Empty]

Incentive Computation On \*  
Select

Navigation Menu:  
Dashboard  
Configurations  
Asset Collateral Config  
Business Rules  
Corporate Masters  
Misc Config  
Target Master  
Incentive master  
Target Master  
Other Masters  
Product Definitions  
Transactions

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to add new  
Incentive Master record in the system by  
entering valid data

(F) IncentiveMaster Functionality

**AZENTIO ONEBanking**

Incentive Definition

### Incentive Definition

Incentive Code \*  
02

Description \*  
Incentive1Incentive3

Description 2  
Incentive2

Description 3  
[Empty]

Incentive Mode \*  
B

Incentive Type \*  
Select

Flat Amount  
[Empty]

Percentage  
[Empty]

Incentive Computation On \*  
Select

Navigation Menu:  
Dashboard  
Configurations  
Asset Collateral Config  
Business Rules  
Corporate Masters  
Misc Config  
Target Master  
Incentive master  
Target Master  
Other Masters  
Product Definitions  
Transactions

Dropdown Menu for Incentive Mode:  
Select  
B  
F  
P  
T

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to add new  
Incentive Master record in the system by  
entering valid data

(F) IncentiveMaster Functionality

**AZENTIO ONEBanking**

Search the menu

**Incentive Definition**

**Incentive Definition**

Incentive Code \*  
02

Description \*  
Incentive1Incentive3

Description 2  
Incentive2

Description 3

Incentive Mode \*  
B

Incentive Type \*  
SIMPLE

Flat Amount

Percentage

Select  
Incentive Computation On \*  
CRON  
COLL  
SALES  
SIMPLE ✓

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) To verify user is able to add new  
Incentive Master record in the system by  
entering valid data

(F) IncentiveMaster Functionality

**AZENTIO ONEBanking**

Search the menu

**Incentive Definition**

**Incentive Definition**

Incentive Code \*  
02

Description \*  
Incentive1Incentive3

Description 2  
Incentive2

Description 3

Incentive Mode \*  
B

Incentive Type \*  
SIMPLE

Flat Amount

Percentage

Select  
Incentive Computation On \*  
COLL  
SALES  
SIMPLE ✓