

# Cucumber Report

Jul 20, 2022, 7:44:42 PM

Start : Jul 20, 7:44:15.151 PM

End : Jul 20, 7:44:40.776 PM

Duration : 25.625 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 9  
FAILED - 1  
SKIPPED - 5







#	Feature Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	1	0	1	0	25.625 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the functionality of product master</u>	<u>Product Master - Modify records (approve, reject and return) at maker stage</u>	15	9	1	5	25.616 s





**(F)- Check the functionality of product master**





<b>FAILED</b>	<b>DURATION - 25.625 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 15 Pass - 9 Fail - 1 Skip - 5	
/ 7:44:15.151 PM // 7:44:40.776 PM /					


**(S)- Product Master - Modify records (approve, reject and return) at maker stage**

<b>FAILED</b>	<b>DURATION - 25.616 s</b>		Steps Total - 15 Pass - 9 Fail - 1 Skip - 5	
/ 7:44:15.160 PM // 7:44:40.776 PM /				
Check the functionality of product master				
@M5				

#	Step / Hook Details	Status	Duration
1	Given User launch the kuls application	PASSED	12.197 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.214 s
	screenshot		
			
2	And User Login as maker	PASSED	0.001 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then user should navigate to product master	PASSED	0.316 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.259 s
	screenshot		
			
4	And click on edit view of product master	PASSED	0.357 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
	screenshot		
			
5	Then click on edit button of record to modify	PASSED	1.365 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.429 s
	screenshot		
			
6	Then user should verify the buttons available on screen while modify	PASSED	0.428 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then verify system should modify before approved the record	PASSED	0.520 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.351 s
	screenshot		
			
8	And click on eye icon of product master	PASSED	0.413 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.297 s
	screenshot		
			
9	Then verify system should modify already approved record	PASSED	1.862 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	screenshot		
			
10	Then verify system allow user to save modified record with valid data	FAILED	1.147 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element &lt;button _ngcontent-jgf-c571="" pbutton="" type="button" icon="pi pi-save" iconpos="left" tooltipposition="top" class="p-element savecmnbtn p-button-info p-button-sm p-button-raised w-90 k-mx-2 p-button p-component p-button-icon-only ng-star-inserted" ng-reflect-icon="pi pi-save" ng-reflect-icon-pos="left" ng-reflect-tooltip-position="top" ng-reflect-text="Update"&gt;...&lt;/button&gt; is not clickable at point (1380, 124). Other element would receive the click: &lt;div role="alert" class="ng-tns-c143-5 toast-message ng-star-inserted" aria-label="Success" style=""&gt;...&lt;/div&gt; (Session info: chrome=100.0.4896.127) Build</p>		

#	Step / Hook Details	Status	Duration
	<p>info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e81f461528b38436b7a3c831ba04d2c8, clickElement {id=37787454-46fe-4367-9b8e-4da5982d7ac8}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 100.0.4896.127, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:57647}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57647/devtools, se:cdpVersion: 100.0.4896.127, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (e81f461528b38436b7a3c831ba04d2c8)] -&gt; xpath: //ion-row[2]/ion-col[3]/button[1]] Session ID: e81f461528b38436b7a3c831ba04d2c8</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)  at jdk.proxy2/jdk.proxy2.\$Proxy45.click(Unknown Source)  at stepdefinitions.ProductMaster_Retail.verify_system_allow_user_to_save_modified_record_with_valid_data(ProductMaster_Retail.java:105)  at ?.verify system allow user to save modified record with valid data(file:///C:/Users/inindc00091/git/Azentio_ULS_04/AzentioAutomationFramework/src/test/java/features/ProductMaster_Retail.feature:14)  * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
	<p>screenshot</p> 		

#	Step / Hook Details	Status	Duration
11	Then system should display the confirmation message	SKIPPED	0.000 s
12	Then click on inbox button	SKIPPED	0.000 s
13	And select the modified record from inbox to approve	SKIPPED	0.001 s
14	Then click on submit button	SKIPPED	0.000 s
15	Then user verify that system should display confirmation message after submit	SKIPPED	0.001 s



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed

Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

AZENTIO™

Asset Collateral Config

Business Rules

Corporate Masters

Misc Config

Other Masters

Product Definitions

Product Setup

Regulatory Product Defini...

Project Setup

Config Manager

Sample Screens

English

LOS

Azentio Software

Puneet

01-Sep-2023

Product wise Analysis

Product-wise Amount Financed

Subproduct-wise Amount Financed


Scheme wise Amount Financed

Powered by Metabase

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage


(F) Check the functionality of product  
master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

The screenshot shows the Azentio Product Master interface. On the left is a dark blue sidebar with the Azentio logo and a list of navigation items: Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area is titled 'Product Master' and contains a table with columns: Action, Product Group, Product Code, Product Description, Retail/Corporate, Status, and Authorization Status. The table lists five records, all with a status of 'Active'. At the top right of the main area, there are links for 'English', 'LOS', 'Azentio Software', and a user profile for 'Puneet' dated '01-Sep-2023'.

Action	Product Group	Product Code	Product Description	Retail/Corporate	Status	Authorization Status
	98303249	APL	I		Active	
	98303275	xy		R	Active	
	98303249	HLL		R	Active	
	98303249	HL		R	Active	
	98303249	LFH		R	Active	

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master


The screenshot shows the Azentio Product Master edit form. The sidebar is identical to the previous screenshot, with 'Product master' highlighted. The main content area is titled 'Product Master' and contains a form with fields for Product Group (Deposits), Product Code (xy), Product Description, Retail/Corporate (Retail), DM Code (yz), Status (toggle), and Remarks (ok). At the top right of the form, there are buttons for 'Submit', 'Cancel', and a help icon. The user profile 'Puneet' dated '01-Sep-2023' is visible at the top right of the page.

Product Group: Deposits  
Product Code: xy  
Product Description:   
Retail/Corporate: Retail  
DM Code: yz  
Status: ☒  
Remarks: ok

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master




The screenshot shows the Azentio Product Master interface. The left sidebar menu is visible, listing various modules such as Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area displays the 'Product Master' header and a table of records. The table has columns for various attributes, and the 'Product master' row is highlighted. The interface includes a top navigation bar with the Azentio logo, language selection (English), LOS, and software version (Azentio Software). A user profile for Puneet is shown in the top right corner.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master




The screenshot shows the Azentio Product Master interface after a successful operation. The left sidebar menu is visible, listing various modules such as Asset Collateral Config, Business Rules, Corporate Masters, Misc Config, Other Masters, Product Definitions, Product Setup, Asset Auto Master, Asset CD Master, Product master (highlighted), Sub Product Master, Regulatory Product Defini..., Project Setup, and Config Manager. The main content area displays the 'Product Master' header and a table of records. The table has columns for various attributes, and the 'Product master' row is highlighted. The interface includes a top navigation bar with the Azentio logo, language selection (English), LOS, and software version (Azentio Software). A user profile for Puneet is shown in the top right corner. A green success message is displayed at the top right of the main content area.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage


(F) Check the functionality of product  
master

The screenshot shows the Azentio software interface. At the top, there is a header bar with a hamburger menu, an envelope icon, and language/region selectors (English, LOS) and software version (Azentio Software). On the right side of the header, there are two notification boxes: a red one saying 'Authorisation for this record is pending' and a green one saying 'Success'. The main content area is titled 'Product Master' and contains a form with the following fields: Product Group (Deposits), Product Code (xy), Product Description (desc11), Retail/Corporate (Retail), DM Code (yz), Status (toggle switch), and Remarks (ok). The form is surrounded by a light blue border.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Product Master - Modify records  
(approve, reject and return) at maker  
stage

(F) Check the functionality of product  
master

The screenshot shows the Azentio software interface. At the top, there is a header bar with a hamburger menu, an envelope icon, and language/region selectors (English, LOS) and software version (Azentio Software). On the right side of the header, there are two notification boxes: a red one saying 'Authorisation for this record is pending' and a green one saying 'Success'. The main content area is titled 'Product Master' and contains a form with the following fields: Product Group (Deposits), Product Code (xy), Product Description (desc11), Retail/Corporate (Retail), DM Code (yz), Status (toggle switch), and Remarks (ok). The form is surrounded by a light blue border.