

Cucumber Report

18-Nov-2022, 10:10:20 am

Start : Nov 18, 10:08:15.467 am

End : Nov 18, 10:10:08.559 am

Duration : 1 m 53.092 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 15
FAILED - 1
SKIPPED - 0







| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|--------------|
| 1 | <u>Check the functionality of Living Expenses Master</u> | 1 | 0 | 1 | 0 | 1 m 53.092 s |







| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|--|----|----|---|---|--------------|
| 1 | Check the functionality of Living Expenses Master | Creation of Living Expenses record with valid data | 16 | 15 | 1 | 0 | 1 m 53.086 s |





(F)- Check the functionality of Living Expenses Master

| | | | | | |
|--|--------------------------------|--|---|--|---|
| FAILED | DURATION - 1 m 53.092 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 16 Pass - 15 Fail - 1 Skip - 0 |  |
| / 10:08:15.467 am // 10:10:08.559 am / | | | | | |





(S)- Creation of Living Expenses record with valid data


| | | | | |
|---|--------------------------------|--|--|---|
| FAILED | DURATION - 1 m 53.086 s |  | Steps Total - 16 Pass - 15 Fail - 1 Skip - 0 |  |
| / 10:08:15.473 am // 10:10:08.559 am / | | | | |
| Check the functionality of Living Expenses Master | | | | |
| @AT_LE_001_Creation | | | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user log in as uls application maker | PASSED | 20.993 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.520 s |
| | screenshot | | |
| |  | | |
| 2 | Then user change Application Type as Los | PASSED | 2.937 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.804 s |
| | screenshot | | |
| |  | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 3 | Then user click on configurations Tab | PASSED | 0.124 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.780 s |
| | screenshot | | |
| |  | | |
| 4 | When user click Config Manager menu | PASSED | 0.579 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.241 s |
| | screenshot | | |
| |  | | |
| 5 | And user click on List view Icon of Living Expenses | PASSED | 2.320 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 2.917 s |
| | screenshot | | |
| |  | | |
| 6 | And user click on Add Icon for Living Expenses | PASSED | 0.293 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.915 s |
| | screenshot | | |
| |  | | |
| 7 | And user Pass the Exceldata value for Creation | PASSED | 0.200 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.419 s |
| | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| |  | | |
| 8 | And user Enter value in Description and verify it | PASSED | 0.278 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.409 s |
| | screenshot | | |
| |  | | |
| 9 | And user Enter value in Description2 and verify it | PASSED | 0.290 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.409 s |
| | screenshot | | |
| |  | | |
| 10 | And user Enter value in Description3 and verify it | PASSED | 0.860 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.187 s |
| | screenshot | | |
| |  | | |
| 11 | And user select Rule value and verify it | PASSED | 0.404 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.563 s |
| | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|----|---|--------|----------|
| |  | | |
| 12 | And user choose Calender Effective Date and verify it | PASSED | 1.212 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.400 s |
| | screenshot | | |
| |  | | |
| 13 | And user save the Record in Living Expenses | PASSED | 2.751 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.402 s |
| | screenshot | | |
| |  | | |
| 14 | And user go the Maker Inbox and store the Reference ID | PASSED | 5.022 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.273 s |
| | screenshot | | |
| |  | | |
| 15 | Then user Click on Action Icon | PASSED | 0.224 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.428 s |
| | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| |  | | |
| 16 | <p>And user verify submit button and submit the Record from Maker stage</p> <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //button/span[contains(text(),'Submit')]' (tried for 50 second(s) with 2000 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> <p>at stepdefinitions.LivingExpense_Master.user_verify_submit_button_and_submit_the_record_from_maker_stage(LivingExpense_Master.java:344)</p> <p>at ?.user verify submit button and submit the Record from Maker stage(file:///C:/Users/inindc00075/git/Arshath_ULS/Arshath_AzenzioULSFramework/src/test/java/features/MDM_LivingExp_Master.feature:19)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//button/span[contains(text(),'Submit')]"} (Session info: chrome=106.0.5249.119) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [975bad168077cece0856a9818dbd6860, findElement {using=xpath, value=//button/span[contains(text(),'Submit')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 106.0.5249.119, chrome: {chromedriverVersion: 105.0.5195.52 (412c95e51883..., userDataDir: C:\Users\ININDC~1\AppData\Local\...}, goog:chromeOptions: {debuggerAddress: localhost:60891}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60891/devtoo..., se:cdpVersion: 106.0.5249.119, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 975bad168077cece0856a9818dbd6860</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor42.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)</p> | FAILED | 50.907 s |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | <pre> at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.LivingExpense_Master.user_verify_submit_button_and_submit_the_record_from_maker_stage(LivingExpense_Master.java:344) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) </pre> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <pre> at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) </pre> <p>* Not displayable characters are replaced by '?'. </p> | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.358 s |
| | screenshot | | |
| |  | | |

| | |
|--|--|
| <p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p> |  |
| <p><u>(S) Creation of Living Expenses record with valid data</u></p> | |
| <p><u>(F) Check the functionality of Living Expenses Master</u></p> | |

| | |
|--|---|
| <p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p> |  |
| <p><u>(S) Creation of Living Expenses record with valid data</u></p> | |
| <p><u>(F) Check the functionality of Living Expenses Master</u></p> | |

| | |
|--|--|
| <p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p> |  |
| <p><u>(S) Creation of Living Expenses record with valid data</u></p> | |
| <p><u>(F) Check the functionality of Living Expenses Master</u></p> | |

| | |
|--|---|
| <p>(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)</p> |  |
| <p><u>(S) Creation of Living Expenses record with valid data</u></p> | |
| <p><u>(F) Check the functionality of Living Expenses Master</u></p> | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with valid data

(F) Check the functionality of Living
Expenses Master

The screenshot shows the AZENTIO ONEBOOKING application interface. The top header displays the date '18-Nov-2022', a calendar icon, an email icon, a grid icon, and language/region dropdowns for 'Engl...', 'LOS', and 'Aze...'. A user profile icon is on the right. The left sidebar is a dark blue menu with a search bar and the following items: Dashboard, Configurations (with a sub-menu arrow), Project Master, Notification Master, Report Master, Target Master, Business Division Master, Approval Reviewer Level Matrix, Income Group Definition, Facility Type, NPA Identification, Classification Master, Living Expense, Transactions, and Reports. The 'Living Expense' item is highlighted.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with valid data

(F) Check the functionality of Living
Expenses Master

The screenshot shows the AZENTIO ONEBOOKING application interface with the 'List of Living Expense Model' table displayed. The top header is the same as the previous screenshot. The left sidebar is the same, with 'Living Expense' highlighted. The table has the following columns: Action, Description, Rule ID, Effective Date, and Status. There are four data rows, each with an 'Active' status. The table also includes a search bar, an 'Export' button, and a pagination bar at the bottom showing 'Showing 1 to 4 of 4 entries' and a page number '1'.

| Action | Description | Rule ID | Effective Date | Status |
|--------|--------------|----------|----------------|--------|
| | Test | 98303335 | 2022-10-15 | Active |
| | yugydygugc | 98303256 | 2022-10-25 | Active |
| | Descr1 | 98303254 | 2022-10-16 | Active |
| | Test expense | 98303254 | 2022-10-04 | Active |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with valid data

(F) Check the functionality of Living
Expenses Master

AZENTIO
ONEBOOKING

18-Nov-2022

Engl... LOS Aze...

Search the menu

Living Expense Definition

Living Expense Definition

Description *

Description2 *

Description3 *

Rule

Effective Date *

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with valid data

(F) Check the functionality of Living
Expenses Master

AZENTIO
ONEBOOKING

18-Nov-2022

Engl... LOS Aze...

Search the menu

Living Expense Definition

Living Expense Definition

Description *

Description2 *

Description3 *

Rule

Effective Date *

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with valid data

(F) Check the functionality of Living
Expenses Master

The screenshot shows the AZENTIO ONEBOOKING application interface. On the left is a blue sidebar menu with a search bar and a list of configuration items: Dashboard, Project Master, Notification Master, Report Master, Target Master, Business Division Master, Approval Reviewer Level Matrix, Income Group Definition, Facility Type, NPA Identification, Classification Master, and Living Expense (which is highlighted). Below these are sections for Transactions and Reports. The main content area is titled 'Living Expense Definition' and contains a form with the following fields: 'Description' (with the value 'Expenses'), 'Description2' (with the value 'ExpensesExp'), 'Description3' (empty), 'Rule' (a dropdown menu showing 'Select'), and 'Effective Date' (empty). A blue save icon is located at the bottom right of the form.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with valid data

(F) Check the functionality of Living
Expenses Master

This screenshot is identical to the one above, showing the 'Living Expense Definition' form in the AZENTIO ONEBOOKING application. The sidebar menu is the same, with 'Living Expense' highlighted. The form fields are: 'Description' (value: 'Expenses'), 'Description2' (value: 'ExpensesExp'), 'Description3' (value: 'ExpensesLivingExpenses'), 'Rule' (dropdown: 'Select'), and 'Effective Date' (empty). The save icon is present at the bottom right.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with valid data

(F) Check the functionality of Living
Expenses Master

AZENTIO ONEBOOKING

18-Nov-2022

Engl... LOS Aze...

Search the menu

Dashboard

Configurations

- Project Master
- Notification Master
- Report Master
- Target Master
- Business Division Master
- Approval Reviewer Level Matrix
- Income Group Definition
- Facility Type
- NPA Identification
- Classification Master
- Living Expense

Transactions

Reports

Living Expense Definition

Description * Expenses

Rule Rule1

Description2 * ExpensesExp

Description3 * ExpensesLivingExpenses

Effective Date *

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with valid data

(F) Check the functionality of Living
Expenses Master

AZENTIO ONEBOOKING

18-Nov-2022

Engl... LOS Aze...

Search the menu

Dashboard

Configurations

- Project Master
- Notification Master
- Report Master
- Target Master
- Business Division Master
- Approval Reviewer Level Matrix
- Income Group Definition
- Facility Type
- NPA Identification
- Classification Master
- Living Expense

Transactions

Reports

Living Expense Definition

Description * Expenses

Rule Rule1

Description2 * ExpensesExp

Description3 * ExpensesLivingExpenses

Effective Date * 03-Aug-2023

August 2023

| Su | Mo | Tu | We | Th | Fr | Sa |
|----|----|----|----|----|----|----|
| 30 | 31 | 1 | 2 | 3 | 4 | 5 |
| 6 | 7 | 8 | 9 | 10 | 11 | 12 |
| 13 | 14 | 15 | 16 | 17 | 18 | 19 |
| 20 | 21 | 22 | 23 | 24 | 25 | 26 |
| 27 | 28 | 29 | 30 | 31 | 1 | 2 |

Today Clear

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with valid data

(F) Check the functionality of Living
Expenses Master

The screenshot shows the AZENTIO ONEBOOKING application interface. On the left is a blue sidebar with a search bar and a menu containing 'Dashboard', 'Configurations' (with sub-items: Project Master, Notification Master, Report Master, Target Master, Business Division Master, Approval Reviewer Level Matrix, Income Group Definition, Facility Type, NPA Identification, Classification Master, and Living Expense), 'Transactions', and 'Reports'. The main area displays a table titled 'List of Living Expense Model'. The table has columns: Action, Description, Rule ID, Effective Date, and Status. It contains five rows of data, all with a status of 'Active'. A green notification banner at the top right says 'Success, Workflow initiated with ID: 396'. At the bottom right, it says 'Showing 1 to 5 of 36 entries' with pagination controls.

| Action | Description | Rule ID | Effective Date | Status |
|--------|-------------|----------|----------------|--------|
| | Expenses | 98303254 | 2023-08-02 | Active |
| | Expenses | 98303254 | 2023-08-02 | Active |
| | Expenses | 98303254 | 2023-08-02 | Active |
| | Expenses | 98303254 | 2023-08-02 | Active |
| | desc22 | 98303335 | 2022-11-16 | Active |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with valid data

(F) Check the functionality of Living
Expenses Master

The screenshot shows the AZENTIO ONEBOOKING application interface. On the left is a blue sidebar with a search bar and a menu containing 'Dashboard', 'Configurations' (with sub-items: Project Master, Notification Master, Report Master, Target Master, Business Division Master, Approval Reviewer Level Matrix, Income Group Definition, Facility Type, NPA Identification, Classification Master, and Living Expense), 'Transactions', and 'Reports'. The main area displays a table titled 'Inbox'. The table has columns: Action, Reference Id, Client Name, Event, Workflow, Employee Name, Stage Code, Stage Desc, Role Code, Created Date, and Approver Role. It contains ten rows of data. The first row is highlighted with an orange border. At the bottom right, it says 'Showing 1 to 10 of 687 entries' with pagination controls.

| Action | Reference Id | Client Name | Event | Workflow | Employee Name | Stage Code | Stage Desc | Role Code | Created Date | Approver Role |
|--------|--------------|-------------|------------------------|--------------------|---------------|------------|-----------------|-----------|--------------|---------------|
| | 396 | | BPM Two Stage Workflow | Two Stage Workflow | in02256 | MAKER | maker | LOSMKR | 18-Nov-2022 | |
| | 2762 | | Loan Application | Home Loan Workflow | in02256 | NEWAPP | New Application | BREXEC | 18-Nov-2022 | |
| | 2761 | | Loan Application | Home Loan Workflow | in02256 | NEWAPP | New Application | BREXEC | 18-Nov-2022 | |
| | 2760 | | Loan Application | Home Loan Workflow | in02256 | NEWAPP | New Application | BREXEC | 18-Nov-2022 | |
| | 2615 | | Loan Application | Home Loan Workflow | in02256 | FEECOL | Fee Collection | BREXEC | 17-Nov-2022 | |
| | 927 | VIVEK | Loan Application | Home Loan Workflow | in02256 | APPDATAENT | App Data Entry | CPUEXEC | 17-Nov-2022 | |
| | 362 | | BPM Two Stage Workflow | Two Stage Workflow | in02256 | MAKER | maker | LOSMKR | 17-Nov-2022 | |
| | 933 | | BPM Two Stage Workflow | Two Stage Workflow | in02256 | MAKER | maker | LOSMKR | 17-Nov-2022 | |
| | 7238 | | BPM Two Stage Workflow | Two Stage Workflow | in02256 | MAKER | maker | LOSMKR | 17-Nov-2022 | |
| | 7237 | | BPM Two Stage Workflow | Two Stage Workflow | in02256 | MAKER | maker | LOSMKR | 17-Nov-2022 | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with valid data

(F) Check the functionality of Living
Expenses Master

| Action | Reference Id | Client Name | Event | Workflow | Employee Name | Stage Code | Stage Desc | Role Code | Created Date | Approver Role |
|--------|--------------|-------------|------------------------|--------------------|---------------|-------------|-----------------|-----------|--------------|---------------|
| | 396 | | BPM Two Stage Workflow | Two Stage Workflow | in02256 | MAKER | maker | LOSMKR | 18-Nov-2022 | |
| | 2762 | | Loan Application | Home Loan Workflow | in02256 | NEWAPP | New Application | BREXEC | 18-Nov-2022 | |
| | 2761 | | Loan Application | Home Loan Workflow | in02256 | NEWAPP | New Application | BREXEC | 18-Nov-2022 | |
| | 2760 | | Loan Application | Home Loan Workflow | in02256 | NEWAPP | New Application | BREXEC | 18-Nov-2022 | |
| | 2615 | | Loan Application | Home Loan Workflow | in02256 | FEECOL | Fee Collection | BREXEC | 17-Nov-2022 | |
| | 927 | VIVEK | Loan Application | Home Loan Workflow | in02256 | APPODATAENT | App Data Entry | CPUEXEC | 17-Nov-2022 | |
| | 362 | | BPM Two Stage Workflow | Two Stage Workflow | in02256 | MAKER | maker | LOSMKR | 17-Nov-2022 | |
| | 933 | | BPM Two Stage Workflow | Two Stage Workflow | in02256 | MAKER | maker | LOSMKR | 17-Nov-2022 | |
| | 7238 | | BPM Two Stage Workflow | Two Stage Workflow | in02256 | MAKER | maker | LOSMKR | 17-Nov-2022 | |
| | 7237 | | BPM Two Stage Workflow | Two Stage Workflow | in02256 | MAKER | maker | LOSMKR | 17-Nov-2022 | |

Showing 1 to 10 of 687 entries

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Creation of Living Expenses record
with valid data

(F) Check the functionality of Living
Expenses Master

Living Expense Definition > Living Expense Parameter > Living Expense Location