

Cucumber Report

Sep 14, 2022, 1:38:46 PM

Start : Sep 14, 1:37:26.878 PM

End : Sep 14, 1:38:34.821 PM

Duration : 1 m 7.943 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0



FAILED - 1

SKIPPED - 0

PASSED - 9


FAILED - 1

SKIPPED - 12







| # | Feature Name | T | P | F | S | Duration |
|---|------------------------------|---|---|---|---|-------------|
| 1 | Income Details Functionality | 1 | 0 | 1 | 0 | 1 m 7.943 s |






| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------------------|--|----|---|---|----|-------------|
| 1 | Income Details Functionality | To check the functionality of Income Details | 22 | 9 | 1 | 12 | 1 m 7.940 s |





(F)- Income Details Functionality





| | | | | | |
|--------------------------------------|-------------------------------|-----------|---|------------|---|
| FAILED | DURATION - 1 m 7.943 s | Scenarios |  | Steps |  |
| / 1:37:26.878 PM // 1:38:34.821 PM / | | Total - 1 | | Total - 22 | |
| | | Pass - 0 | | Pass - 9 | |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 12 | |

(S)- To check the functionality of Income Details

| | | | | |
|---|--|---|---|--|
| <div>FAILED</div> <div>DURATION - 1 m 7.940 s</div> | | <div></div> | <div>Steps</div> <div>Total - 22</div> <div>Pass - 9</div> <div>Fail - 1</div> <div>Skip - 12</div> | <div></div> |
| <div>/ 1:37:26.881 PM // 1:38:34.821 PM /</div> | | | | |
| <div>Income Details Functionality</div> | | | | |
| <div>@AT-ID-001</div> | | | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given User launch the kuls application | PASSED | 13.963 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.297 s |
| | screenshot | | |
| |  | | |
| 2 | And User Login as maker | PASSED | 6.729 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.700 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| |  | | |
| 3 | Then click on inbox | PASSED | 0.272 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.197 s |
| | screenshot  | | |
| 4 | Then click on inbox search icon | PASSED | 0.113 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.146 s |
| | screenshot  | | |
| 5 | Then search Income Details record | PASSED | 0.104 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.115 s |
| | screenshot  | | |
| 6 | And maker user open the record from inbox | PASSED | 1.157 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.126 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|----|--|--------|----------|
| |  | | |
| 7 | Then click on Customer Financials Segment button | PASSED | 1.179 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.187 s |
| | screenshot  | | |
| 8 | Then click on Customer Financials Record Edit button | PASSED | 1.169 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.232 s |
| | screenshot  | | |
| 9 | Then click on Income Details Add button | PASSED | 1.147 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.507 s |
| | screenshot  | | |
| 10 | Then Validate fields and button under Income details sections | FAILED | 30.749 s |
| | <p>org.openqa.selenium.TimeoutException: Expected condition failed: waiting for visibility of Proxy element for: DefaultElementLocator 'By.xpath: //input[@id='employmentType']' (tried for 30 second(s) with 1000 milliseconds interval)</p> <p>at org.openqa.selenium.support.ui.FluentWait.timeoutException(FluentWait.java:263)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:231)</p> <p>at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91)</p> | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | <p>at stepdefinitions.IncomeDetails.validate_fields_and_button_under_income_details_sections(IncomeDetails.java:77) at ?.Validate fields and button under Income details sections(file:///C:/Users/inindc00089/git/repository6/Priyanka_AzentioULSFramework/src/test/java/features/IncomeDetails.feature:15)</p> <p>Caused by: org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"/input[@id='employmentType']"} (Session info: chrome=99.0.4844.82) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDAP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [266a8ec85d85e9b4e4f3a7cf7795575b, findElement {using=xpath, value=/input[@id='employmentType']}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:/Users/ININDC~1/AppData/L...}, goog.chromeOptions: {debuggerAddress: localhost:60488}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:60488/devtoo..., se.cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 266a8ec85d85e9b4e4f3a7cf7795575b</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor18.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) atjdk.proxy2/jdk.proxy2.\$Proxy45.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElementToVisibleWithFluentWait(WaitHelper.java:91) at stepdefinitions.IncomeDetails.validate_fields_and_button_under_income_details_sections(IncomeDetails.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92) at io.cucumber.core.runner.TestStep.run(TestStep.java:64) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:104) at io.cucumber.core.runner.Runner.runPickle(Runner.java:71) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133) at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598) at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173) at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46) at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824) at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) | | |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| | at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77) * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot  | PASSED | 0.089 s |
| 11 | Then Validate Auto populated Employment field | SKIPPED | 0.000 s |
| 12 | And employment type is salaried then validate bank and branch fields | SKIPPED | 0.000 s |
| 13 | Then Salary Credit to Bank Field should be drop down | SKIPPED | 0.000 s |
| 14 | Then Salary Credit Bank Field type should be lockup | SKIPPED | 0.001 s |
| 15 | Then Salary Credit Bank Field type should be lockup | SKIPPED | 0.000 s |
| 16 | Then Validate Total Income field auto populated post entering the amount | SKIPPED | 0.000 s |
| 17 | Then Validate Total Income Considered field auto populated post entering the amount | SKIPPED | 0.000 s |
| 18 | Then Validate Total Deduction field auto populated post entering the amount | SKIPPED | 0.001 s |
| 19 | Then Validate Total Deduction Considered field auto populated post entering the amount | SKIPPED | 0.000 s |
| 20 | Then Validate Net Income Amount field type should be text box | SKIPPED | 0.000 s |
| 21 | Then Validate Net Deduction Amount field type should be text box | SKIPPED | 0.000 s |
| 22 | Then Validate Currency Field should be drop down | SKIPPED | 0.000 s |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Income
Details


(F) Income Details Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Income
Details

(F) Income Details Functionality



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Income
Details

(F) Income Details Functionality

The screenshot shows the AZENTIO ONEBanking application interface. On the left is a blue sidebar with a search bar and a menu containing: Dashboard, Configurations, Config Manager, Sample Screens, Transactions, and Reports. The main area is titled 'Inbox' and shows 'Action' with a search icon. Below this, it says 'Showing 0 to 0 of 0 entries' with navigation arrows and a dropdown set to '10'. A blue circular button with a gear icon is visible in the bottom right corner.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Income
Details

(F) Income Details Functionality

The screenshot shows the AZENTIO ONEBanking application interface with an inbox containing 10 entries. The sidebar is identical to the previous screenshot. The main area is titled 'Inbox' and shows a table with the following columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The table contains 10 rows of data, all with 'APP_CREATE' as the Event Code and 'CPUEXEC' as the Role Code. The bottom of the table shows 'Showing 1 to 10 of 50 entries' with navigation arrows and a dropdown set to '10'. A blue circular button with a gear icon is visible in the bottom right corner.

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product |
|--------|--------------|------------|------------|-----------|---------------|-------------------|---------------|---------|
| | 468 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 14-Sep-2022 13:33 | HLW | AHL |
| | 424 | APP_CREATE | LEGVRFY | CPUEXEC | in02040 | 14-Sep-2022 13:13 | HLW | AHL |
| | 424 | APP_CREATE | FCUVRFY | CPUEXEC | in02040 | 14-Sep-2022 13:13 | HLW | AHL |
| | 466 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 14-Sep-2022 12:35 | HLW | AHL |
| | 465 | APP_CREATE | OFFERING | CREOFF | in02040 | 14-Sep-2022 12:23 | HLW | AHL |
| | 457 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 13-Sep-2022 13:51 | HLW | AHL |
| | 435 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 13-Sep-2022 11:32 | HLW | AHL |
| | 432 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 13-Sep-2022 10:37 | HLW | AHL |
| | 431 | APP_CREATE | DISBMKR | OPEMKR | in02040 | 13-Sep-2022 10:16 | HLW | AHL |
| | 429 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 13-Sep-2022 9:58 | HLW | AHL |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Income
Details

(F) Income Details Functionality

The screenshot shows the AZENTIO ONEBanking application interface. On the left is a blue sidebar menu with options: Dashboard, Configurations (with sub-items Config Manager and Sample Screens), Transactions, and Reports. The main area is titled 'Inbox' and contains a table with 10 entries. The table has columns: Action, Reference Id, Event Code, Stage Code, Role Code, Employee Name, Created Date, Workflow Code, and Product. The entries are filtered by '457'. At the bottom, it says 'Showing 1 to 10 of 50 entries' with pagination controls.

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product |
|--------|--------------|------------|------------|-----------|---------------|-------------------|---------------|---------|
| | 468 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 14-Sep-2022 13:33 | HLW | AHL |
| | 424 | APP_CREATE | LEGVRFY | CPUEXEC | in02040 | 14-Sep-2022 13:13 | HLW | AHL |
| | 424 | APP_CREATE | FCUVRFY | CPUEXEC | in02040 | 14-Sep-2022 13:13 | HLW | AHL |
| | 466 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 14-Sep-2022 12:35 | HLW | AHL |
| | 465 | APP_CREATE | OFFERING | CREOFF | in02040 | 14-Sep-2022 12:23 | HLW | AHL |
| | 457 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 13-Sep-2022 13:51 | HLW | AHL |
| | 435 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 13-Sep-2022 11:32 | HLW | AHL |
| | 432 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 13-Sep-2022 10:37 | HLW | AHL |
| | 431 | APP_CREATE | DISBMKR | OPEMKR | in02040 | 13-Sep-2022 10:16 | HLW | AHL |
| | 429 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 13-Sep-2022 9:58 | HLW | AHL |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Income
Details

(F) Income Details Functionality

This screenshot shows the same AZENTIO ONEBanking application interface, but the table now only displays one entry, which is highlighted. The entry has Reference Id 457. The pagination at the bottom indicates 'Showing 1 to 1 of 1 entries'.

| Action | Reference Id | Event Code | Stage Code | Role Code | Employee Name | Created Date | Workflow Code | Product |
|--------|--------------|------------|------------|-----------|---------------|-------------------|---------------|---------|
| | 457 | APP_CREATE | APPDATAENT | CPUEXEC | in02040 | 13-Sep-2022 13:51 | HLW | AHL |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Income
Details

(F) Income Details Functionality

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Config Manager

Sample Screens

Transactions

Reports

Prev

Application Info

Customer details

Additional Customer Info

Customer Financials

Facility Info

Document Details

Next

Approve

Reject

Return

Eligibility Check

Print

Application Details

Application Details

Primary Product *

Home Loan

Primary Sub Product *

Home Loan-Ready to move / Under construction Property from Builder/Soci...

Total Finance Amount Requested *

INR 3,00,000.00

Declared Net Income *

INR 20,000.00

Declared Current Obligations

INR 2,000.00

Special Promotion/Campaign

DDA Housing Scheme-2014

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Income
Details

(F) Income Details Functionality

AZENTIO

ONEBanking

Search the menu

Dashboard

Configurations

Config Manager

Sample Screens

Transactions

Reports

Prev

Info

Customer details

Additional Customer Info

Customer Financials

Facility Info

Document Details

Offering

Re

Next

Customer Personal Information

+

Search

Export

| Select | Action | CIF ID | First Name | Middle Name | Last Name | Customer Type | Applicant Type | Status |
|-----------------------|-----------------------------------|--------|------------|-------------|-----------|---------------|----------------|--------|
| <input type="radio"/> | <div><div></div><div></div></div> | | Shwetha | s | Tiwari | I | P | Active |

Showing 1 to 1 of 1 entries



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Income
Details

(F) Income Details Functionality

The screenshot displays the AZENTIO ONEBanking web application. The top navigation bar includes the AZENTIO logo, a search menu, and user profile information. The left sidebar contains a menu with options: Dashboard, Configurations, Config Manager, Sample Screens, Transactions, and Reports. The main content area shows a breadcrumb trail: Prev > Application Info > Customer details > Additional Customer Info > Customer Financials > Facility Info > Document Details > Next. The 'Customer Financials' tab is currently selected, but the content area is empty.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To check the functionality of Income
Details

(F) Income Details Functionality

The screenshot displays the AZENTIO ONEBanking web application with the 'CustomerEmployment' form open. The top navigation bar and left sidebar are identical to the previous screenshot. The breadcrumb trail is: Prev > Application Info > Customer details > Additional Customer Info > Customer Financials > Facility Info > Document Details > Next. The 'Customer Financials' tab is selected, and the 'CustomerEmployment' form is visible. The form includes a title bar with 'CustomerEmployment' and a back button. Below the title bar, there are several sections: 'Primary Employment' with a toggle switch, 'Nature Of Employment' with a dropdown menu, 'Profession' with a dropdown menu, 'Statutory Authority' with a dropdown menu, 'Employer Name If (Others)' with a text input field, 'Date Of Joining' with a date picker, 'Employment Period' with a dropdown menu, 'Company Type' with a dropdown menu, 'Profession Type' with a dropdown menu, 'Employer Name' with a dropdown menu, 'Employee ID' with a text input field, and 'Employment End Date' with a date picker. There are also buttons for 'Approve', 'Reject', 'Return', 'Eligibility Check', and 'Print' at the top right of the form.